



REPLY TO
ATTENTION OF

DEPARTMENT OF THE ARMY
U.S. ARMY GARRISON WHITE SANDS
100 Headquarters Avenue
WHITE SANDS MISSILE RANGE, NEW MEXICO 88002-5000

APR 09 2012

Directorate of Public Works

Mr. John Kieling, Acting Chief
New Mexico Environment Department
Hazardous Waste Bureau
2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6303

SUBJECT: Revised RCRA Facility Investigation Work Plan SWMUs 86 and 87 Main Post Sanitary Landfill (WSMR-81) and Construction Landfill (WSMR-82)

Dear Mr. Kieling,

Enclosed for your review is the report submittal titled: *Revised Final Facility Investigation Work Plan SWMUs 86 and 87 Main Post Sanitary Landfill (WSMR-81) and Construction Landfill (WSMR-82) White Sands Missile Range, New Mexico, April 2012.*

The revised report was prepared in response to the New Mexico Environmental Department (NMED) Notice of Disapproval dated November 4, 2011 (HWB-WSMR-11-011) and addresses NMED's comments contained in that letter.

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision according to a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Should you have any questions regarding this matter, please contact Mr. Benito Avalos of our Environmental Compliance Branch at (575) 678-2225.

I am forwarding this letter with enclosure (1 print copy w/CD) to Ms. Leona Tsinnajinnie, NMED-HWB; and without enclosure to Mr. Dave Cobrain, NMED-HWB; Mr. Paul Torcoletti, EPA Region 6; Mr. Sudhakar Matlapudi, Shaw, Inc.

Sincerely,

Thomas A. Ladd
Director, Public Works

Enclosure

