Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW134

Location Code: **2819-R-CRT**
Task: **140705-OCT2011-GW**
Sample Number: **GW0250**
Collection Date: 11/15/11
Sample Name: **2819-R-CRT-WG-GW0250-REG**
Collection Time: 0941
Sampling Method: **G**
Start Depth: 0
Sample Type: **WG** *Sample Purpose:* **REG**
End Depth: 0
Sampling Equip: Geo tech pump
Sample Matrix: **WG**
QC Partners:
(TB) GW8134-TB (ER) (FB)
Sample Team: AT, GP

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 0 **Depth To Water:** 0

Comments: Sampled from grnwtr well

Sketch Location:

Logged BY / Date: 11/15/11
Reviewed BY / Date: 11/15/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW123

Location Code: **KAFB-003**
Sample Number: **GW0251**
Sample Name: **KAFB-003-WG-GW0251-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: pump house

Task: **140705-OCT2011-GW**
Collection Date: 10/4/11
Collection Time: 1000
Start Depth: 0
End Depth: 0
Sample Matrix: **WG**
Sample Team: AT, RB

QC Partners:
(TB) WAB123-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: n/a **Depth To Water:** n/a

Comments: light effervescence in VOA vials, collected sample for synoptic

Sketch Location:

Logged BY / Date: 10/4/11 *Reviewed BY / Date:* 10/4/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW123

Location Code: **KAFB-015**
Sample Number: **GW0252**
Sample Name: **KAFB-015-WG-GW0252-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Prop brass

Task: **140705-OCT2011-GW**
Collection Date: 10/4/11
Collection Time: 0900
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WG**
Sample Team: VT, RB

QC Partners:
(TB) WAB123-TB3 (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: n/a **Depth To Water:** n/a

Comments: Collected sample from spigot

Sketch Location:

Logged BY / Date: 10/4/11 *Reviewed BY / Date:* 10/4/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW123

Location Code: **KAFB-016**
Sample Number: **GW0253**
Sample Name: **KAFB-016-WG-GW0253-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: pump house
QC Partners:
(TB) WA8023-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 10/4/11
Collection Time: 1105
Start Depth: 0
End Depth: 0
Sample Matrix: **WG**
Sample Team: AT, RD

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: n/a **Depth To Water:** n/a

Comments: light effervescence in HCl & non-preserve 40 ml vials, collected sample from spiggot

Sketch Location:

Logged BY / Date: 10/4/11 *Reviewed BY / Date:* 10/4/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-

Location Code: **ST106-VA2**
Sample Number: **GW0254**
Sample Name: **ST106-VA2-WG-GW0254-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Pump house

Task: **140705-OCT2011-GW**
Collection Date: 10/4/11
Collection Time: 1358
Start Depth: 0
End Depth: 0
Sample Matrix: **WG**
Sample Team: AT, RB

QC Partners:
(TB) VA123-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	~~2~~ 1	1	L	Amb. Glass
SW8270C-PAHs	N	K	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 0 **Depth To Water:** 0

Comments: Sample collected for Metals analysis

Sketch Location:

Logged BY / Date: AT 10/4/11 *Reviewed BY / Date:* 10/4/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-

Location Code: **ST106-VA2**
Sample Number: **GW0254-MS**
Sample Name: **ST106-VA2-WG-GW0254-MS-MS**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **MS**
Sampling Equip: Pump house

Task: **140705-OCT2011-GW**
Collection Date: 10/4/11
Collection Time: 1358
Start Depth: 0
End Depth: 0
Sample Matrix: **WG**
Sample Team: AT, RB

QC Partners:
(TB) VA8/23-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	1	1	L	Amb. Glass
SW8270C-PAHs	N	K	2	1	L	Amb. Glass

Groundwater Information:

Measured Well Depth: 60 **Depth To Water:** 0

Comments: Sample collected from upgrad "Intake"

Sketch Location:

Logged BY / Date: A Trujillo 10/4/11 *Reviewed BY / Date:* 10/4/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-

Location Code: **ST106-VA2**
Sample Number: **GW0254-MSD**
Sample Name: **ST106-VA2-WG-GW0254-MSD-MSD**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **MSD**
Sampling Equip: pump house

QC Partners:
(TB) WB023-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 10/4/11
Collection Time: 1358
Start Depth: 0
End Depth: 0
Sample Matrix: **WG**
Sample Team: AT RB

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	1	1	L	Amb. Glass
SW8270C-PAHs	N	K	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 0 **Depth To Water:** 0

Comments: Collected sample from spigot

Sketch Location:

Logged BY / Date: Athylle 10/4/11 *Reviewed BY / Date:* 10/4/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW150

Location Code: **KAFB3411**
Sample Number: **GW0255**
Sample Name: **KAFB3411-WG-GW0255-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennette
QC Partners:
(TB) GW8150-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 12-13-11
Collection Time: 1031
Start Depth: 477
End Depth: 502
Sample Matrix: **WG**
Sample Team: DA, DM

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 486.34 **Depth To Water:** 503

Comments:

Sketch Location:

Logged BY / Date: 12-13-11 *Reviewed BY / Date:* 12-13-11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW125

Location Code: **KAFB-106001**
Sample Number: **GW0256**
Sample Name: **KAFB-106001-WG-GW0256-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennette

Task: **140705-OCT2011-GW**
Collection Date: 10-6-11
Collection Time: 1454
Start Depth: 483
End Depth: 508
Sample Matrix: **WG**
Sample Team: DM, DA

QC Partners:
(TB) GW6125-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 508.5 **Depth To Water:** 488.52

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 10-6-11 *Reviewed BY / Date:* 10/6/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW142

Location Code: **KAFB-106002**
Sample Number: **GW0258**
Sample Name: **KAFB-106002-WG-GW0258-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennette

Task: **140705-OCT2011-GW**
Collection Date: 11-10-11
Collection Time: 1013
Start Depth: 479
End Depth: 504
Sample Matrix: **WG**
Sample Team: DM, MR

QC Partners:
(TB) GW6142-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 505 **Depth To Water:** 486.12

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 11-10-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW149

Location Code: **KAFB-106005**
Sample Number: **GW0259**
Sample Name: **KAFB-106005-WG-GW0259-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennette

Task: **140705-OCT2011-GW**
Collection Date: 12-12-11
Collection Time: 1427
Start Depth: 479
End Depth: 504
Sample Matrix: **WG**
Sample Team: DM, DA

QC Partners:
(TB) GW8149-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 507 **Depth To Water:** 490.76

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 12-12-11

Reviewed BY / Date 12-12-11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW149

Location Code: **KAFB-106006**
Sample Number: **GW0260**
Sample Name: **KAFB-106006-WG-GW0260-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennette

Task: **140705-OCT2011-GW**
Collection Date: 12-8-11
Collection Time: 1034
Start Depth: 483.5
End Depth: 508.5
Sample Matrix: **WG**
Sample Team: DM, DA

QC Partners:
(TB) GW8149-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 511 **Depth To Water:** 494.76

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 12-8-11 *Reviewed BY / Date:* 12-12-11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

Location Code: **KAFB-106007**

RFA / COC Number: 140705-GW129

Sample Number: **GW0261**

Task: **140705-OCT2011-GW**

Sample Name: **KAFB-106007-WG-GW0261-REG**

Collection Date: 10-13-11

Sampling Method: **G**

Collection Time: 1101

Sample Type: **WG**

Sample Purpose: **REG**

Start Depth: 484

Sampling Equip: Dedicated Bennette

End Depth: 509

QC Partners:

(TB) GW8129-TB (ER) (FB)

Sample Matrix: **WG**

Sample Team: DM, DA

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:

Measured Well Depth: 511 **Depth To Water:** 493.17

Comments:

Sketch Location:

Logged BY / Date: Daniel P Medina 10-13-11 *Reviewed BY / Date:* 10/13/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

Location Code: **KAFB-106007-R**
Sample Number: **GW0261**
Sample Name: **KAFB-106007-WG-GW0261-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett pump

QC Partners:
(TB) GW8131-TB (ER) (FB)

RFA / COC Number: DA ~~GW~~ 140705-GW131
Task: **140705-OCT2011-GW**
Collection Date: 10-18-11
Collection Time: 1136
Start Depth: 484.0
End Depth: 509.0
Sample Matrix: **WG**
Sample Team: DA, DM

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 511.0 **Depth To Water:** 493.25

Comments:

Sketch Location:

Logged BY / Date: 10-18-11 *Reviewed BY / Date:* 10/18/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-148

Location Code: **KAFB-106008**
Sample Number: **GW0262**
Sample Name: **KAFB-106008-WG-GW0262-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: portable pump
QC Partners:
(TB) GW8148-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 12-8-11 DA
Collection Time: 1322
Start Depth: 486.0
End Depth: 511.0
Sample Matrix: **WG**
Sample Team: DA, DM

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 513.5 **Depth To Water:** 495.44 ~~513.5~~ DA

Comments:

Sketch Location:

Logged BY / Date: 12-7-11 *Reviewed BY / Date:*

Shaw
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705GW47

Location Code: **KAFB-106009**
Sample Number: **GW0263**
Sample Name: **KAFB-106009-WG-GW0263-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennette

Task: **140705-OCT2011-GW**
Collection Date: 11-22-11
Collection Time: 1152
Start Depth: 480
End Depth: 505
Sample Matrix: **WG**
Sample Team: DM, MR

QC Partners:
(TB) GW8147-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 507.5 **Depth To Water:** 489.13

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 11-22-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW-152

Location Code: **KAFB-106010**
Sample Number: **GW0264**
Sample Name: **KAFB-106010-WG-GW0264-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennette
QC Partners:
(TB) GW8152-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 12-15-11
Collection Time: 1613
Start Depth: 483
End Depth: 508
Sample Matrix: **WG**
Sample Team: DM, DA

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 510.5 **Depth To Water:** 487.75

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 12-15-11 *Reviewed BY / Date:*

Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW152

Location Code: **KAFB-106010**
Sample Number: **GW0265**
Sample Name: **KAFB-106010-WG-GW0265-FD**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **FD**
Sampling Equip: Portable Bennette

Task: **140705-OCT2011-GW**
Collection Date: 12-15-11
Collection Time: 1613
Start Depth: 483
End Depth: 508
Sample Matrix: **WG**
Sample Team: DM, DA

QC Partners:
(TB) GW8152-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 510 **Depth To Water:** 487.75

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 12-15-11 *Reviewed BY / Date* 12/16/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW8132

Location Code: **KAFB-106011**
Sample Number: **GW0266**
Sample Name: **KAFB-106011-WG-GW0266-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett pump

Task: **140705-OCT2011-GW**
Collection Date: 10-19-11
Collection Time: 1317
Start Depth: 486
End Depth: 511
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW8132-TB (ER) GW8032-AB (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 516 **Depth To Water:** 497.93

Comments:

Sketch Location:

Logged BY / Date: [signature] *Reviewed BY / Date:* [signature] 10/19/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW138

Location Code: **KAFB-106012**
Sample Number: **GW0267**
Sample Name: **KAFB-106012-WG-GW0267-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett

Task: **140705-OCT2011-GW**
Collection Date: 11-2-11
Collection Time: 1457
Start Depth: 480.5
End Depth: 505.5
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW6138-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 510.5 **Depth To Water:** 490.57

Comments:

Sketch Location:

Logged BY / Date: *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW146

Location Code: **KAFB-106014**
Sample Number: **GW0268**
Sample Name: **KAFB-106014-WG-GW0268-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennette

Task: **140705-OCT2011-GW**
Collection Date: 11-21-11
Collection Time: 1311
Start Depth: 486
End Depth: 511
Sample Matrix: **WG**
Sample Team: DM, MR

QC Partners:
(TB) GW8146-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 516 **Depth To Water:** 494.70

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 11-21-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW141

Location Code: **KAFB-106015**
Sample Number: **GW0269**
Sample Name: **KAFB-106015-WG-GW0269-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennette

Task: **140705-OCT2011-GW**
Collection Date: 11-8-11
Collection Time: 1426
Start Depth: 486
End Depth: 511
Sample Matrix: **WG**
Sample Team: DM, MR

QC Partners:
(TB) GW8141-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 515 **Depth To Water:** 490.85

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 11-8-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW130

Location Code: **KAFB-106016**
Sample Number: **GW0270**
Sample Name: **KAFB-106016-WG-GW0270-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett pump
QC Partners:
(TB) GW8130-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 10-17-11
Collection Time: 1138
Start Depth: 475
End Depth: 500
Sample Matrix: **WG**
Sample Team: DA, MR

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 505 **Depth To Water:** 485.66

Comments:

Sketch Location:

Logged BY / Date: 10-17-11 *Reviewed BY / Date:* 10/17/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW127

Location Code: **KAFB-106017**
Sample Number: **GW0271**
Sample Name: **KAFB-106017-WG-GW0271-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennette

Task: **140705-OCT2011-GW**
Collection Date: 10-3-11
Collection Time: 1038
Start Depth: 482
End Depth: 507
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW3122-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 517 **Depth To Water:** 488.29

Comments:

Sketch Location:

Logged BY / Date: 10-2-11 *Reviewed BY / Date:* 10/3/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW127

Location Code: **KAFB-106018**
Sample Number: **GW0272**
Sample Name: **KAFB-106018-WG-GW0272-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated/bennett

Task: **140705-OCT2011-GW**
Collection Date: 10-3-11
Collection Time: 1313
Start Depth: 476
End Depth: 501
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW8127-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 506 **Depth To Water:** 482.93

Comments:

Sketch Location:

Logged BY / Date: *Reviewed BY / Date:* 10/3/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW150

Location Code: **KAFB-106019**
Sample Number: **GW0273**
Sample Name: **KAFB-106019-WG-GW0273-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennette

Task: **140705-OCT2011-GW**
Collection Date: 12-13-11
Collection Time: 1348
Start Depth: 493
End Depth: 518
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW8150-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 523 **Depth To Water:** 499.64

Comments:

Sketch Location:

Logged BY / Date: 12-13-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW145

Location Code: **KAFB-106020**
Sample Number: **GW0274**
Sample Name: **KAFB-106020-WG-GW0274-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 11/17/11
Collection Time: 1111
Start Depth: 482
End Depth: 507
Sample Matrix: **WG**
Sample Team: AT, GP

QC Partners:
(TB) GW8145-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 512 **Depth To Water:** 486.12

Comments:

Sketch Location:

Logged BY / Date: 11/17/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW145

Location Code: **KAFB-106020**
Sample Number: **GW0275**
Sample Name: **KAFB-106020-WG-GW0275-FD**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **FD**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 11/17/11
Collection Time: 1111
Start Depth: 482
End Depth: 507
Sample Matrix: **WG**
Sample Team: AT, GP

QC Partners:
(TB) GW 0145-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 512 **Depth To Water:** 486.12

Comments:

Sketch Location:

Logged BY / Date: AT Tryll 11/17/11 *Reviewed BY / Date:* 11/17/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW152

Location Code: **KAFB-106021**
Sample Number: **GW0276**
Sample Name: **KAFB-106021-WG-GW0276-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: portable bennett

Task: **140705-OCT2011-GW**
Collection Date: 12-16-11
Collection Time: 1402
Start Depth: 458
End Depth: 483
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW8152-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 488 **Depth To Water:** 459.97

Comments:

Sketch Location:

Logged BY / Date: 12-16-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW154

Location Code: **KAFB-106022**
Sample Number: **GW0277**
Sample Name: **KAFB-106022-WG-GW0277-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: portable pump
QC Partners:
(TB) GW8154-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 12-21-11
Collection Time: 1136
Start Depth: 467
End Depth: 487
Sample Matrix: **WG**
Sample Team: DA, DM

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 497 **Depth To Water:** 463.23

Comments:

Sketch Location:

Logged BY / Date: 12-21-11 *Reviewed BY / Date:* 12/21/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW127

Location Code: **KAFB-106024**
Sample Number: **GW0278**
Sample Name: **KAFB-106024-WG-GW0278-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: 1 Dedicated Bennette

Task: **140705-OCT2011-GW**
Collection Date: 10-11-11
Collection Time: 1404
Start Depth: 481
End Depth: 506
Sample Matrix: **WG**
Sample Team: DM, DA

QC Partners:
(TB) GW8127-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 511 **Depth To Water:** 486.70

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 10-11-11 *Reviewed BY / Date:* 10/11/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW123

Location Code: **KAFB-106025**
Sample Number: **GW0279**
Sample Name: **KAFB-106025-WG-GW0279-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennette

Task: **140705-OCT2011-GW**
Collection Date: 10-4-11
Collection Time: 1357
Start Depth: DM 465
End Depth: 490
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW8123-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 495 **Depth To Water:** 464.39

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 10-4-11
Reviewed BY / Date: 10/4/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW123

Location Code: **KAFB-106026**
Sample Number: **GW0280**
Sample Name: **KAFB-106026-WG-GW0280-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennette

Task: **140705-OCT2011-GW**
Collection Date: 10-4-11
Collection Time: 1031
Start Depth: 466
End Depth: 486
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW8127-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 491 **Depth To Water:** 471.44

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 10-4-11 *Reviewed BY / Date:* 10/4/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW138

Location Code: **KAFB-106029**
Sample Number: **GW0281**
Sample Name: **KAFB-106029-WG-GW0281-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 11/1/11
Collection Time: 1538
Start Depth: 450.77
End Depth: 470.33
Sample Matrix: **WG**
Sample Team: AT, TP

QC Partners:
(TB) GW8138-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 475.77 **Depth To Water:** 457.34

Comments:

Sketch Location:

Logged BY / Date: A Taylor 11/1/11 *Reviewed BY / Date:* 11/2/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW136

Location Code: **KAFB-106030**
Sample Number: **GW0282**
Sample Name: **KAFB-106030-WG-GW0282-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 10/31/11
Collection Time: 1308
Start Depth: 469.5
End Depth: 484.5
Sample Matrix: **WG**
Sample Team: AT, TW

QC Partners:
(TB) GW0136-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 489.9 **Depth To Water:** 457.77

Comments:

Sketch Location:

Logged BY / Date: A Toyllo 10/31/11 *Reviewed BY / Date:* 10/31/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW136

Location Code: **KAFB-106030**
Sample Number: **GW0283**
Sample Name: **KAFB-106030-WG-GW0283-FD**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **FD**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 10/31/11
Collection Time: 1308
Start Depth: 469.5
End Depth: 484.5
Sample Matrix: **WG**
Sample Team: AT, TW

QC Partners:
(TB) GW8136-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: ~~457.7~~ 489.9 at **Depth To Water:** 457.77

Comments:

Sketch Location:

Logged BY / Date: A Trujillo 10/31/11 *Reviewed BY / Date:* [signature] 10/31/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705

Location Code: **KAFB-106031**
Sample Number: **GW0284**
Sample Name: **KAFB-106031-WG-GW0284-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett
QC Partners:
(TB) (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 11/1/11
Collection Time: 1236
Start Depth: 495.77
End Depth: 509.54
Sample Matrix: **WG**
Sample Team: AT, TW

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:

Measured Well Depth: 514.34 **Depth To Water:** 457.71

Comments:

Sketch Location:

Logged BY / Date: [signature] 11/1/11 *Reviewed BY / Date:* [signature]

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW134

Location Code: **KAFB-106032**
Sample Number: **GW0285**
Sample Name: **KAFB-106032-WG-GW0285-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 10/24/11
Collection Time: 1110
Start Depth: 456
End Depth: 475.75
Sample Matrix: **WG**
Sample Team: AT, TN

QC Partners:
(TB) GW8134-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 480.5 **Depth To Water:** 463.14

Comments:

Sketch Location:

Logged BY / Date: [signature] 10/24/11 *Reviewed BY / Date:* [signature] 10/24/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140105-GW135

Location Code: **KAFB-106033**
Sample Number: **GW0286**
Sample Name: **KAFB-106033-WG-GW0286-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bailer

Task: **140705-OCT2011-GW**
Collection Date: 10/24/11
Collection Time: 1536
Start Depth: 477
End Depth: 492
Sample Matrix: **WG**
Sample Team: AT, TW

QC Partners:
(TB) GW8135-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 496.6 **Depth To Water:** 463.30

Comments: Very Slow

Sketch Location:

Logged BY / Date: [signature] *Reviewed BY / Date:* [signature] 10/25/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW135

Location Code: **KAFB-106034**
Sample Number: **GW0287**
Sample Name: **KAFB-106034-WG-GW0287-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: PORTABLE BENNETTE
QC Partners:
(TB) GW8135-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 10-25-11
Collection Time: 1423
Start Depth: 502
End Depth: 517
Sample Matrix: **WG**
Sample Team: DM, TN

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 522 **Depth To Water:** 464.07

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 10-25-11 *Reviewed BY / Date:* 10/25/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW144

Location Code: **KAFB-106035**
Sample Number: **GW0288**
Sample Name: **KAFB-106035-WG-GW0288-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennette

Task: **140705-OCT2011-GW**
Collection Date: 11-15-11
Collection Time: 1544
Start Depth: 452
End Depth: 482
Sample Matrix: **WG**
Sample Team: DM, MR

QC Partners:
(TB) GW8144-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 487 **Depth To Water:** 468.53

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 11-15-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW143

Location Code: **KAFB-106036**
Sample Number: **GW0289**
Sample Name: **KAFB-106036-WG-GW0289-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennette
QC Partners:
(TB) GW8143-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 11-15-11
Collection Time: 1329
Start Depth: 481.8
End Depth: 496.8
Sample Matrix: **WG**
Sample Team: DM, MR

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 501.8 **Depth To Water:** 468.81

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 11-15-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW143

Location Code: **KAFB-106037**
Sample Number: **GW0290**
Sample Name: **KAFB-106037-WG-GW0290-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennette

Task: **140705-OCT2011-GW**
Collection Date: 11-15-11
Collection Time: 1058
Start Depth: 507
End Depth: 522
Sample Matrix: **WG**
Sample Team: DM, MR

QC Partners:
(TB) GW8143-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 527.0 **Depth To Water:** 469.15

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 11-15-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 - GW139

Location Code: **KAFB-106038**
Sample Number: **GW0291**
Sample Name: **KAFB-106038-WG-GW0291-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Archard Bennett

Task: **140705-OCT2011-GW**
Collection Date: 11/7/11
Collection Time: 1010
Start Depth: 478
End Depth: 508
Sample Matrix: **WG**
Sample Team: AT, MR

QC Partners:
(TB) GW0139-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 513 **Depth To Water:** 497.23

Comments:

Sketch Location:

Logged BY / Date: A Trujillo 11/7/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 - GW1289

Location Code: **KAFB-106039**
Sample Number: **GW0292**
Sample Name: **KAFB-106039-WG-GW0292-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 10/12/11
Collection Time: 1546
Start Depth: 508.25
End Depth: 523.25
Sample Matrix: **WG**
Sample Team: AT, RB

QC Partners:
(TB) ~~[illegible]~~ -TB (ER) (FB)
GW 8129-TB

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 528.25 **Depth To Water:** 497.20

Comments: High Effervescence during sample

Sketch Location:

Logged BY / Date: [signature] 10/12/11 *Reviewed BY / Date:* [signature] 10/13/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW129

Location Code: **KAFB-106039**
Sample Number: **GW0293**
Sample Name: **KAFB-106039-WG-GW0293-FD**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **FD**
Sampling Equip: Portable Bennett
QC Partners:
(TB) WATB129-TP (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 10/12/11
Collection Time: 1546
Start Depth: 508.25
End Depth: 523.25
Sample Matrix: **WG**
Sample Team: AT, RB

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 528.25 **Depth To Water:** 497.20

Comments: High Effluent during sample

Sketch Location:

Logged BY / Date: 10/12/11 *Reviewed BY / Date:* 10/13/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW132

Location Code: **KAFB-106040**
Sample Number: **GW0294**
Sample Name: **KAFB-106040-WG-GW0294-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 10/18/11
Collection Time: 1225
Start Depth: 530.55
End Depth: 545.55
Sample Matrix: **WG**
Sample Team: AT, RB

QC Partners:
(TB) GW0132-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 550.55 **Depth To Water:** 496.34

Comments: Very Effervescent

Sketch Location:

Logged BY / Date: [signature] 10/19/11 *Reviewed BY / Date:* [signature] 10/19/11

Shaw
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705GW-136

Location Code: **KAFB-106042**
Sample Number: **GW0296**
Sample Name: **KAFB-106042-WG-GW0296-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennette

Task: **140705-OCT2011-GW**
Collection Date: 10-31-11
Collection Time: 1049
Start Depth: 469
End Depth: 483.53
Sample Matrix: **WG**
Sample Team: DM, MR

QC Partners:
(TB) GW8136-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 488.53 **Depth To Water:** 472.55

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 10-31-11 *Reviewed BY / Date:* 10/31

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW-24/137

Location Code: **KAFB-106043**
Sample Number: **GW0297**
Sample Name: **KAFB-106043-WG-GW0297-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennette

Task: **140705-OCT2011-GW**
Collection Date: 10-31-11
Collection Time: 1528
Start Depth: 543
End Depth: 557.53
Sample Matrix: **WG**
Sample Team: DM, MR

QC Partners:
(TB) GW8137-TB (ER) GW8033-IAB (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 562.53 **Depth To Water:** 472.78

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 10-31-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

GW131 DW

RFA / COC Number: 140705-~~GW130~~

Location Code: **KAFB-106027**
Sample Number: **GW0298**
Sample Name: **KAFB-106027-WG-GW0298-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett pump

Task: **140705-OCT2011-GW**
Collection Date: 10-17-11
Collection Time: 1451
Start Depth: 481
End Depth: 501
Sample Matrix: **WG**
Sample Team: DA, MR

QC Partners:
(TB) ~~GW8130-TB~~ GW8131-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 505 **Depth To Water:** 491.27

Comments:

Sketch Location:

Logged BY / Date: [signature] *Reviewed BY / Date:* [signature] 10/18/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

DW

RFA / COC Number: 140705-GW132

Location Code: **KAFB-106044**
Sample Number: **GW0299**
Sample Name: **KAFB-106044-WG-GW0299-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett

QC Partners:
(TB) GW8132-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 10-18-11
Collection Time: 1513
Start Depth: 504.23
End Depth: 519.23
Sample Matrix: **WG**
Sample Team: DA, DM

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 523.9 **Depth To Water:** 491.26

Comments:

Sketch Location:

Logged BY / Date: [signature] *Reviewed BY / Date:* [signature] 10/19/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW132

Location Code: **KAFB-106045**
Sample Number: **GW0300**
Sample Name: **KAFB-106045-WG-GW0300-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett pump
QC Partners:
(TB) GW8132-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 10-19-11
Collection Time: 1053
Start Depth: 528.3
End Depth: 543.3
Sample Matrix: **WG**
Sample Team: DA, DM

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 563 **Depth To Water:** 491.36

Comments:

Sketch Location:

Logged BY / Date: 10-19-11 *Reviewed BY / Date:* 10/19/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705

Location Code: **KAFB-106045**
Sample Number: **GW0300H**
Sample Name: **KAFB-106045-GL-GW0300H-REG**
Sampling Method: **G**
Sample Type: **GL** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett pump
QC Partners:
(TB) (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 10-19-11
Collection Time: 11:10
Start Depth: 528.3
End Depth: 543.3
Sample Matrix: **LG**
Sample Team: DA, DM, DO

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
hydrocarbons	N	B	1	1	L	Tedlar Bag
ASTM D2504	N	A	1	1	L	Tedlar Bag

Comments:

Sketch Location:

Logged BY / Date: [signature] *Reviewed BY / Date:* [signature] 10/19/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW139

Location Code: **KAFB-106046**
Sample Number: **GW0301**
Sample Name: **KAFB-106046-WG-GW0301-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated Bennett Pump

Task: **140705-OCT2011-GW**
Collection Date: 11/7/11
Collection Time: 1042
Start Depth: 490
End Depth: 510
Sample Matrix: **WG**
Sample Team: TN, DR

QC Partners:
(TB) SW8139-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 510 **Depth To Water:** 497.32

Comments: VOC's Ø

Sketch Location:

Logged BY / Date: T Noger 11/7/11 *Reviewed BY / Date:* 11/7/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW139

Location Code: **KAFB-106047**
Sample Number: **GW0302**
Sample Name: **KAFB-106047-WG-GW0302-REG**
Sampling Method: **G**
Sample Type: **WG** (TN)
Sample Purpose: **REG**
Sampling Equip: ~~pp~~ Bennett Pump (dedicated)

Task: **140705-OCT2011-GW**
Collection Date: 11/7/11
Collection Time: 1313
Start Depth: 512
End Depth: 527
Sample Matrix: **WG**
Sample Team: TN, DM, FK

QC Partners:
(TB) GW8139-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:

Measured Well Depth: 532 **Depth To Water:** 497.4

Comments:

Sketch Location:

Logged BY / Date: TNogen 11/7/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW140

Location Code: **KAFB-106048**
Sample Number: **GW0303**
Sample Name: **KAFB-106048-WG-GW0303-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennette
QC Partners:
(TB) GW8140-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 11-8-11
Collection Time: 1035
Start Depth: 535.5
End Depth: 550.5
Sample Matrix: **WG**
Sample Team: DM, MR

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 555.5 **Depth To Water:** 497.25

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 11-8-11 *Reviewed BY / Date:* 11/8/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

DW

RFA / COC Number: 140705-GW1267

Location Code: **KAFB-106049**
Sample Number: **GW0304**
Sample Name: **KAFB-106049-WG-GW0304-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett

Task: **140705-OCT2011-GW**
Collection Date: 10-10-11
Collection Time: 1537
Start Depth: 456.24
End Depth: 476.80
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW8126-TB (ER) _____ (FB) _____

7 DW

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 480.68 **Depth To Water:** 463.27

Comments:

Sketch Location:

Logged BY / Date: _____ *Reviewed BY / Date:* _____ 10/11/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW126

Location Code: **KAFB-106050**
Sample Number: **GW0305**
Sample Name: **KAFB-106050-WG-GW0305-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett
QC Partners:
(TB) GW8126-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 10-10-11
Collection Time: 1320
Start Depth: 475.58
End Depth: 489.35
Sample Matrix: **WG**
Sample Team: DA, DM

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 494.75 **Depth To Water:** 462.63

Comments:

Sketch Location:

Logged BY / Date: 10-10-11

Reviewed BY / Date: 10/10/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW126

Location Code: **KAFB-106050**
Sample Number: **GW0306**
Sample Name: **KAFB-106050-WG-GW0306-FD**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **FD**
Sampling Equip: dedicated bennett

Task: **140705-OCT2011-GW**
Collection Date: 10-10-11
Collection Time: 1320
Start Depth: 475.58
End Depth: 489.35
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW8126-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 494.75 **Depth To Water:** 462.63

Comments:

Sketch Location:

Logged BY / Date: 10-10-11 *Reviewed BY / Date:* 10/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW126

Location Code: **KAFB-106051**
Sample Number: **GW0307**
Sample Name: **KAFB-106051-WG-GW0307-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett

Task: **140705-OCT2011-GW**
Collection Date: 10-10-11
Collection Time: 1403
Start Depth: 502.05
End Depth: 515.82
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW8126-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 521.22 **Depth To Water:** 462.91

Comments:

Sketch Location:

Logged BY / Date: 10-10-11 *Reviewed BY / Date:* 10/10/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW138

Location Code: **KAFB-106052**
Sample Number: **GW0308**
Sample Name: **KAFB-106052-WG-GW0308-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 11/2/11
Collection Time: ~~1306~~ at 1506
Start Depth: 450.35
End Depth: 479.63
Sample Matrix: **WG**
Sample Team: AT, TN

QC Partners:
(TB) GW8138-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 484.80 **Depth To Water:** 466.68

Comments:

Sketch Location:

Logged BY / Date: A Trujillo 11/2/11 *Reviewed BY / Date:* T Nager 11/2/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW28

Location Code: **KAFB-106053**
Sample Number: **GW0309**
Sample Name: **KAFB-106053-WG-GW0309-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 11/2/11
Collection Time: 1132
Start Depth: 479.26
End Depth: 493.03
Sample Matrix: **WG**
Sample Team: AT, TN

QC Partners:
(TB) SW8138-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 498.43 **Depth To Water:** 466.53

Comments: Very Effervescent

Sketch Location:

Logged BY / Date: [signature] 11/2/11 *Reviewed BY / Date:* [signature]

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW138

Location Code: **KAFB-106054**
Sample Number: **GW0310**
Sample Name: **KAFB-106054-WG-GW0310-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett
QC Partners:
(TB) GW8138-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 11/3/11
Collection Time: 1315
Start Depth: 504
End Depth: 519
Sample Matrix: **WG**
Sample Team: AT, TW

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 524 **Depth To Water:** 466.49

Comments: Very Effervescent

Sketch Location:

Logged BY / Date: A Traylor 11/3/11 *Reviewed BY / Date:* 11/3/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW125

Location Code: **KAFB-106055**
Sample Number: **GW0311**
Sample Name: **KAFB-106055-WG-GW0311-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 10/6/11
Collection Time: 1156
Start Depth: 468.82
End Depth: 484.82
Sample Matrix: **WG**
Sample Team: AT, RB

QC Partners:
(TB) IA8125-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 490.26 **Depth To Water:** 472.36

Comments:

Sketch Location:

Logged BY / Date: [signature] 10/6/11

Reviewed BY / Date: [signature] 10/6/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW125

Location Code: **KAFB-106057**
Sample Number: **GW0312**
Sample Name: **KAFB-106057-WG-GW0312-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Bonafide Bennett

Task: **140705-OCT2011-GW**
Collection Date: 10/6/11
Collection Time: 1532
Start Depth: 486.17
End Depth: 499.94
Sample Matrix: **WG**
Sample Team: AT, RB

QC Partners:
(TB) WA8125-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 505.34 **Depth To Water:** ~~484~~ 472.68

Comments: Very effervescent

Sketch Location:

Logged BY / Date: 10/6/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW125

Location Code: **KAFB-106058**
Sample Number: **GW0313**
Sample Name: **KAFB-106058-WG-GW0313-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 10/5/11
Collection Time: 1600
Start Depth: 511.80
End Depth: 526.81
Sample Matrix: **WG**
Sample Team: DL RB

QC Partners:
(TB) GW8125-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 530.3 **Depth To Water:** ~~453~~ 473.72

Comments: Pump set @ 520'

Sketch Location:

Logged BY / Date: DL RB 10-5-2011 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW153 (480)

Location Code: **KAFB-106059**
Sample Number: **GW0314**
Sample Name: **KAFB-106059-WG-GW0314-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: portable bennett pump

Task: **140705-OCT2011-GW**
Collection Date: 12-20-11
Collection Time: 1500
Start Depth: 483.4
End Depth: 503.4
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW8153-TB (480) (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 508.4 **Depth To Water:** 488.34

Comments: LNAPL @ 487.89

Sketch Location:

Logged BY / Date: 12-20-11 *Reviewed BY / Date:* 12/21/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW135

Location Code: **KAFB-106060**
Sample Number: **GW0315**
Sample Name: **KAFB-106060-WG-GW0315-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated Bennett pump

Task: **140705-OCT2011-GW**
Collection Date: 10-25-11
Collection Time: 1417
Start Depth: 503
End Depth: 518
Sample Matrix: **WG**
Sample Team: DA, MR

QC Partners:
(TB) GW8135-TB (ER) GW0316 (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 527 **Depth To Water:** 489.46

Comments:

Sketch Location:

Logged BY / Date: 10-25-11 *Reviewed BY / Date:* 10/25/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW135

Location Code: **KAFB-106060**
Sample Number: **GW0316**
Sample Name: **KAFB-106060-WG-GW0316-FD**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **FD**
Sampling Equip: dedicated bennett pump

Task: **140705-OCT2011-GW**
Collection Date: 10-25-11
Collection Time: 1419
Start Depth: 503
End Depth: 516
Sample Matrix: **WG**
Sample Team: DA, MR

QC Partners:
(TB) GW8135-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 527 **Depth To Water:** 489.46

Comments:

Sketch Location:

Logged BY / Date: 10-25-11 *Reviewed BY / Date:* 10/25/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW135

Location Code: **KAFB-106061**
Sample Number: **GW0317**
Sample Name: **KAFB-106061-WG-GW0317-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett pump

Task: **140705-OCT2011-GW**
Collection Date: 10-25-11
Collection Time: 1118
Start Depth: 573.2
End Depth: 588.2
Sample Matrix: **WG**
Sample Team: DA, MR

QC Partners:
(TB) GW0335-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 593.2 **Depth To Water:** 489.31

Comments:

Sketch Location:

Logged BY / Date: 10-25-11 *Reviewed BY / Date:* 10/25/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705

Location Code: **KAFB-106061**
Sample Number: **GW0317H**
Sample Name: **KAFB-106061-GL-GW0317H-REG**
Sampling Method: **G**
Sample Type: **GL** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett pump

Task: **140705-OCT2011-GW**
Collection Date: 10-25-11
Collection Time: 1134
Start Depth: 573.7
End Depth: 588.7
Sample Matrix: **LG**
Sample Team: DA, MR

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
ASTM D2504	N	A	1	1	L	Tedlar Bag
hydrocarbons	N	B	1	1	L	Tedlar Bag

ERPIMS Values:
Sacode:
Lot Control#:

Comments:

Sketch Location:

Logged BY / Date: 10-25-11 *Reviewed BY / Date:* 10/25/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW141

Location Code: **KAFB-106062**
Sample Number: **GW0318**
Sample Name: **KAFB-106062-WG-GW0318-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennette
QC Partners:
(TB) GW6141-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 11-9-11
Collection Time: 1116
Start Depth: 595.78
End Depth: 590.26
Sample Matrix: **WG**
Sample Team: DM, MR

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 595 **Depth To Water:** 496.04

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 11-9-11 *Reviewed BY / Date:* 11/9/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW141

Location Code: **KAFB-106063**
Sample Number: **GW0319**
Sample Name: **KAFB-106063-WG-GW0319-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennette

Task: **140705-OCT2011-GW**
Collection Date: 11-9-11
Collection Time: 1353
Start Depth: 505
End Depth: 520
Sample Matrix: **WG**
Sample Team: DM, MR

QC Partners:
(TB) GW8141-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 525 **Depth To Water:** 496.65

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 11-9-11 *Reviewed BY / Date:* 11/9/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-

Location Code: **KAFB-106064**
Sample Number: **GW0320**
Sample Name: **KAFB-106064-WG-GW0320-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennette
QC Partners:
(TB) (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 12-15-11
Collection Time: 1108
Start Depth: 485
End Depth: 505
Sample Matrix: **WG**
Sample Team: DM, DA

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 510 **Depth To Water:** 494.94

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 12-15-11 *Reviewed BY / Date:* 12/16/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW154

Location Code: **KAFB-106028-510**
Sample Number: **GW0321**
Sample Name: **KAFB-106028-510-WG-GW0321-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: portable pumps

Task: **140705-OCT2011-GW**
Collection Date: 12-21-11
Collection Time: 1518
Start Depth: 491
End Depth: 511
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW8154-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 516 **Depth To Water:** 492.99

Comments:

Sketch Location:

Logged BY / Date: 12-21-11 *Reviewed BY / Date:* 12/22/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW~~137~~ 138

Location Code: KAFB-106~~065~~ 066 DA

Sample Number: GW0322

Sample Name: KAFB-106065-WG-GW0322-REG

Sampling Method: G

Sample Type: WG *Sample Purpose:* REG

Sampling Equip: Dedicated Benette

Task: 140705-OCT2011-GW

Collection Date: 11-1-11

Collection Time: 1532

Start Depth: 508

End Depth: 523

Sample Matrix: WG

Sample Team: DM, DA

QC Partners:
(TB) GW8~~137~~-TB 8138-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:

Measured Well Depth: 528 Depth To Water: 493.92

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 11-1-11 *Reviewed BY / Date:* [signature] 11/2/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW137

Location Code: KAFB-106065 DCA

Sample Number: GW0323

Sample Name: KAFB-106066-WG-GW0323-REG

Sampling Method: G

Sample Type: WG *Sample Purpose:* REG

Sampling Equip: Dedicated Bennette

QC Partners:

(TB) GW8137-TB (ER) (FB)

Task: 140705-OCT2011-GW

Collection Date: 11-1-11

Collection Time: 1200

Start Depth: 575.6

End Depth: 590.6

Sample Matrix: WG

Sample Team: DM, DA

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:

Sacode:

Lot Control#:

Groundwater Information:

Measured Well Depth: 595.80 **Depth To Water:** 493.72

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 11-1-11

Reviewed BY / Date:

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW138

Location Code: **KAFB-106067**
Sample Number: **GW0324**
Sample Name: **KAFB-106067-WG-GW0324-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett

Task: **140705-OCT2011-GW**
Collection Date: 11-3-11
Collection Time: 1105
Start Depth: 485
End Depth: 505
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW8138-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 510 **Depth To Water:** 493.12

Comments:

Sketch Location:

Logged BY / Date: 11-3-11 *Reviewed BY / Date:* 11/3/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW13B

Location Code: **KAFB-106068**
Sample Number: **GW0325**
Sample Name: **KAFB-106068-WG-GW0325-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett

Task: **140705-OCT2011-GW**
Collection Date: 11-3-11
Collection Time: 1417
Start Depth: 580
End Depth: 595
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW8138-TB (ER) _____ (FB) _____

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 600 **Depth To Water:** 493.71

Comments:

Sketch Location:

Logged BY / Date: 11-3-11 *Reviewed BY / Date* 11/3/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW151

Location Code: **KAFB-106069**
Sample Number: **GW0326**
Sample Name: **KAFB-106069-WG-GW0326-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: portable bennett

Task: **140705-OCT2011-GW**
Collection Date: 12-14-11
Collection Time: 1145
Start Depth: 506
End Depth: 521
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW8151-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 526 **Depth To Water:** 491.85

Comments:

Sketch Location:

Logged BY / Date: *Reviewed BY / Date:* 12-14-11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 GW140

Location Code: **KAFB-106070**
Sample Number: **GW0327**
Sample Name: **KAFB-106070-WG-GW0327-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennett

Task: **140705-OCT2011-GW**
Collection Date: 11/8/11
Collection Time: 1031
Start Depth: 460
End Depth: 480
Sample Matrix: **WG**
Sample Team: AT, FK

QC Partners:
(TB) GW8140-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 485 **Depth To Water:** 464.94

Comments:

Sketch Location:

Logged BY / Date: A Trujillo 11/8/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW014

Location Code: **KAFB-106071**
Sample Number: **GW0328**
Sample Name: **KAFB-106071-WG-GW0328-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennett

Task: **140705-OCT2011-GW**
Collection Date: 11/8/11
Collection Time: 1431
Start Depth: 548
End Depth: 563
Sample Matrix: **WG**
Sample Team: AT, FK

QC Partners:
(TB) GW8141-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 568 **Depth To Water:** 467.11

Comments:

Sketch Location:

Logged BY / Date: [signature] 11/8/11 *Reviewed BY / Date:* [signature] 11/9/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW141

Location Code: **KAFB-106071**
Sample Number: **GW0329**
Sample Name: **KAFB-106071-WG-GW0329-FD**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **FD**
Sampling Equip: Dedicated Bennett

Task: **140705-OCT2011-GW**
Collection Date: 11/8/11
Collection Time: 1431
Start Depth: 548
End Depth: 563
Sample Matrix: **WG**
Sample Team: AT, FL

QC Partners:
(TB) GW8141-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 568 **Depth To Water:** 467.11

Comments: Vary Effluent

Sketch Location:

Logged BY / Date: ATrujillo 11/9/11 *Reviewed BY / Date:* 11/9/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW140

Location Code: **KAFB-106072**
Sample Number: **GW0330**
Sample Name: **KAFB-106072-WG-GW0330-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Alidad Bennett

Task: **140705-OCT2011-GW**
Collection Date: 11/7/11
Collection Time: 1452
Start Depth: 475
End Depth: 495
Sample Matrix: **WG**
Sample Team: AT, MR

QC Partners:
(TB) GW8140-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:

Measured Well Depth: 500 **Depth To Water:** 465.15

Comments:

Sketch Location:

Logged BY / Date: AT 11/7/11 *Reviewed BY / Date* 11/8/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW143

Location Code: **KAFB-106073**
Sample Number: **GW0331**
Sample Name: **KAFB-106073-WG-GW0331-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennett

Task: **140705-OCT2011-GW**
Collection Date: 11/14/11
Collection Time: 1618
Start Depth: 500
End Depth: 515
Sample Matrix: **WG**
Sample Team: AT, GP

QC Partners:
(TB) GW8143-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 519.5 **Depth To Water:** 484.51

Comments:

Sketch Location:

Logged BY / Date: A Trujillo 11/14/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW143

Location Code: **KAFB-106074**
Sample Number: **GW0332**
Sample Name: **KAFB-106074-WG-GW0332-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennett

Task: **140705-OCT2011-GW**
Collection Date: 11/14/11
Collection Time: 1339
Start Depth: 570
End Depth: ~~589~~ 589.53
Sample Matrix: **WG**
Sample Team: AT, GP

QC Partners:
(TB) GW8143-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 589.5 **Depth To Water:** 485.43

Comments:

Sketch Location:

Logged BY / Date: A Trujillo 11/14/11 *Reviewed BY / Date:* 11/16/11

Shaw
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW142

Location Code: **KAFB-106075**
Sample Number: **GW0333**
Sample Name: **KAFB-106075-WG-GW0333-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennett
QC Partners:
(TB) GW8142-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 11/10/11
Collection Time: 1308
Start Depth: 480
End Depth: 500
Sample Matrix: **WG**
Sample Team: AT, FL

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 505 **Depth To Water:** 485.63

Comments:

Sketch Location:

Logged BY / Date: A Trujillo 11/10/11 *Reviewed BY / Date:* 11/10/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW151

Location Code: **KAFB-106076**
Sample Number: **GW0334**
Sample Name: **KAFB-106076-WG-GW0334-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett pump

Task: **140705-OCT2011-GW**
Collection Date: 12-14-11
Collection Time: 1548
Start Depth: 480
End Depth: 500
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW8151-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 505 **Depth To Water:** 488.39

Comments:

Sketch Location:

Logged BY / Date: 12-14-11 *Reviewed BY / Date:* 12/15/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW153

Location Code: **KAFB-106077**
Sample Number: **GW0335**
Sample Name: **KAFB-106077-WG-GW0335-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: portable bennett pump

Task: **140705-OCT2011-GW**
Collection Date: 12-20-11
Collection Time: 1130
Start Depth: 504
End Depth: 519
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW8153-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 524 **Depth To Water:** 489.34

Comments:

Sketch Location:

Logged BY / Date: 12-20-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW153

Location Code: **KAFB-106078**
Sample Number: **GW0336**
Sample Name: **KAFB-106078-WG-GW0336-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: portable bennett
QC Partners:
(TB) GW8153-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 12-19-11
Collection Time: 1347
Start Depth: 573.5
End Depth: 588.5
Sample Matrix: **WG**
Sample Team: DA, DM

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 593.5 **Depth To Water:** 488.04

Comments:

Sketch Location:

Logged BY / Date: 12-19-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140750-GW134

Location Code: **KAFB-106079**
Sample Number: **GW0337**
Sample Name: **KAFB-106079-WG-GW0337-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett pump

Task: **140705-OCT2011-GW**
Collection Date: 10-24-11
Collection Time: 1339
Start Depth: 484.92
End Depth: 503.92
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW0334-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 509.46 **Depth To Water:** 494.40

Comments:

Sketch Location:

Logged BY / Date: *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW135

Location Code: **KAFB-106080**
Sample Number: **GW0338**
Sample Name: **KAFB-106080-WG-GW0338-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett pump

Task: **140705-OCT2011-GW**
Collection Date: 10-24-11
Collection Time: 1550
Start Depth: 504.4
End Depth: 519.4
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW135-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 523.3 **Depth To Water:** 492.91

Comments:

Sketch Location:

Logged BY / Date: *Reviewed BY / Date* 10/25/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW135

Location Code: **KAFB-106080**
Sample Number: **GW0339**
Sample Name: **KAFB-106080-WG-GW0339-FD**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **FD**
Sampling Equip: dedicated bennett pump

Task: **140705-OCT2011-GW**
Collection Date: 10-24-11
Collection Time: 1550
Start Depth: 504.4
End Depth: 519.4
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW135-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 523.3 **Depth To Water:** 492.91

Comments:

Sketch Location:

Logged BY / Date: [signature] *Reviewed BY / Date:* [signature] 10/25/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW134

Location Code: **KAFB-106081**
Sample Number: **GW0340**
Sample Name: **KAFB-106081-WG-GW0340-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett pump
QC Partners:
(TB) GW8134-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 10-24-11
Collection Time: 1146
Start Depth: 575.59
End Depth: 589.36
Sample Matrix: **WG**
Sample Team: DA, DM

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 594.76 **Depth To Water:** 494.43

Comments:

Sketch Location:

Logged BY / Date: 10-24-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705

Location Code: **KAFB-106081**
Sample Number: **GW0340H**
Sample Name: **KAFB-106081-GL-GW0340H-REG**
Sampling Method: **G**
Sample Type: **GL** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett pump
QC Partners:
(TB) _____ (ER) _____ (FB) _____

Task: **140705-OCT2011-GW**
Collection Date: 10-24-11
Collection Time: 1201
Start Depth: 575.59
End Depth: 589.36
Sample Matrix: **LG**
Sample Team: DA, DM

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
ASTM D2504	N	A	1	1	L	Tedlar Bag
hydrocarbons	N	B	1	1	L	Tedlar Bag

Comments:

Sketch Location:

Logged BY / Date: 10-24-11 *Reviewed BY / Date*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW 129 ~~128~~

Location Code: **KAFB-106082**
Sample Number: **GW0341**
Sample Name: **KAFB-106082-WG-GW0341-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett

Task: **140705-OCT2011-GW**
Collection Date: 10-12-11
Collection Time: 1551
Start Depth: 477
End Depth: 492
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) ~~GW8128-TB~~ 8129 (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 497.2 **Depth To Water:** 480.71

Comments:

Sketch Location:

Logged BY / Date: 10-12-11 *Reviewed BY / Date:* 10/13/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW128

Location Code: **KAFB-106083**
Sample Number: **GW0342**
Sample Name: **KAFB-106083-WG-GW0342-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett

Task: **140705-OCT2011-GW**
Collection Date: 10-17-11
Collection Time: 1328
Start Depth: 495.45
End Depth: 510.45
Sample Matrix: **WG**
Sample Team: DA, NM

QC Partners:
(TB) GW8178-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 515.65 **Depth To Water:** 480.13

Comments:

Sketch Location:

Logged BY / Date: [signature] *Reviewed BY / Date:* [signature] 10/12/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW128

Location Code: **KAFB-106084**
Sample Number: **GW0343**
Sample Name: **KAFB-106084-WG-GW0343-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett

Task: **140705-OCT2011-GW**
Collection Date: 10-17-11
Collection Time: 1055
Start Depth: 566
End Depth: 581
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW0128-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 585.75 **Depth To Water:** 479.45

Comments:

Sketch Location:

Logged BY / Date: 10-17-11 *Reviewed BY / Date:* 10/17/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW144

Location Code: **KAFB-106085**
Sample Number: **GW0344**
Sample Name: **KAFB-106085-WG-GW0344-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennette

Task: **140705-OCT2011-GW**
Collection Date: 11-16-11
Collection Time: 1021
Start Depth: 446.5
End Depth: 476.5
Sample Matrix: **WG**
Sample Team: DM, MR

QC Partners:
(TB) GW8144-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 481.5 **Depth To Water:** 463.32

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 11-16-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW144

Location Code: **KAFB-106086**
Sample Number: **GW0345**
Sample Name: **KAFB-106086-WG-GW0345-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennette

Task: **140705-OCT2011-GW**
Collection Date: 11-16-11
Collection Time: 1308
Start Depth: 476
End Depth: 491
Sample Matrix: **WG**
Sample Team: DM, MR

QC Partners:
(TB) GW8144-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 496 **Depth To Water:** 463.77

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 11-16-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 · Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW145

Location Code: **KAFB-106087**
Sample Number: **GW0346**
Sample Name: **KAFB-106087-WG-GW0346-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennette
QC Partners:
(TB) GW4145-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 11-17-11
Collection Time: 1143
Start Depth: 546.0
End Depth: 561.0
Sample Matrix: **WG**
Sample Team: DM, MR

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 565.05 DM **Depth To Water:** 463.15

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 11-17-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW127

Location Code: **KAFB-106088**
Sample Number: **GW0347**
Sample Name: **KAFB-106088-WG-GW0347-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 10/10/11
Collection Time: 1540
Start Depth: 460
End Depth: 480
Sample Matrix: **WG**
Sample Team: AT-RB

QC Partners:
(TB) VA8127-EB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 485 **Depth To Water:** 470.54

Comments:

Sketch Location:

Logged BY / Date: 10/10/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW128

Location Code: **KAFB-106089**
Sample Number: **GW0348**
Sample Name: **KAFB-106089-WG-GW0348-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Bladder Pump

Task: **140705-OCT2011-GW**
Collection Date: 10/12/11
Collection Time: 1119
Start Depth: 481.5
End Depth: 496.5
Sample Matrix: **WG**
Sample Team: AT, RB

QC Partners:
(TB) MW128-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 501.5 **Depth To Water:** 470.40

Comments:

Sketch Location:

Logged BY / Date: 10/12/11 *Reviewed BY / Date:* 10/14/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

Location Code: **KAFB-106089**
Sample Number: **GW0349**
Sample Name: **KAFB-106089-WG-GW0349-FD**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **FD**
Sampling Equip: Bladder Pump

QC Partners:
(TB) MAB128-TB (ER) (FB)

RFA / COC Number: 140705-GW128
Task: **140705-OCT2011-GW**
Collection Date: 10/12/11
Collection Time: 1119
Start Depth: 481.5
End Depth: 496.5
Sample Matrix: **WG**
Sample Team: AT RB

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 501.5 **Depth To Water:** 470.40

Comments:

Sketch Location:

Logged BY / Date: 10/12/11 *Reviewed BY / Date:* 10/12/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW127

Location Code: **KAFB-106090**
Sample Number: **GW0350**
Sample Name: **KAFB-106090-WG-GW0350-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 10/4/11
Collection Time: 1432
Start Depth: 555
End Depth: 570
Sample Matrix: **WG**
Sample Team: AT, RB

QC Partners:
(TB) WB127-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:

Measured Well Depth: 575 **Depth To Water:** 469.11

Comments: High Conductivity

Sketch Location:

Logged BY / Date: Atrujillo 10/4/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW144

Location Code: **KAFB-106091**
Sample Number: **GW0351**
Sample Name: **KAFB-106091-WG-GW0351-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bomels

Task: **140705-OCT2011-GW**
Collection Date: 11/16/11
Collection Time: 1023
Start Depth: 454
End Depth: 474
Sample Matrix: **WG**
Sample Team: AT, GP

QC Partners:
(TB) GW8144-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 479 **Depth To Water:** 461.01

Comments:

Sketch Location:

Logged BY / Date: ATryllo 11/16/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW1243

Location Code: **KAFB-106092**
Sample Number: **GW0352**
Sample Name: **KAFB-106092-WG-GW0352-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennett
QC Partners:
(TB) GW8143-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 11/15/11
Collection Time: 1331
Start Depth: 474
End Depth: 487
Sample Matrix: **WG**
Sample Team: AT, BP

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 493.60 **Depth To Water:** 461.19

Comments: Very cooperative

Sketch Location:

Logged BY / Date: [signature] 11/15/11

Reviewed BY / Date: [signature]

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW145

Location Code: **KAFB-106093**
Sample Number: **GW0353**
Sample Name: **KAFB-106093-WG-GW0353-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennett

Task: **140705-OCT2011-GW**
Collection Date: 11/16/11
Collection Time: 1453
Start Depth: 544
End Depth: 557
Sample Matrix: **WG**
Sample Team: AT, GP

QC Partners:
(TB) GW8145-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 563.23 **Depth To Water:** 461.21

Comments: Very Effervescent, slight odor

Sketch Location:

Logged BY / Date: AT Tryll 11/16/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW129

Location Code: **KAFB-106094**
Sample Number: **GW0354**
Sample Name: **KAFB-106094-WG-GW0354-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 10/13/11
Collection Time: 1115
Start Depth: 484.2
End Depth: 504.2
Sample Matrix: **WG**
Sample Team: AT, RB

QC Partners:
(TB) WB129-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:

Measured Well Depth: 504.2 **Depth To Water:** 489.06

Comments: Very Effective

Sketch Location:

Logged BY / Date: [signature] 10/13/11 *Reviewed BY / Date:* [signature] 10/13/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705

Location Code: **KAFB-106095**
Sample Number: **GW0355**
Sample Name: **KAFB-106095-WG-GW0355-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 10/19/11
Collection Time: 1603
Start Depth: 503.75
End Depth: 518.75
Sample Matrix: **WG**
Sample Team: VAT, RDB

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 523.75 **Depth To Water:** 489.61

Comments:

Sketch Location:

Logged BY / Date: A Trujillo 10/19/11 *Reviewed BY / Date:* 10/20/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW133

Location Code: **KAFB-106095**
Sample Number: **GW0356**
Sample Name: **KAFB-106095-WG-GW0356-FD**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **FD**
Sampling Equip: Purgable Bailer

Task: **140705-OCT2011-GW**
Collection Date: 10/15/11
Collection Time: 1663
Start Depth: 503.75
End Depth: 518.75
Sample Matrix: **WG**
Sample Team: AT, RB

QC Partners:
(TB) GW8133-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 523.95 **Depth To Water:** 489.61

Comments:

Sketch Location:

Logged BY / Date: [signature] 10/19/11 *Reviewed BY / Date:* [signature] 10/20/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 - GW133

Location Code: **KAFB-106096**
Sample Number: **GW0357**
Sample Name: **KAFB-106096-WG-GW0357-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 10/19/11
Collection Time: 1475
Start Depth: 570.3
End Depth: 591.3
Sample Matrix: **WG**
Sample Team: AT, RB

QC Partners:
(TB) GW8133 - TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:

Measured Well Depth: 596.3 **Depth To Water:** 489.91

Comments: Very turbulent

Sketch Location:

Logged BY / Date: [signature] 10/19/11 *Reviewed BY / Date:* [signature] 10/20/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW125 5 DM

Location Code: **KAFB-106013**
Sample Number: **GW0358**
Sample Name: **KAFB-106013-WG-GW0358-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennette

Task: **140705-OCT2011-GW**
Collection Date: 10-6 DM-11
Collection Time: 0960
Start Depth: 486.5
End Depth: 511.5
Sample Matrix: **WG**
Sample Team: DM, DA

QC Partners:
(TB) GW8125 DM-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 516.5 **Depth To Water:** 495.55

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 10-5-11 *Reviewed BY / Date:* 10/6/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW124

Location Code: **KAFB-106097**
Sample Number: **GW0359**
Sample Name: **KAFB-106097-WG-GW0359-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennette

Task: **140705-OCT2011-GW**
Collection Date: 10-5-11
Collection Time: 1300
Start Depth: 506
End Depth: 521
Sample Matrix: **WG**
Sample Team: DM, DA

QC Partners:
(TB) GW8124-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 526 **Depth To Water:** 492.35

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 10-5-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW124

Location Code: **KAFB-106098**
Sample Number: **GW0360**
Sample Name: **KAFB-106098-WG-GW0360-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennette
QC Partners:
(TB) GW-SM124-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 10-5-11
Collection Time: 1037
Start Depth: 531
End Depth: 546
Sample Matrix: **WG**
Sample Team: DM, DA

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 551.1 **Depth To Water:** 492.51

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 10-5-11 *Reviewed BY / Date:* 10/5/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW142

Location Code: **KAFB-106004**
Sample Number: **GW0361**
Sample Name: **KAFB-106004-WG-GW0361-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bailer

Task: **140705-OCT2011-GW**
Collection Date: 11/10/14
Collection Time: 1020
Start Depth: 484
End Depth: 509
Sample Matrix: **WG**
Sample Team: AT, FK

QC Partners:
(TB) GW8142-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 510 **Depth To Water:** 489.6

Comments:

Sketch Location:

Logged BY / Date: AT Taylor 11/10/14 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW141

Location Code: **KAFB-106099**
Sample Number: **GW0362**
Sample Name: **KAFB-106099-WG-GW0362-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennett

Task: **140705-OCT2011-GW**
Collection Date: 11/9/11
Collection Time: 1100
Start Depth: 501
End Depth: 516
Sample Matrix: **WG**
Sample Team: AT, FK

QC Partners:
(TB) GW8141-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 521 **Depth To Water:** 486.91

Comments: Slight Effervescence

Sketch Location:

Logged BY / Date: 11/9/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW142

Location Code: **KAFB-106100**
Sample Number: **GW0363**
Sample Name: **KAFB-106100-WG-GW0363-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennett

Task: **140705-OCT2011-GW**
Collection Date: 11/9/11
Collection Time: 1422
Start Depth: 526
End Depth: 541
Sample Matrix: **WG**
Sample Team: MT FK

QC Partners:
(TB) GW8142-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 546 **Depth To Water:** 486.81

Comments:

Sketch Location:

Logged BY / Date: A Trujillo 11/9/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW142

Location Code: **KAFB-106100**
Sample Number: **GW0364**
Sample Name: **KAFB-106100-WG-GW0364-FD**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **FD**
Sampling Equip: Dedicated Bailer

Task: **140705-OCT2011-GW**
Collection Date: 11/9/11
Collection Time: 1422
Start Depth: 526
End Depth: 541
Sample Matrix: **WG**
Sample Team: AT

QC Partners:
(TB) GW0142-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 546 **Depth To Water:** 486.81

Comments:

Sketch Location:

Logged BY / Date: AT 11/9/11 *Reviewed BY / Date:* 11/10/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW133

Location Code: **KAFB-106003**
Sample Number: **GW0365**
Sample Name: **KAFB-106003-WG-GW0365-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett pump

Task: **140705-OCT2011-GW**
Collection Date: 10-19-11
Collection Time: 1532
Start Depth: 476
End Depth: 501
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW8133-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 503 **Depth To Water:** 483.79

Comments:

Sketch Location:

Logged BY / Date: 10-19-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW133

Location Code: **KAFB-106101**
Sample Number: **GW0366**
Sample Name: **KAFB-106101-WG-GW0366-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett pump
QC Partners:
(TB) GW8133-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 10-20-11
Collection Time: 1232
Start Depth: 495.93
End Depth: 511.21
Sample Matrix: **WG**
Sample Team: DA, DM

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb, Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 515.06 **Depth To Water:** 484.00

Comments:

Sketch Location:

Logged BY / Date: 10-20-11 *Reviewed BY / Date:* 10/20/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW133

Location Code: **KAFB-106102**
Sample Number: **GW0367**
Sample Name: **KAFB-106102-WG-GW0367-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett pump

Task: **140705-OCT2011-GW**
Collection Date: 10-20-11
Collection Time: 1016
Start Depth: 521.08
End Depth: 534.84
Sample Matrix: **WG**
Sample Team: DA, DM

QC Partners:
(TB) GW8133-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 540.21 **Depth To Water:** 484.11

Comments:

Sketch Location:

Logged BY / Date: *Reviewed BY / Date:* 10/20/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW127

Location Code: **KAFB-106023**
Sample Number: **GW0368**
Sample Name: **KAFB-106023-WG-GW0368-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: 1 DEDICATED BENNETTE

Task: **140705-OCT2011-GW**
Collection Date: 10-11-11
Collection Time: 1037
Start Depth: 473
End Depth: 498
Sample Matrix: **WG**
Sample Team: DM, DA

QC Partners:
(TB) GW8127-TB (ER) (FB) GW8031-AB

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 503 **Depth To Water:** 474.96

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina

Reviewed BY / Date: 10/11/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 - GW126

Location Code: **KAFB-106103**
Sample Number: **GW0369**
Sample Name: **KAFB-106103-WG-GW0369-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett pump

Task: **140705-OCT2011-GW**
Collection Date: 10/10/11
Collection Time: 1157
Start Depth: 485
End Depth: 800
Sample Matrix: **WG**
Sample Team: AT, RS

QC Partners:
(TB) WA8260-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 505.2 **Depth To Water:** 475.40

Comments: Very light effervescence

Sketch Location:

Logged BY / Date: A Taylor 10/10/11 *Reviewed BY / Date:* 10/19/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

GW 122

RFA / COC Number: 140705 - ~~GW128~~ at

Location Code: **KAFB-106104**
Sample Number: **GW0370**
Sample Name: **KAFB-106104-WG-GW0370-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 10-3-11
Collection Time: 1419
Start Depth: 510.2
End Depth: 525
Sample Matrix: **WG**
Sample Team: AT, RB

QC Partners: 122
(TB) ~~WA8128~~-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 530 **Depth To Water:** 475.02

Comments: Light Effervescence both in preservative Insitu and HCl 40 mL Vials.

Sketch Location:

Logged BY / Date: A Trujillo 10/3/11 *Reviewed BY / Date:* 10/3/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW131

Location Code: **KAFB-106105**
Sample Number: **GW0371**
Sample Name: **KAFB-106105-WG-GW0371-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bumtt

Task: **140705-OCT2011-GW**
Collection Date: 10/17/11
Collection Time: 1528
Start Depth: 484
End Depth: 494
Sample Matrix: **WG**
Sample Team: AT, RB

QC Partners:
(TB) GW8131-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 504 **Depth To Water:** 470.14 ~~470.15~~

Comments:

Sketch Location:

Logged BY / Date: 10/17/11 *Reviewed BY / Date:* 10/18/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW130

Location Code: **KAFB-106106**
Sample Number: **GW0372**
Sample Name: **KAFB-106106-WG-GW0372-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 10/17/11
Collection Time: 1130
Start Depth: 453.6
End Depth: 483.6
Sample Matrix: **WG**
Sample Team: AT RB

QC Partners:
(TB) GW8130-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 488.6 **Depth To Water:** 470.15

Comments:

Sketch Location:

Logged BY / Date: 10/17/11 *Reviewed BY / Date:* 10/17/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW130

Location Code: **KAFB-106106**
Sample Number: **GW0373**
Sample Name: **KAFB-106106-WG-GW0373-FD**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **FD**
Sampling Equip: Portable Bailer
QC Partners:
(TB) GW0130-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 10/17/11
Collection Time: 1130
Start Depth: 453.6
End Depth: 483.6
Sample Matrix: **WG**
Sample Team: MTURK

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 488.6 **Depth To Water:** 470.15

Comments:

Sketch Location:

Logged BY / Date: A Trujillo 10/17/11 *Reviewed BY / Date:* 10/17/11

Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW131

Location Code: **KAFB-106107**
Sample Number: **GW0374**
Sample Name: **KAFB-106107-WG-GW0374-REG**
Sampling Method: **G**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 10/18/11
Collection Time: 1349
Start Depth: 510.16
End Depth: 525.16
Sample Matrix: **WG**
Sample Team: AT, RB

QC Partners:
(TB) ~~AA8131-TB~~ GW8131-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
EPA353	N	H	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

Groundwater Information:
Measured Well Depth: 530.16 **Depth To Water:** 470.45

Comments:

Sketch Location:

Logged BY / Date: 10/18/11 *Reviewed BY / Date:* 10/18/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW127

Location Code: **FIELDQC**
Sample Number: **GW8031-AB**
Sample Name: **AB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **FB**
Sampling Equip: DEDICATED BENNETTE

Task: **140705-OCT2011-GW**
Collection Date: 10-11-11
Collection Time: 1037
Start Depth: 473
End Depth: 498
Sample Matrix: **WATER**
Sample Team: DM, DA

QC Partners:
(TB) GW8127-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 10-11-11 *Reviewed BY / Date:* 10/11/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

DUP

RFA / COC Number: 140705-GW128 127

Location Code: **FIELDQC**
Sample Number: **GW8031-RB**
Sample Name: **RB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **ER**
Sampling Equip: Portable Bennett pump
QC Partners: 127
(TB) VAB128-TB **(ER)** **(FB)**

Task: **140705-OCT2011-GW**
Collection Date: 10-3-11
Collection Time: 0855
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: AT, RB

DUP

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	DUP 40	mL	VOA VIAL
SW8015B-DRO	N	D	2 1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Very light sheen in VOA's preserved

Sketch Location:

Logged BY / Date: A Trujillo 10-3-11 *Reviewed BY / Date:* 10/3/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW137

Location Code: **FIELDQC**
Sample Number: **GW8032-AB**
Sample Name: **AB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **FB**
Sampling Equip: dedicated bennett pumps
QC Partners:
(TB) GW8132-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 10-19-11
Collection Time: 1317
Start Depth: 486
End Depth: 511
Sample Matrix: **WATER**
Sample Team: DA, DM

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments:

Sketch Location:

Logged BY / Date: 10-19-11 *Reviewed BY / Date:* 10/19/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 – OW 136

Location Code: **FIELDQC**
Sample Number: **GW8032-RB**
Sample Name: **RB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **ER**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 10/31/11
Collection Time: 0934
Start Depth: 0
End Depth: 6
Sample Matrix: **WATER**
Sample Team: AT, TW

QC Partners:
(TB) OW8136-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2 1	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Comments:

Sketch Location:

Logged BY / Date: AT 10/31/11

Reviewed BY / Date: 10/31/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW137

Location Code: **FIELDQC**
Sample Number: **GW8033-AB**
Sample Name: **AB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **FB**
Sampling Equip: N/A

Task: **140705-OCT2011-GW**
Collection Date: 10-31-11
Collection Time: 1528
Start Depth: 543
End Depth: 557.53
Sample Matrix: **WATER**

QC Partners:
(TB) GW8137-TB (ER) (FB)

Sample Team:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments:

Sketch Location:

Logged BY / Date: Daniel T Medina 10-31-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705

Location Code: **FIELDQC**
Sample Number: **GW8033-RB**
Sample Name: **RB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **ER**
Sampling Equip: Portable Bennett

Task: **140705-OCT2011-GW**
Collection Date: 11/1/11
Collection Time: 0836
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: AT, TN

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Rinse Blank marked with GW Samples Collected 11/1/11 @ 106031

Sketch Location:

Logged BY / Date: AT 11/1/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW140

Location Code: **FIELDQC**
Sample Number: **GW8034-AB**
Sample Name: **AB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **FB**
Sampling Equip: N/A

Task: **140705-OCT2011-GW**
Collection Date: 11-8-11
Collection Time: 1035
Start Depth: 535.5
End Depth: 550.5
Sample Matrix: **WATER**
Sample Team: DM, MR

QC Partners:
(TB) GW8140-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments:

Sketch Location:

Logged BY / Date: Daniel P Medina 11-8-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW152

Location Code: **FIELDQC**
Sample Number: **GW8034-RB**
Sample Name: **RB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **ER**
Sampling Equip: portable bennett

Task: **140705-OCT2011-GW**
Collection Date: 12-16-11
Collection Time: 0902 KA
Start Depth: NA
End Depth: NA
Sample Matrix: **WATER**
Sample Team: DA, DM

QC Partners:
(TB) GW8152-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1	L	Amb. Glass
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
SW8270D	N	J	2	1	L	Amb. Glass

ERPIMS Values:
Sacode:
Lot Control#:

Comments:

Sketch Location:

Logged BY / Date: 12-16-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW144

Location Code: **FIELDQC**
Sample Number: **GW8035-AB**
Sample Name: **AB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **FB**
Sampling Equip: N/A

Task: **140705-OCT2011-GW**
Collection Date: 11-16-11
Collection Time: 1021
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WATER**
Sample Team: DM, MR

QC Partners:
(TB) GW8144-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments:

Sketch Location:

Logged BY / Date: Daniel Medina 11-16-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW150

Location Code: **FIELDQC**
Sample Number: **GW8036-AB**
Sample Name: **AB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **FB**
Sampling Equip: dedicated bennett

QC Partners:
(TB) GW8150-TB (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 12-13-11
Collection Time: 1031
Start Depth: NA
End Depth: NA
Sample Matrix: **WATER**
Sample Team: DA, DM

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments:

Sketch Location:

Logged BY / Date: 12-13-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW122

Location Code: **FIELDQC**
Sample Number: **GW8122-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** DUP *Sample Purpose:* **TB** N/A
Sampling Equip: ~~dedicated + portable pumps~~
QC Partners:
(TB) (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 10/3/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: DA

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank for 10/3/11.

Sketch Location:

Logged BY / Date: 10-2-11 *Reviewed BY / Date:* 10/3/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW123

Location Code: **FIELDQC**
Sample Number: **GW8123-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-OCT2011-GW**
Collection Date: 10-4-11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: DA, DM

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank for 10-4-11.

Sketch Location:

Logged BY / Date: 10-4-11 *Reviewed BY / Date:* 10/4/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW124

Location Code: **FIELDQC**
Sample Number: **GW8124-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-OCT2011-GW**
Collection Date: 10-5-11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: DM, DA

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank for 10-5-11

Sketch Location:

Logged BY / Date: Daniel Medina 10-5-11

Reviewed BY / Date: 10/5/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW125

Location Code: **FIELDQC**
Sample Number: **GW8125-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-OCT2011-GW**
Collection Date: 10-6-11
Collection Time: 0800
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WATER**
Sample Team: DA, DM

QC Partners:
(TB) GW8125-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank for 10-6-11.

Sketch Location:

Logged BY / Date: 10-6-11 *Reviewed BY / Date:* 10/6/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 - GW126

Location Code: **FIELDQC**
Sample Number: **GW8126-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: Portable Bennett NA

Task: **140705-OCT2011-GW**
Collection Date: 10/10/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: AT, RB

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated w/ samples collected 10/10/11

Sketch Location:

Logged BY / Date: A Tingle 10/10/11 *Reviewed BY / Date:* 10/11/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 - GW127

Location Code: **FIELDQC**
Sample Number: **GW8127-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: ~~portable Bennett~~ NA

Task: **140705-OCT2011-GW**
Collection Date: 10/11/11
Collection Time: 0800
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WATER**
Sample Team: AT, RB

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated w/ samples collected 10/11/11

Sketch Location:

Logged BY / Date: 10/11/11 *Reviewed BY / Date:* 10/14/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW128

Location Code: **FIELDQC**
Sample Number: **GW8128-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: ~~Latrobe Bennett~~ NA

Task: **140705-OCT2011-GW**
Collection Date: 10/12/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: AT, RWB

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank for sample collected 10/12/11

Sketch Location:

Logged BY / Date: AT 10/12/11 *Reviewed BY / Date:* 10/12/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW179

Location Code: **FIELDQC**
Sample Number: **GW8129-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-OCT2011-GW**
Collection Date: 10/13/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: MS, RB

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated w/ this sample collected 10/13/11

Sketch Location:

Logged BY / Date: 10/13/11 *Reviewed BY / Date:* 10/13/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW130

Location Code: **FIELDQC**
Sample Number: **GW8130-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-OCT2011-GW**
Collection Date: 10-17-11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: DA

QC Partners:
(TB) _____ (ER) _____ (FB) _____

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank for 10-17-11

Sketch Location:

Logged BY / Date: _____ *Reviewed BY / Date:* _____ 10/17/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW131

Location Code: **FIELDQC**
Sample Number: **GW8131-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-OCT2011-GW**
Collection Date: 10/18/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: AT, RA

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank received w/ sample cooler

Sketch Location:

Logged BY / Date: 10/18/11 *Reviewed BY / Date:* 10/18/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW132

Location Code: **FIELDQC**
Sample Number: **GW8132-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-OCT2011-GW**
Collection Date: 10/19/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: DA

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab collected trip blank for samples collected on 10/19/11

Sketch Location:

Logged BY / Date: 10-19-11 *Reviewed BY / Date:* 10/19/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW~~8~~133

Location Code: **FIELDQC**
Sample Number: **GW8133-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-OCT2011-GW**
Collection Date: 10-20-11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: DA

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank for 10-20-11

Sketch Location:

Logged BY / Date: 10-20-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW134

Location Code: **FIELDQC**
Sample Number: **GW8134-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-OCT2011-GW**
Collection Date: 10/24/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: HT, TN

QC Partners:
(TB) _____ (ER) _____ (FB) _____

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated w/ samples collected 10/24/11

Sketch Location:

Logged BY / Date: 10/24/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW135

Location Code: **FIELDQC**
Sample Number: **GW8135-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: dedicated bennett NA

Task: **140705-OCT2011-GW**
Collection Date: 10-25-11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: DA, DM

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments:

Sketch Location:

Logged BY / Date: [signature] 10/25/11

Reviewed BY / Date: [signature] 10/25/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705

Location Code: **FIELDQC**
Sample Number: **GW8136-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-OCT2011-GW**
Collection Date: 10/31/11
Collection Time: 0800
Start Depth: 0
End Depth: 6
Sample Matrix: **WATER**
Sample Team: AT, RB

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: 10/31/11 Lab prepared trip blank associated w/ samples collected

Sketch Location:

Logged BY / Date: 10/31/11 *Reviewed BY / Date:* 10/31/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW137

Location Code: **FIELDQC**
Sample Number: **GW8137-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: ~~bennett pump~~ NA
QC Partners: DA
(TB) ~~GW813~~ (ER) (FB)

Task: **140705-OCT2011-GW**
Collection Date: 11-1-11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: DA, DM

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments:

Sketch Location:

Logged BY / Date: 11-1-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW138

Location Code: **FIELDQC**
Sample Number: **GW8138-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA n/a

Task: **140705-OCT2011-GW**
Collection Date: 11/2/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: AT, TC

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated w/ samples collected 11/2/11

Sketch Location:

Logged BY / Date: 11/2/11 *Reviewed BY / Date:* 11/2/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW139

Location Code: **FIELDQC**
Sample Number: **GW8139-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-OCT2011-GW**
Collection Date: 11/7/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: AT, Mikey R

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank received w/ sample collected 11/7/11

Sketch Location:

Logged BY / Date: 11/7/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW140

Location Code: **FIELDQC**
Sample Number: **GW8140-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-OCT2011-GW**
Collection Date: 11/7/11
Collection Time: 0000
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WATER**
Sample Team: AT, FK

QC Partners:
(TB) _____ (ER) _____ (FB) _____

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank received w/ samples collected 11/7/11.

Sketch Location:

Logged BY / Date: [signature] 11/8/11

Reviewed BY / Date: [signature] 11/8/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW141

Location Code: **FIELDQC**
Sample Number: **GW8141-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-OCT2011-GW**
Collection Date: 11/9/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: AT, FK

QC Partners:
(TB) _____ (ER) _____ (FB) _____

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated w/ samples collected 11/9/11

Sketch Location:

Logged BY / Date: 11/9/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW142

Location Code: **FIELDQC**
Sample Number: **GW8142-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-OCT2011-GW**
Collection Date: 11-10-11
Collection Time: 0800
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WATER**
Sample Team: DM, MR

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank for today's samples collected 11-10-11.

Sketch Location:

Logged BY / Date: Daniel Medina

Reviewed BY / Date:

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW143TB

Location Code: **FIELDQC**
Sample Number: **GW8143-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-OCT2011-GW**
Collection Date: 0800 11/14/11
Collection Time: 0 0929
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: AT, GP

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared Trip blank received w/ samples collected 11/14/11

Sketch Location:

Logged BY / Date: 11/14/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 - GW144

Location Code: **FIELDQC**
Sample Number: **GW8144-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-OCT2011-GW**
Collection Date: 11/16/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: AT, GP

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated w/ samples collected 11/16/11

Sketch Location:

Logged BY / Date: 11/16/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW145

Location Code: **FIELDQC**
Sample Number: **GW8145-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: ~~N~~ N/A

Task: **140705-OCT2011-GW**
Collection Date: 11/17/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: AT GP

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated w/samples collected on 11/17/11

Sketch Location:

Logged BY / Date: [signature] 11/17/11 *Reviewed BY / Date:* [signature]

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW146

Location Code: **FIELDQC**
Sample Number: **GW8146-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: N/A

Task: **140705-OCT2011-GW**
Collection Date: 11/21/11
Collection Time: 0800
Start Depth: ~~0~~
End Depth: ~~0~~
Sample Matrix: **WATER**
Sample Team: DM, MR

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank for samples collected today. 11-21-11

Sketch Location:

Logged BY / Date: [signature] 11-21-11

Reviewed BY / Date: Daniel Medina 11-21-11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW147

Location Code: **FIELDQC**
Sample Number: **GW8147-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-OCT2011-GW**
Collection Date: 11/22/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: DM, MR

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank for samples collected on Nov 22, 2011

Sketch Location:

Logged BY / Date: [signature] 11-22-11

Reviewed BY / Date: Daniel Medina 11-22-11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW148

Location Code: **FIELDQC**
Sample Number: **GW8148-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-OCT2011-GW**
Collection Date: 12/8/11
Collection Time: 0000
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WATER**
Sample Team: AT, DM, DA

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated w/ sample collected 12/6/11

Sketch Location:

Logged BY / Date: [signature] 12/6/11

Reviewed BY / Date: [signature]

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW149

Location Code: **FIELDQC**
Sample Number: **GW8149-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-OCT2011-GW**
Collection Date: 12-12-11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: DA, DM

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments:

Sketch Location:

Logged BY / Date: *Reviewed BY / Date:*

Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW150

Location Code: **FIELDQC**
Sample Number: **GW8150-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-OCT2011-GW**
Collection Date: 12-13-11
Collection Time: 0800
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WATER**
Sample Team: DA, DN

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank for 12-13-11.

Sketch Location:

Logged BY / Date: *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW151

Location Code: **FIELDQC**
Sample Number: **GW8151-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA ~~dedicated + portable pumps~~ DLO

Task: **140705-OCT2011-GW**
Collection Date: 12-14-11
Collection Time:
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: DA, DM

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepare trip blank for 12/14/11

Sketch Location:

Logged BY / Date: 12/14/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW152

Location Code: **FIELDQC**
Sample Number: **GW8152-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-OCT2011-GW**
Collection Date: 12-16-11
Collection Time: 0800
Start Depth: NA
End Depth: NA
Sample Matrix: **WATER**
Sample Team: DA, DM

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared T.B. for 12-16-11

Sketch Location:

Logged BY / Date: 12-16-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW153

Location Code: **FIELDQC**
Sample Number: **GW8153-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA ~~dedicated PA portable pump~~ DLO

Task: **140705-OCT2011-GW**
Collection Date: 12-19-11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WATER**
Sample Team: DA, DM

QC Partners:
(TB) _____ (ER) _____ (FB) _____

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepare T.B. for 12-19-11.

Sketch Location:

Logged BY / Date: 12-19-11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW~~8~~154

Location Code: **FIELDQC**
Sample Number: **GW8154-TB**
Sample Name: **TB-YYMMDD**
Sampling Method: **G**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: ~~portable pump~~ NA

Task: **140705-OCT2011-GW**
Collection Date: 12-2-11
Collection Time: 0800
Start Depth: ~~0~~
End Depth: ~~0~~
Sample Matrix: **WATER**
Sample Team: DA, DM

QC Partners:
(TB) _____ (ER) _____ (FB) _____

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments:

Sketch Location:

Logged BY / Date: 12-2-11 *Reviewed BY / Date:*