Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705/GW024

Location Code: **KAFB1061**
Sample Number: **GW0040**
Sample Name: **1061-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett pump

Task: **140705-ARP2011-GW**
Collection Date: 4/6/11
Collection Time: MT 1340
Start Depth: 483
End Depth: 508
Sample Matrix: **WG**
Sample Team: DA + AT

QC Partners:
(TB) GW-8024TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 508.5 **Depth To Water:** 487.26

Comments: VOC's 6.5 in well borehole

Sketch Location:

Logged BY / Date: [signature] 4/6/11 *Reviewed BY / Date:* [signature] 4/6/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW027

Location Code: **KAFB1062**
Sample Number: **GW0041**
Sample Name: **1062-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennett pump

Task: **140705-ARP2011-GW**
Collection Date: 4/11/11
Collection Time: 1055
Start Depth: 479
End Depth: 504
Sample Matrix: **WG**
Sample Team: AT, DA

QC Partners:
(TB) GW8027-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 505 **Depth To Water:** 484.62

Comments:

Sketch Location:

Logged BY / Date: 4/11/11 *Reviewed BY / Date:* 4/11/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW027

Location Code: **KAFB1062**
Sample Number: **GW0042**
Sample Name: **1062-YYMMDD-D**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **FD**
Sampling Equip: Dedicated Bennett pump

Task: **140705-ARP2011-GW**
Collection Date: 4/11/11
Collection Time: 1055
Start Depth: 479
End Depth: 505
Sample Matrix: **WG**
Sample Team: AT, DA

QC Partners:
(TB) GW0027-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 505 **Depth To Water:** 484.62

Comments:

Sketch Location:

Logged BY / Date: 4/11/11 *Reviewed BY / Date:* 4/11/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW034

Location Code: **KAFB1063**
Sample Number: **GW0043**
Sample Name: **1063-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennette

Task: **140705-ARP2011-GW**
Collection Date: 4/29/11
Collection Time: 1058
Start Depth: 476
End Depth: 503
Sample Matrix: **WG**
Sample Team: DA AT

QC Partners:
(TB) 8034-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 503 **Depth To Water:** 481.98

Comments:

Sketch Location:

Logged BY / Date: 4/29/11 *Reviewed BY / Date:* 4/29/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW029

Location Code: **KAFB1064**
Sample Number: **GW0044**
Sample Name: **1064-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennett pump
QC Partners:
(TB) GW8029-TB (ER) (FB)

Task: **140705-ARP2011-GW**
Collection Date: 4/13/11
Collection Time: 1025
Start Depth: 484
End Depth: 509
Sample Matrix: **WG**
Sample Team: MT, DA

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 510 **Depth To Water:** 488.51

Comments:

Sketch Location:

Logged BY / Date: 4/13/11 *Reviewed BY / Date:* 4/13/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW060

Location Code: **KAFB1065**
Sample Number: **GW0045**
Sample Name: **1065-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett
QC Partners:
(TB) GW80160-TB (ER) (FB)

Task: **140705-APR2011-GW**
Collection Date: 6/10/11
Collection Time: 1609
Start Depth: 479
End Depth: 506
Sample Matrix: **WG**
Sample Team: MT/MA

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 507 **Depth To Water:** 489.38

Comments:

Sketch Location:

Logged BY / Date: 6/10/11 *Reviewed BY / Date:* 6/10/

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW061

Location Code: **KAFB1066**
Sample Number: **GW0046**
Sample Name: **1066-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: portable bennette pump
QC Partners:
(TB) GW-8061-TB (ER) (FB)

Task: **140705-APR2011-GW**
Collection Date: 6-13-11
Collection Time: 1238
Start Depth: 483.5
End Depth: 508.5
Sample Matrix: **WG**
Sample Team: DA, AT

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: ~~494.0~~ 511.00 **Depth To Water:** 494.04

Comments: LNAPL in well

Sketch Location:

Logged BY / Date: 6-13-11 *Reviewed BY / Date:* M. Lucas 6/13/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW061

Location Code: **KAFB1066**
Sample Number: **GW0046-MS**
Sample Name: **1066-YYMMDD-MS**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **MS**
Sampling Equip: do portable Bennette pump

Task: **140705-APR2011-GW**
Collection Date: 6-13-11
Collection Time: 1228
Start Depth: 483.5
End Depth: 506.5
Sample Matrix: **WG**
Sample Team: DA, AT

QC Partners:
(TB) GW8061-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 511 **Depth To Water:** 494.04

Comments:

Sketch Location:

Logged BY / Date: 6-13-11 *Reviewed BY / Date:* 6/13/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW061

Location Code: **KAFB1066**
Sample Number: **GW0046-MSD**
Sample Name: **1066-YYMMDD-MSD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **MSD**
Sampling Equip: portable bennette pump

Task: **140705-APR2011-GW**
Collection Date: 6-13-11
Collection Time: 1238
Start Depth: 483.5
End Depth: 508.5
Sample Matrix: **WG**
Sample Team: DA, AT

QC Partners:
(TB) GW8061-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 511 **Depth To Water:** 494.04

Comments:

Sketch Location:

Logged BY / Date: D Murray 6-13-11 *Reviewed BY / Date:* M Lyon 6/13/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705 / GW022

Location Code: **KAFB1067**
Sample Number: **GW0047**
Sample Name: **1067-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: dedicated Bennett pump

Task: **140705-ARP2011-GW**
Collection Date: 4/4/11
Collection Time: 1001
Start Depth: 484
End Depth: 509
Sample Matrix: **WG**
Sample Team: MT, BA

QC Partners:
(TB) GW 8022-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 511 **Depth To Water:** 491.94

Comments:

Sketch Location:

Logged BY / Date: Antonio Jyllo 4/4/11 *Reviewed BY / Date:* 4/4/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW060

Location Code: **KAFB1068**
Sample Number: **GW0048**
Sample Name: **1068-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett
QC Partners:
(TB) GW0060-TB (ER) (FB)

Task: **140705-APR2011-GW**
Collection Date: 6/10/11
Collection Time: 1225
Start Depth: 486
End Depth: 500
Sample Matrix: **WG**
Sample Team: AT, DA

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 513 **Depth To Water:** 494.10

Comments:

Sketch Location:

Logged BY / Date: 6/10/11 *Reviewed BY / Date:* 6/10/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW043

Location Code: **KAFB1069**
Sample Number: **GW0049**
Sample Name: **1069-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennett

Task: **140705-ARP2011-GW**
Collection Date: 5/13/11
Collection Time: 1005
Start Depth: 480
End Depth: 505
Sample Matrix: **WG**
Sample Team: AT, DM

QC Partners:
(TB) GW8043-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 501.5 **Depth To Water:** 487.30

Comments:

Sketch Location:

Logged BY / Date: 5/13/11 *Reviewed BY / Date:* 5/13/1

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW051

Location Code: **KAFB10610**
Sample Number: **GW0050**
Sample Name: **10610-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennette pump

Task: **140705-APR2011-GW**
Collection Date: 5/26/11
Collection Time: 1402
Start Depth: 483
End Depth: 508
Sample Matrix: **WG**
Sample Team: DA, AT, RB

QC Partners:
(TB) GW0051-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 510.5 **Depth To Water:** 486.27

Comments:

Sketch Location:

Logged BY / Date: 5/26/11 *Reviewed BY / Date:* 5/26/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: No COC

Location Code: **KAFB-106045**
Sample Number: **GW0051**
Sample Name: **KAFB10645-GW-GW0051-FD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **FD**

TB-GW8035-TB

Task: **140705-APR2011-GW**
Collection Date: **02-MAY-11**
Collection Time: **11:07**
Start Depth: **528**
End Depth: **543**
Sample Matrix: **WG**
Sample Team: **AT , AA**

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

measured well depth: 548 Depth to water: 490.11

Comments:

START - END DEPTHS ARE SCREEN INTERVAL

Dedicated Bennett pump

Sketch Location:

Logged BY / Date: 5/2/11 *Reviewed BY / Date:* 5/2/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW029

Location Code: **KAFB10611**
Sample Number: **GW0052**
Sample Name: **10611-YYMMDD-D**
Sampling Method: **SP**
Sample Type: **GW**
Sample Purpose: ~~FD~~ REG ML 4/13/11
Sampling Equip: Dedicated Bennett pump

Task: **140705-ARP2011-GW**
Collection Date: 4/13/11
Collection Time: 1500
Start Depth: 486
End Depth: 511
Sample Matrix: **WG**
Sample Team: AT, DA

QC Partners:
(TB) GW8029-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 516 **Depth To Water:** 496.17

Comments:

Sketch Location:

Logged BY / Date: 4/13/11 *Reviewed BY / Date:* 4/13/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW028

Location Code: **KAFB10612**
Sample Number: **GW0053**
Sample Name: **10612-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennette pump

Task: **140705-ARP2011-GW**
Collection Date: 4/12/11
Collection Time: 1136
Start Depth: 480.5 ft.
End Depth: 505.5 ft.
Sample Matrix: **WG**
Sample Team: DA+AT

QC Partners:
(TB) GW028TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 510.5 ft. **Depth To Water:** 488.92 ft.

Comments: VOCs @ well bore hole

Sketch Location:

Logged BY / Date: DM Aubrey 4-12-11 *Reviewed BY / Date:* 4/12/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW026

Location Code: **KAFB10613**
Sample Number: **GW0054**
Sample Name: **10613-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennette pump

Task: **140705-ARP2011-GW**
Collection Date: 4/8/11
Collection Time: 1043
Start Depth: 486.5
End Depth: 511.5
Sample Matrix: **WG**
Sample Team: DA+AT

QC Partners:
(TB) GW-8026-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 516.5 **Depth To Water:** 494.01

Comments: ~~VOCs Only on DA~~

Sketch Location:

Logged BY / Date: 4/8/11 *Reviewed BY / Date:* 4/8/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW043

Location Code: **KAFB10614**
Sample Number: **GW0055**
Sample Name: **10614-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennett

Task: **140705-ARP2011-GW**
Collection Date: 5/13/11
Collection Time: 1353
Start Depth: 486
End Depth: 511
Sample Matrix: **WG**
Sample Team: AT/DA

QC Partners:
(TB) GW8043-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 516 **Depth To Water:** 492.88

Comments:

Sketch Location:

Logged BY / Date: 5/13/11 *Reviewed BY / Date:* 5/13/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-030

Location Code: **KAFB10615**
Sample Number: **GW0056**
Sample Name: **10615-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennette pump

Task: **140705-ARP2011-GW**
Collection Date: 4/14/11
Collection Time: 1139
Start Depth: 485
End Depth: 510
Sample Matrix: **WG**
Sample Team: DA, AT

QC Partners:
(TB) GW-8030 (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 515 **Depth To Water:** 488.01

Comments:

Sketch Location:

Logged BY / Date: DJ Aubrey 4/14/11 *Reviewed BY / Date:* [signature] 4/14/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW025

Location Code: **KAFB10616**
Sample Number: **GW0057**
Sample Name: **10616-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: dedicated Bennett pump

Task: **140705-ARP2011-GW**
Collection Date: 4/7/11
Collection Time: 1150
Start Depth: 475
End Depth: 500
Sample Matrix: **WG**
Sample Team: MT DA

QC Partners:
(TB) GW8025-TB (FB, AB) (ER) GW8011-AB (FB)
mll 4-7-11

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 505 **Depth To Water:** 484.46

Comments: Ambient Blank is associated with GW sample GW0057 (GW8011-AB)

Sketch Location:

Logged BY / Date: 4/7/11 *Reviewed BY / Date:* 4/7/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW032

Location Code: **KAFB10617**
Sample Number: **GW0058**
Sample Name: **10617-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: dedicated Bennett

Task: **140705-ARP2011-GW**
Collection Date: 4/27/11
Collection Time: 1212
Start Depth: 482
End Depth: 507
Sample Matrix: **WG**
Sample Team: AT, DR

QC Partners:
(TB) GW0032-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 512 **Depth To Water:** 486.77

Comments:

Sketch Location:

Logged BY / Date: 4/27/11 *Reviewed BY / Date:* 4/27/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-030

Location Code: **KAFB10618**
Sample Number: **GW0059**
Sample Name: **10618-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennette pump
QC Partners:
(TB) GW-8030 (ER) (FB)

Task: **140705-ARP2011-GW**
Collection Date: 4/14/11
Collection Time: 1502
Start Depth: 476
End Depth: 501
Sample Matrix: **WG**
Sample Team: PA, AT

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 506 **Depth To Water:** 480.07

Comments:

Sketch Location:

Logged BY / Date: [signature] 4/14/11 *Reviewed BY / Date:* [signature] 4/14/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW039

Location Code: **KAFB10619**
Sample Number: **GW0060**
Sample Name: **10619-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: dedicated Bennett pump
QC Partners:
(TB) GWB039-TB (ER) (FB)

Task: **140705-ARP2011-GW**
Collection Date: 5/9/11
Collection Time: ~~1207~~ 1207
Start Depth: 493
End Depth: 518
Sample Matrix: **WG**
Sample Team: AT, DA

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 523 **Depth To Water:** 498.35

Comments:

Sketch Location:

Logged BY / Date: 5/9/11 *Reviewed BY / Date:* 5/9/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW031

Location Code: **KAFB10620**
Sample Number: **GW0061**
Sample Name: **10620-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: dedicated Bennett pump
QC Partners:
(TB) GW8031-TB (ER) (FB)

Task: **140705-ARP2011-GW**
Collection Date: 4/26/11
Collection Time: 1124
Start Depth: 482
End Depth: 507
Sample Matrix: **WG**
Sample Team: AT, RB

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:

Measured Well Depth: 572 **Depth To Water:** 484.76

Comments:

Sketch Location:

Logged BY / Date: [signature] 4/26/11 *Reviewed BY / Date:* [signature] 4/26/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW031

Location Code: **KAFB10621**
Sample Number: **GW0062**
Sample Name: **10621-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennett pump

Task: **140705-ARP2011-GW**
Collection Date: 4/26/11
Collection Time: 1454
Start Depth: 458
End Depth: 483
Sample Matrix: **WG**
Sample Team: AT, RB

QC Partners:
(TB) GWB031-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 488 **Depth To Water:** 458.53

Comments:

Sketch Location:

Logged BY / Date: Austin Hill 4/26/11 *Reviewed BY / Date:* Mark Lyon 4/26/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 410705-GW031

Location Code: **KAFB10621**
Sample Number: **GW0063**
Sample Name: **10621-YYMMDD-D**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **FD**
Sampling Equip: dedicated Bennett pump

Task: **140705-ARP2011-GW**
Collection Date: 4/26/11
Collection Time: 1454
Start Depth: 458
End Depth: 483
Sample Matrix: **WG**
Sample Team: AT, RM

QC Partners:
(TB) GW0831-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 488 **Depth To Water:** 458.83

Comments: When logging sample in database the location code was incorrect had changed to KAFB106021 in log in table. Same with KAFB10620 = KAFB106020

Sketch Location:

Logged BY / Date: 4/26/11 *Reviewed BY / Date:* 4/26/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW049

Location Code: **KAFB10622**
Sample Number: **GW0064**
Sample Name: **10622-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennette pumps
QC Partners:
(TB) GW-8049-TB (ER) (FB)

Task: **140705-APR2011-GW**
Collection Date: 5/24/11
Collection Time: 1358
Start Depth: 462
End Depth: 487
Sample Matrix: **WG**
Sample Team: DA, AT

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 492 **Depth To Water:** 462.17

Comments:

Sketch Location:

Logged BY / Date: 5/24/11 *Reviewed BY / Date:* 5/24/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW050

Location Code: **KAFB10623**
Sample Number: **GW0065**
Sample Name: **10623-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennette pump

Task: **140705-APR2011-GW**
Collection Date: 5/25/11
Collection Time: 1042
Start Depth: 473
End Depth: 498
Sample Matrix: **WG**
Sample Team: DA, AT

QC Partners:
(TB) GW8050-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 503 **Depth To Water:** 477.64

Comments:

Sketch Location:

6

Logged BY / Date: 5/25/11 *Reviewed BY / Date:* 5/25/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW050

Location Code: **KAFB10624**
Sample Number: **GW0066**
Sample Name: **10624-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennette pump

Task: **140705-APR2011-GW**
Collection Date: 5/25/11
Collection Time: 1356
Start Depth: 481
End Depth: 506
Sample Matrix: **WG**
Sample Team: DA, AT

QC Partners:
(TB) GW8050-TB (ER) GW8013-AB (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: ~~503~~ 511.20 **Depth To Water:** 485.33

Comments:

Sketch Location:

Logged BY / Date: [signature] *Reviewed BY / Date:* [signature] 5/25/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW033

Location Code: **KAFB10625**
Sample Number: **GW0067**
Sample Name: **10625-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: dedicated Bennett pump

Task: **140705-ARP2011-GW**
Collection Date: 4/28/11
Collection Time: 1125
Start Depth: 465
End Depth: 490
Sample Matrix: **WG**
Sample Team: AT, DA

QC Partners:
(TB) GW8033-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 495 **Depth To Water:** 462

Comments:

Sketch Location:

Logged BY / Date: [signature] 4/26/11 *Reviewed BY / Date:* [signature] 4/28/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW033

Location Code: **KAFB10626**
Sample Number: **GW0068**
Sample Name: **10626-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: dedicated Bennett

Task: **140705-ARP2011-GW**
Collection Date: 4/28/11
Collection Time: 1440
Start Depth: 466
End Depth: 486
Sample Matrix: **WG**
Sample Team: AT DA

QC Partners:
(TB) GW8033-TB (ER) (FB) GW8012-AB

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 491.20 **Depth To Water:** 468.77

Comments:

Sketch Location:

Logged BY / Date: 4/28/11 *Reviewed BY / Date:* 4/28/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705/GW022

Location Code: **KAFB10627**
Sample Number: **GW0069**
Sample Name: **10627-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: GW8022-TB dedicated bennett

Task: **140705-ARP2011-GW**
Collection Date: 4/4/11
Collection Time: 1352
Start Depth: 481
End Depth: 501
Sample Matrix: **WG**
Sample Team: al, DA

QC Partners:
(TB) GW8022-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 506 **Depth To Water:** 490.38

Comments:

Sketch Location:

Logged BY / Date: Antonio Jaquez 4/4/11 *Reviewed BY / Date:* 4/4/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW051

Location Code: **KAFB10628**
Sample Number: **GW0070**
Sample Name: **10628-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennette

Task: **140705-APR2011-GW**
Collection Date: 5/26/11
Collection Time: 1005
Start Depth: 491
End Depth: 511
Sample Matrix: **WG**
Sample Team: DA, AT, RB

QC Partners:
(TB) GW8051-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 516 **Depth To Water:** 491.78

Comments:

Sketch Location:

Logged BY / Date: 5/26/11 *Reviewed BY / Date:* 5/26/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW051

Location Code: **KAFB10628**
Sample Number: **GW0070-MS**
Sample Name: **10628-YYMMDD-MS**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **MS**
Sampling Equip: dedicated bennette

Task: **140705-APR2011-GW**
Collection Date: 5/26/11
Collection Time: 1095
Start Depth: 491
End Depth: 511
Sample Matrix: **WG**
Sample Team: DA, AT, RB

QC Partners:
(TB) GW8051-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 516 **Depth To Water:** 491.78

Comments:

Sketch Location:

Logged BY / Date: 5/26/11 *Reviewed BY / Date:* 5/26/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW051

Location Code: **KAFB10628**
Sample Number: **GW0070-MSD**
Sample Name: **10628-YYMMDD-MSD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **MSD**
Sampling Equip: Dedicated Bennett

Task: **140705-APR2011-GW**
Collection Date: 5/26/11
Collection Time: 1005
Start Depth: 491
End Depth: 511
Sample Matrix: **WG**
Sample Team: DA, AT, RB

QC Partners:
(TB) GW8051-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 516 **Depth To Water:** 491.78

Comments:

Sketch Location:

Logged BY / Date: 5/26/11 *Reviewed BY / Date:* 5/26/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: # 140705-GW025

Location Code: **KAFB3411**
Sample Number: **GW0071**
Sample Name: **KAFB3411-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: Dedicated Bennett pump

Task: **140705-ARP2011-GW**
Collection Date: 4/7/11
Collection Time: 1454
Start Depth: 477
End Depth: 502
Sample Matrix: **WG**
Sample Team: AT, DA

QC Partners:
(TB) GW8025-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 503 **Depth To Water:** 485.81

Comments: Needs new Simple Swagelok on discharge line.

Sketch Location:

Logged BY / Date: 4/7/11 *Reviewed BY / Date:* 4/7/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW035

Location Code: **KAFB10644**

Task: **140705-ARP2011-GW**

Sample Number: **GW0074**

Collection Date: 5/2/11

Sample Name: **10644-YYMMDD**

Collection Time: 1337

Sampling Method: **SP**

Start Depth: 504.23

Sample Type: **GW** *Sample Purpose:* **REG**

End Depth: 514.23

Sampling Equip: dedicated bennett

Sample Matrix: **WG**

QC Partners:

(TB) GW8035-TB (ER) (FB)

Sample Team: MT, DM

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:

Sacode:

Lot Control#:

Groundwater Information:

Measured Well Depth: 524.5 **Depth To Water:** 490.35

Comments:

Sketch Location:

Logged BY / Date: 5/2/11 *Reviewed BY / Date:* 5/2/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705

Location Code: **KAFB10644**

Sample Number: **GW0075**

Sample Name: **10644-YYMMDD-D**

Sampling Method: **SP**

Sample Type: **GW** *Sample Purpose:* **FD**

Sampling Equip: Redeveloped Bennett pump

Task: **140705-ARP2011-GW**

Collection Date: 5/2/11

Collection Time: 1337

Start Depth: 504.23

End Depth: 519.23

Sample Matrix: **WG**

Sample Team: MT, DA

QC Partners:

(TB) GW8035-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:

Sacode:

Lot Control#:

Groundwater Information:

Measured Well Depth: 524.23 **Depth To Water:** 490.35

Comments:

Sketch Location:

Logged BY / Date: 5/2/11 *Reviewed BY / Date:* 5/2/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW035

Location Code: **KAFB10645**

Task: **140705-ARP2011-GW**

Sample Number: **GW0076**

Collection Date: 5/2/11

Sample Name: **10645-YYMMDD**

Collection Time: 1107

Sampling Method: **SP**

Start Depth: 528.3

Sample Type: **GW** *Sample Purpose:* **REG**

End Depth: 543.3

Sampling Equip: dedicated Bennett pump

Sample Matrix: **WG**

QC Partners:

(TB) GW8035-TB (ER) (FB)

Sample Team: AT, DA

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:

Sacode:

Lot Control#:

Groundwater Information:

Measured Well Depth: 548 **Depth To Water:** 490.11

Comments:

Sketch Location:

Logged BY / Date: 5/2/11 *Reviewed BY / Date:* 5/2/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW037

Location Code: **KAFB10646**
Sample Number: **GW0077**
Sample Name: **10646-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett

Task: **140705-ARP2011-GW**
Collection Date: 5/4/11
Collection Time: 1412
Start Depth: 490
End Depth: 510
Sample Matrix: **WG**
Sample Team: AT, BA

QC Partners:
(TB) GW0037-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 515 **Depth To Water:** 495.04

Comments:

Sketch Location:

Logged BY / Date: 5/4/11 *Reviewed BY / Date:* 5/5/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW038

Location Code: **KAFB10647**

Sample Number: **GW0078**

Sample Name: **10647-YYMMDD**

Sampling Method: **SP**

Sample Type: **GW** *Sample Purpose:* **REG**

Sampling Equip: Portable Bennett

QC Partners:

(TB) GW038-TB (ER) (FB)

Task: **140705-ARP2011-GW**

Collection Date: 5/5/11

Collection Time: 1635

Start Depth: 512

End Depth: 527

Sample Matrix: **WG**

Sample Team: AT JM

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:

Sacode:

Lot Control#:

Groundwater Information:

Measured Well Depth: 531.05 **Depth To Water:** 495.05

Comments:

Sketch Location:

Logged BY / Date: Catherine Jay 5/6/11 *Reviewed BY / Date:* Myan 5/6/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW038

Location Code: **KAFB10648**

Task: **140705-ARP2011-GW**

Sample Number: **GW0079**

Collection Date: 5/5/11

Sample Name: **10648-YYMMDD**

Collection Time: 1305

Sampling Method: **SP**

Start Depth: 535.5

Sample Type: **GW** *Sample Purpose:* **REG**

End Depth: 550.5

Sampling Equip: Portable Bennett

Sample Matrix: **WG**

QC Partners:

(TB) GW8038-TB (ER) (FB)

Sample Team: AT, DA

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:

Sacode:

Lot Control#:

Groundwater Information:

Measured Well Depth: 555.5 **Depth To Water:** 494.99

Comments:

Sketch Location:

Logged BY / Date: 5/5/11 *Reviewed BY / Date:* 5/5/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 - GW062

Location Code: **KAFB10659**
Sample Number: **GW0082**
Sample Name: **10659-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: Portable Geotech

Task: **140705-APR2011-GW**
Collection Date: 6/15/11
Collection Time: 1206
Start Depth: 483.4
End Depth: 583.4
Sample Matrix: **WG**
Sample Team: CT, DH

QC Partners:
(TB) GW8062-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 508.4 **Depth To Water:** 487.36

Comments:

Sketch Location:

Logged BY / Date: Antonio Trujillo 6/15/11 *Reviewed BY / Date:* 6/15/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW047

Location Code: **KAFB10660**
Sample Number: **GW0083**
Sample Name: **10660-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett pump

Task: **140705-ARP2011-GW**
Collection Date: 5/20/11
Collection Time: 1153
Start Depth: 503
End Depth: 518
Sample Matrix: **WG**
Sample Team: AT, DA

QC Partners:
(TB) GW0047-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 523 **Depth To Water:** 486.74

Comments:

Sketch Location:

Logged BY / Date: 5/20/11 *Reviewed BY / Date:* 5/20/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW046

Location Code: **KAFB10661**0

Sample Number: **GW0084**

Sample Name: **10661-YYMMDD**

Sampling Method: **SP**

Sample Type: **GW** *Sample Purpose:* **REG**

Sampling Equip: portable bennette

QC Partners:

(TB) GW8046-TB (ER) (FB)

Task: **140705-ARP2011-GW**

Collection Date: 5/18/11

Collection Time: 1344

Start Depth: 573.2

End Depth: 588.2

Sample Matrix: **WG**

Sample Team: DA, AT

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:

Measured Well Depth: 603.0 **Depth To Water:** 486.82

Comments:

Sketch Location:

Logged BY / Date: 5/18/11 *Reviewed BY / Date:* 5/18/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW046

Location Code: **KAFB10661**
Sample Number: **GW0084-MS**
Sample Name: **10661-YYMMDD-MS**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **MS**
Sampling Equip: portable bennette pump

Task: **140705-ARP2011-GW**
Collection Date: 5/18/11
Collection Time: 1344
Start Depth: 573.7
End Depth: 588.7
Sample Matrix: **WG**
Sample Team: DA, AT

QC Partners:
(TB) GW8046-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 603 **Depth To Water:** 486.87

Comments:

Sketch Location:

Logged BY / Date: 5/18/11 *Reviewed BY / Date:* 5/18/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW046

Location Code: **KAFB10661**
Sample Number: **GW0084-MSD**
Sample Name: **10661-YYMMDD-MSD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **MSD**
Sampling Equip: portable bennette pump
QC Partners:
(TB) GW8046-TB (ER) (FB)

Task: **140705-ARP2011-GW**
Collection Date: 5/18/11
Collection Time: 1344
Start Depth: 573.2
End Depth: 588.2
Sample Matrix: **WG**
Sample Team: DA, AT

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 603 **Depth To Water:** 486.32

Comments:

Sketch Location:

Logged BY / Date: 5/18/11 *Reviewed BY / Date:* 5/18/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW040

Location Code: **KAFB10662**

Sample Number: **GW0085**

Sample Name: **10662-YYMMDD**

Sampling Method: **SP**

Sample Type: **GW** *Sample Purpose:* **REG**

Sampling Equip: Portable Bennett

Task: **140705-ARP2011-GW**

Collection Date: 5/10/11

Collection Time: 1331

Start Depth: 575.78

End Depth: 590

Sample Matrix: **WG**

Sample Team: AT, PA

QC Partners:

(TB) GW8040-TB (ER) (FB)

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:

Measured Well Depth: 595 **Depth To Water:** 493.05

Comments:

Sketch Location:

Logged BY / Date: 5/10/11

Reviewed BY / Date: 5/10/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW040

Location Code: **KAFB10662**

Task: **140705-ARP2011-GW**

Sample Number: **GW0086**

Collection Date: 5/10/11

Sample Name: **10662-YYMMDD-D**

Collection Time: 1331

Sampling Method: **SP**

Start Depth: 575.78

Sample Type: **GW** *Sample Purpose:* **FD**

End Depth: 590.26

Sampling Equip: Portable Bennett

Sample Matrix: **WG**

QC Partners:

(TB) GW8040-TB (ER) (FB)

Sample Team: AT, DM

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:

Measured Well Depth: 595 **Depth To Water:** 493.05

Comments:

Sketch Location:

Logged BY / Date: 5/10/11 *Reviewed BY / Date:* 5/10/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW041

Location Code: **KAFB10663**

Task: **140705-ARP2011-GW**

Sample Number: **GW0087**

Collection Date: 5/11/11

Sample Name: **10663-YYMMDD**

Collection Time: 1358

Sampling Method: **SP**

Start Depth: 505

Sample Type: **GW** *Sample Purpose:* **REG**

End Depth: 520

Sampling Equip: Portable Bennett pump

Sample Matrix: **WG**

QC Partners:

(TB) GW8041-TB (ER) (FB)

Sample Team: AT, DA

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:

Sacode:

Lot Control#:

Groundwater Information:

Measured Well Depth: 525 **Depth To Water:** 494.00

Comments:

Sketch Location:

Logged BY / Date: 5/11/11 *Reviewed BY / Date:* 5/11/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW041

Location Code: **KAFB10664**
Sample Number: **GW0088**
Sample Name: **10664-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett pump

Task: **140705-ARP2011-GW**
Collection Date: 5/11/11
Collection Time: 1003
Start Depth: 485
End Depth: 505
Sample Matrix: **WG**
Sample Team: AT, DA, AW

QC Partners:
(TB) GW0041-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 510 **Depth To Water:** 493.28

Comments:

Sketch Location:

Logged BY / Date: 5/11/11 *Reviewed BY / Date:* 5/11/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 GW054

Location Code: **KAFB10668**

Sample Number: **GW0089**

Sample Name: **10668-YYMMDD**

Sampling Method: **SP**

Sample Type: **GW** *Sample Purpose:* **REG**

Sampling Equip: Portable Bennett

QC Partners:

(TB) GW0054-TB (ER) (FB)

Task: **140705-APR2011-GW**

Collection Date: 6/2/11

Collection Time: 580' + 1457

Start Depth: ~~580~~ 580

End Depth: 595

Sample Matrix: **WG**

Sample Team: AT, DM

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:

Measured Well Depth: 600.00 **Depth To Water:** 490.39

Comments:

Sketch Location:

Logged BY / Date: 6/2/11 *Reviewed BY / Date:* 6/2/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW055

Location Code: **KAFB10669**
Sample Number: **GW0090**
Sample Name: **10669-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: portable bennette pump

Task: **140705-APR2011-GW**
Collection Date: 6-3-11
Collection Time: 1116
Start Depth: 506
End Depth: 521
Sample Matrix: **WG**
Sample Team: DA, AT

QC Partners:
(TB) GW8055-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 526.0 **Depth To Water:** 489.91

Comments:

Sketch Location:

Logged BY / Date: _____ *Reviewed BY / Date:* _____

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW057

Location Code: **KAFB10673**
Sample Number: **GW0091**
Sample Name: **10673-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennette pump
QC Partners:
(TB) GW057-TB (ER) (FB)

Task: **140705-APR2011-GW**
Collection Date: 6-7-11
Collection Time: 1129
Start Depth: 500
End Depth: 514.53
Sample Matrix: **WG**
Sample Team: DA, AT

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 519.53 **Depth To Water:** 487.75

Comments:

Sketch Location:

Logged BY / Date: 6-7-11 *Reviewed BY / Date:* 6/7/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW056

Location Code: **KAFB10674**
Sample Number: **GW0092**
Sample Name: **10674-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett pump

Task: **140705-APR2011-GW**
Collection Date: 6/6/11
Collection Time: 1340
Start Depth: 570
End Depth: 584.53
Sample Matrix: **WG**
Sample Team: AF, DM

QC Partners:
(TB) GW0056-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 589.53 **Depth To Water:** 483.49

Comments:

Sketch Location:

Logged BY / Date: 6/6/11 *Reviewed BY / Date:* 6/7/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW057

Location Code: **KAFB10675**
Sample Number: **GW0093**
Sample Name: **10675-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: dedicated bennette pump

Task: **140705-APR2011-GW**
Collection Date: 6-7-11
Collection Time: 1427
Start Depth: 480
End Depth: 500
Sample Matrix: **WG**
Sample Team: DA, AT

QC Partners:
(TB) GW-8057 (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 505 **Depth To Water:** 483.66

Comments:

Sketch Location:

Logged BY / Date: 6-7-11 *Reviewed BY / Date:* 6/7/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW063

Location Code: **KAFB10676**
Sample Number: **GW0094**
Sample Name: **10676-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: portable Bennette Pump
QC Partners:
(TB) GW8063-TB (ER) (FB)

Task: **140705-APR2011-GW**
Collection Date: 6-16-11
Collection Time: 1031
Start Depth: 480
End Depth: 500
Sample Matrix: **WG**
Sample Team: DA, AT

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 505 **Depth To Water:** 487.81

Comments: LNAPL well.

Sketch Location:

Logged BY / Date: 6-16-11 *Reviewed BY / Date:* 6/16/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW065

Location Code: **KAFB10677**
Sample Number: **GW0095**
Sample Name: **10677-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: portable bennette
QC Partners:
(TB) GW8065-TB (ER) (FB)

Task: **140705-APR2011-GW**
Collection Date: 6-20-11
Collection Time: 1127
Start Depth: 504
End Depth: 519
Sample Matrix: **WG**
Sample Team: DA, RB, A

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 524 **Depth To Water:** 487.88

Comments:

Sketch Location:

Logged BY / Date: D Mabrey 6-20-11 *Reviewed BY / Date:* Mark Lynn 6/20/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW064

Location Code: **KAFB10678**
Sample Number: **GW0096**
Sample Name: **10678-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett pump

Task: **140705-APR2011-GW**
Collection Date: 6/17/11
Collection Time: 1356
Start Depth: 573.5
End Depth: 588.5
Sample Matrix: **WG**
Sample Team: AT, DH

QC Partners:
(TB) GW80064-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 593.5 **Depth To Water:** 487.35

Comments:

Sketch Location:

Logged BY / Date: 6/17/11 *Reviewed BY / Date:* 6-17-11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW045

Location Code: **KAFB10679**
Sample Number: **GW0097**
Sample Name: **10679-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: portable bennette pump

Task: **140705-ARP2011-GW**
Collection Date: 5/16/11
Collection Time: 1431
Start Depth: 484.92
End Depth: 503.92
Sample Matrix: **WG**
Sample Team: DA, AT

QC Partners:
(TB) GW-80445-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 509.46 **Depth To Water:** 491.86

Comments: Pump set @ 494 ft.

Sketch Location:

Logged BY / Date: 5/16/11 *Reviewed BY / Date:* 5/17/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW044

Location Code: **KAFB10680**
Sample Number: **GW0098**
Sample Name: **10680-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: portable bennette

Task: **140705-ARP2011-GW**
Collection Date: 5/16/11
Collection Time: 11:19
Start Depth: 504.4
End Depth: 519.4
Sample Matrix: **WG**
Sample Team: DA, AT

QC Partners:
(TB) GW0044-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 523.31 **Depth To Water:** 489.74

Comments:

Sketch Location:

Logged BY / Date: 5/16/11 *Reviewed BY / Date:* 5/16/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW042

Location Code: **KAFB10681**

Task: **140705-ARP2011-GW**

Sample Number: **GW0099**

Collection Date: 5/12/11

Sample Name: **10681-YYMMDD**

Collection Time: 1342

Sampling Method: **SP**

Start Depth: 575.0

Sample Type: **GW** *Sample Purpose:* **REG**

End Depth: 590.0

Sampling Equip: portable bennette

Sample Matrix: **WG**

QC Partners:

(TB) GW-80042TB (ER) (FB)

Sample Team: DA, AW

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:

Sacode:

Lot Control#:

Groundwater Information:

Measured Well Depth: 594.76 **Depth To Water:** 491.50

Comments:

Sketch Location:

Logged BY / Date: 5/12/11 *Reviewed BY / Date:* 5/12/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW052

Location Code: **KAFB10682**
Sample Number: **GW0100**
Sample Name: **10682-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett

Task: **140705-ARP2011-GW**
Collection Date: 5/31/11
Collection Time: 1415
Start Depth: 472
End Depth: 492
Sample Matrix: **WG**
Sample Team: AT, DA

QC Partners:
(TB) GW0052-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 497.2 **Depth To Water:** 478.63

Comments:

Sketch Location:

Logged BY / Date: 5/31/11 *Reviewed BY / Date:* 5/31/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW052

Location Code: **KAFB10683**

Task: **140705-ARP2011-GW**

Sample Number: **GW0101**

Collection Date: 5/31/11

Sample Name: **10683-YYMMDD**

Collection Time: 1109

Sampling Method: **SP**

Start Depth: 495.45

Sample Type: **GW** *Sample Purpose:* **REG**

End Depth: 510.45

Sampling Equip: Portable Bennett pump

Sample Matrix: **WG**

QC Partners:

(TB) GW0052-TB (ER) (FB)

Sample Team: AT, DH

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:

Sacode:

Lot Control#:

Groundwater Information:

Measured Well Depth: 515.65 **Depth To Water:** 477.95

Comments:

Sketch Location:

Logged BY / Date: 5/31/11 *Reviewed BY / Date:* 5/31/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW048

Location Code: **KAFB10684**

Task: **140705-ARP2011-GW**

Sample Number: **GW0102**

Collection Date: 5/23/11

Sample Name: **10684-YYMMDD**

Collection Time: 1443

Sampling Method: **SP**

Start Depth: 565

Sample Type: **GW** *Sample Purpose:* **REG**

End Depth: 580

Sampling Equip: portable Iwaki pump

Sample Matrix: **WG**

QC Partners:
(TB) GW-8048 (ER) GW8012-EB (FB)

Sample Team: DA, AT

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 585 **Depth To Water:** 477.30

Comments:

Sketch Location:

Logged BY / Date: 5/23/11 *Reviewed BY / Date:* 5/23/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 104705-GW053

Location Code: **KAFB10697**
Sample Number: **GW0103**
Sample Name: **10697-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: portable bennette pumps

Task: **140705-APR2011-GW**
Collection Date: 6/1/11
Collection Time: 1555
Start Depth: 506
End Depth: 521
Sample Matrix: **WG**
Sample Team: DA, AT

QC Partners:
(TB) GW8053-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 526 **Depth To Water:** 490.35

Comments:

Sketch Location:

Logged BY / Date: 6/1/11 *Reviewed BY / Date:* 6/11/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 104705-GW053

Location Code: **KAFB10698**
Sample Number: **GW0104**
Sample Name: **10698-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: portable bennette pump

Task: **140705-APR2011-GW**
Collection Date: 6/1/11
Collection Time: 1222
Start Depth: 531
End Depth: 546
Sample Matrix: **WG**
Sample Team: DA, AT

QC Partners:
(TB) GW-8053-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 551.1 **Depth To Water:** 490.58

Comments:

Sketch Location:

Logged BY / Date: [signature] 6/1/11 *Reviewed BY / Date:* [signature] 6/6/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW036

Location Code: **KAFB106101**
Sample Number: **GW0105**
Sample Name: **106101-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett pump

Task: **140705-ARP2011-GW**
Collection Date: 5/3/11
Collection Time: 1105
Start Depth: 495.93
End Depth: 511.21
Sample Matrix: **WG**
Sample Team: AT, DA, MC

QC Partners:
(TB) GW8036-TB (ER) GW8011-RB (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 515.04 **Depth To Water:** 481.51

Comments:

Sketch Location:

Logged BY / Date: Carlton Jaquillo 5/3/11 *Reviewed BY / Date:* [signature] 5/4/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW036

Location Code: **KAFB106101**
Sample Number: **GW0106**
Sample Name: **106101-YYMMDD-D**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **FD**
Sampling Equip: Portable Bennett pump

Task: **140705-ARP2011-GW**
Collection Date: 5/3/11
Collection Time: 1105
Start Depth: 495.93
End Depth: 511.21
Sample Matrix: **WG**
Sample Team: AT, DH, MC

QC Partners:
(TB) GW8036-TB (ER) GW8011-IBRB (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 515.06 **Depth To Water:** 481.51

Comments: Field duplicate of GW0105

Sketch Location:

Logged BY / Date: 5/3/11 *Reviewed BY / Date:* 5/4/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW036

Location Code: **KAFB106102**
Sample Number: **GW0107**
Sample Name: **106102-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: Peristaltic Bennett pump

Task: **140705-ARP2011-GW**
Collection Date: 5/3/11
Collection Time: 1540
Start Depth: 521.08
End Depth: 534.84
Sample Matrix: **WG**
Sample Team: AT, DA, RB

QC Partners:
(TB) GW8036-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 540.21 **Depth To Water:** 482.05

Comments:

Sketch Location:

Logged BY / Date: 5/4/11 *Reviewed BY / Date:* 5/4/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW028

Location Code: **2819-R-CRT**
Sample Number: **GW0108**
Sample Name: **2819-R-CRT-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip:

Task: **140705-ARP2011-GW**
Collection Date: 4/12/11
Collection Time: 1258
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WG**
Sample Team: DA+AT

QC Partners:
(TB) GW028TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: Ø **Depth To Water:** Ø

Comments: Residential well

Sketch Location:

Logged BY / Date: [signature] 4-12-11 *Reviewed BY / Date:* [signature] 4/12/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW023

Location Code: **KAFB0003**
Sample Number: **GW0109**
Sample Name: **KAFB0003-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: NA

Task: **140705-ARP2011-GW**
Collection Date: 4/5/11
Collection Time: 1014
Start Depth: n/a
End Depth: n/a
Sample Matrix: **WG**
Sample Team: AT, DA

QC Partners:
(TB) GWB023-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: Ø **Depth To Water:** Ø

Comments: KAFB Production well sampled from spigot

Sketch Location:

Logged BY / Date: 4/5/11 *Reviewed BY / Date:* 4/4/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705 - GW025

Location Code: **KAFB0015**
Sample Number: **GW0110**
Sample Name: **KAFB0015-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: N/A

Task: **140705-ARP2011-GW**
Collection Date: 4/5/11
Collection Time: 0834
Start Depth: n/a
End Depth: n/a
Sample Matrix: **WG**

QC Partners:
(TB) GW8023-TB (ER) GW0 (FB)

Sample Team: AT, DA

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: Ø **Depth To Water:** Ø

Comments: KAFB Production well sampled from spigot

Sketch Location:

Logged BY / Date: [signature] 4/5/11 *Reviewed BY / Date:* [signature] 4/5/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705 GW023

Location Code: **KAFB0015**
Sample Number: **GW0110-MS**
Sample Name: **KAFB0015-YYMMDD-MS**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **MS**
Sampling Equip:

Task: **140705-ARP2011-GW**
Collection Date: 4/5/11
Collection Time: 0834
Start Depth: 0
End Depth: 0
Sample Matrix: **WG**
Sample Team: at, DA

QC Partners:
(TB) GW8023-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: Ø **Depth To Water:** Ø

Comments:

Sketch Location:

Logged BY / Date: 4/5/11 *Reviewed BY / Date:* 4/5/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705 GW023

Location Code: **KAFB0015**
Sample Number: **GW0110-MSD**
Sample Name: **KAFB0015-YYMMDD-MSD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **MSD**
Sampling Equip: _____

Task: **140705-ARP2011-GW**
Collection Date: 4/5/11
Collection Time: 0834
Start Depth: n/a
End Depth: n/a
Sample Matrix: **WG**
Sample Team: AT, MA

QC Partners:
(TB) GW8023-TB (ER) _____ (FB) _____

ERPIMS Values:
Sacode: _____
Lot Control#: _____

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: Ø **Depth To Water:** Ø

Comments: _____

Sketch Location:

Logged BY / Date: [signature] 4/4/11 *Reviewed BY / Date:* [signature] 4/5/11

Sample Collection Log

Shaw™
Shaw E & I, Inc.

820017 · Kirtland AFB

Production Well Manager:

RFA / COC Number: 140705 GW054

Location Code: **KAFB0016**
Sample Number: **GW0111**
Sample Name: **KAFB0016-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip:

Task: **140705-ARP2011-GW**
Collection Date: 6/2/11
Collection Time: 0836
Start Depth: 0
End Depth: 0
Sample Matrix: **WG**
Sample Team: AT, DM

QC Partners:
(TB) GW8054-TB (ER) GW8014-AB (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: 0 **Depth To Water:** 0

Comments: Production well, sampled from spigot

Sketch Location:

Logged BY / Date: 6/2/11 *Reviewed BY / Date:* 6-2-11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705

Location Code: **ST106-VA2**
Sample Number: **GW0112**
Sample Name: **VA2-YYMMDD**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**
Sampling Equip: Low Flow pump

Task: **140705-ARP2011-GW**
Collection Date: 4/1/11
Collection Time: 1118
Start Depth: —
End Depth: —
Sample Matrix: **WG**
Sample Team: AT, RB, DA

QC Partners:
(TB) GW8021-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS
SW8270C-PAHs	N	K	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: **Depth To Water:**

Comments:

Sketch Location:

Logged BY / Date: *Reviewed BY / Date:* 4/1/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705

Location Code: **ST106-VA2**
Sample Number: **GW0113**
Sample Name: **VA2-YYMMDD-D**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **FD**
Sampling Equip: Low Flow pump

Task: **140705-ARP2011-GW**
Collection Date: 4/1/11
Collection Time: 1118
Start Depth: —
End Depth: —
Sample Matrix: **WG**
Sample Team: AT, RB, DA

QC Partners:
(TB) GW 0021-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS
SW8270C-PAHs	N	K	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: **Depth To Water:**

Comments:

Sketch Location:

Logged BY / Date: 4/1/11 *Reviewed BY / Date:* 4/1/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: No COC 140705-GW055

Location Code: **KAFB10667**
Sample Number: **GW0114**
Sample Name: **KAFB10667-GW-GW0114-REG**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**

GW8055-TB

Task: **140705-APR2011-GW**
Collection Date: **03-JUN-11**
Collection Time: **14:42**
Start Depth: **506**
End Depth: **521**
Sample Matrix: **WG**
Sample Team: **DA**

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	N	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Comments:

Sketch Location:

Logged BY / Date: 6-3-11 *Reviewed BY / Date:* 6/3/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: ~~No COC~~ 140705-GW059

Location Code: **KAFB10699**
Sample Number: **GW0115**
Sample Name: **KAFB10699-GW-GW0115-REG**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**

Task: **140705-APR2011-GW**
Collection Date: **09-JUN-11**
Collection Time: **11:10**
Start Depth: **501**
End Depth: **516**
Sample Matrix: **WG**
Sample Team: **DA**

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Comments:

Sketch Location:

Logged BY / Date: 6-9-11 *Reviewed BY / Date:* 6/9/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: No COC

Location Code: **KAFB106100**
Sample Number: **GW0116**
Sample Name: **KAFB106100-GW-GW0116-REG**
Sampling Method: **SP**
Sample Type: **GW** *Sample Purpose:* **REG**

Task: **140705-APR2011-GW**
Collection Date: **08-JUN-11**
Collection Time: **11:54**
Start Depth: **526**
End Depth: **541**
Sample Matrix: **WG**
Sample Team: **AT**

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Comments:

Sketch Location:

Logged BY / Date: 6/8/11 *Reviewed BY / Date:* 6-8-11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705

Location Code: **FIELDQC**
Sample Number: **GW8021-TB**
Sample Name: **FIELDQC-BW-GW8021-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: lab prepared
QC Partners:
(TB) **(ER)** **(FB)**

Task: **140705-ARP2011-GW**
Collection Date: 4/1/11
Collection Time: 0800
Start Depth: n/a
End Depth: n/a
Sample Matrix: **WQ**
Sample Team: RB, AT, DA

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Laboratory trip blanks for 4/1/11.

Sketch Location:

Logged BY / Date: RB 4/1/11 *Reviewed BY / Date:* Mark Tapia

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705 / GW022

Location Code: **FIELDQC**
Sample Number: **GW8022-TB**
Sample Name: **FIELDQC-BW-GW8022-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: n/a

Task: **140705-ARP2011-GW**
Collection Date: 4/4/11
Collection Time: 0800
Start Depth: n/a
End Depth: n/a
Sample Matrix: **WQ**
Sample Team: at, DA

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank for 4/4/11

Sketch Location:

Logged BY / Date: [signature] 4/4/11 *Reviewed BY / Date:* [signature] 4-4-11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705 GW8023

Location Code: **FIELDQC**
Sample Number: **GW8023-TB**
Sample Name: **FIELDQC-BW-GW8023-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-ARP2011-GW**
Collection Date: 4/5/11
Collection Time: 0800
Start Depth: n/a
End Depth: n/a
Sample Matrix: **WQ**
Sample Team: at

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank for 4/5/11 sampling

Sketch Location:

Logged BY / Date: [signature] 4/5/11 *Reviewed BY / Date:* [signature] 4/5/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 1405705-GW024

Location Code: **FIELDQC**
Sample Number: **GW8024-TB**
Sample Name: **FIELDQC-BW-GW8024-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-ARP2011-GW**
Collection Date: 4/6/11
Collection Time: 11:15AM
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: DA+AT

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Trip Blank associated w/GW samples on 4/6/11

Sketch Location:

Logged BY / Date: David Anbray 4/6/11 D Anbray

Reviewed BY / Date: 4/6/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705 - GW025

Location Code: **FIELDQC**
Sample Number: **GW8025-TB**
Sample Name: **FIELDQC-BW-GW8025-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-ARP2011-GW**
Collection Date: 4/7/11
Collection Time: 0800
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WQ**
Sample Team: AT, DA

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Trip Blank ~~for~~ to Associated w/ Gw samples 4/7/11

Sketch Location:

Logged BY / Date: [signature] 4/7/11 *Reviewed BY / Date:* [signature] 4/7/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW026

Location Code: **FIELDQC**
Sample Number: **GW8026-TB**
Sample Name: **FIELDQC-BW-GW8026-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: N/A

Task: **140705-ARP2011-GW**
Collection Date: 4/8/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: DA & AT

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepaired trip blank 4/8/11

Sketch Location:

Logged BY / Date: 4/8/11 *Reviewed BY / Date* 4/8/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW027

Location Code: **FIELDQC**
Sample Number: **GW8027-TB**
Sample Name: **FIELDQC-BW-GW8027-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-ARP2011-GW**
Collection Date: 4/11/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: MT, DA

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared ~~Field duplicate~~ Trip blank of for samples on 4/11/11

Sketch Location:

Logged BY / Date: Antonio Trujillo 4/4/11 *Reviewed BY / Date:* [signature] 4/11/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW028

Location Code: **FIELDQC**
Sample Number: **GW8028-TB**
Sample Name: **FIELDQC-BW-GW8028-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

QC Partners:
(TB) (ER) (FB)

Task: **140705-ARP2011-GW**
Collection Date: 4/12/11
Collection Time: 0800
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WQ**
Sample Team: DA+AT

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank for sampleron 4/12/11.

Sketch Location:

Logged BY / Date: [signature] 4-12-11 *Reviewed BY / Date:* [signature] 4/12/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW029

Location Code: **FIELDQC**
Sample Number: **GW8029-TB**
Sample Name: **FIELDQC-BW-GW8029-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-ARP2011-GW**
Collection Date: 4/13/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: AT, DM

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared Trip Blank for samples taken 4/13/11

Sketch Location:

Logged BY / Date: 4/13/11 *Reviewed BY / Date:* 4/13/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number:

Location Code: **FIELDQC**
Sample Number: **GW8030-TB**
Sample Name: **FIELDQC-BW-GW8030-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-ARP2011-GW**
Collection Date: 4-14-11
Collection Time: 0800
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WQ**
Sample Team:

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank for samples on 4-14-11

Sketch Location:

Logged BY / Date: _____ *Reviewed BY / Date:* _____

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705 GW031

Location Code: **FIELDQC**
Sample Number: **GW8031-TB**
Sample Name: **FIELDQC-BW-GW8031-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-ARP2011-GW**
Collection Date: 4/26/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: AT RB

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab-prepared Trip blank for samples on 4/26/11

Sketch Location:

Logged BY / Date: AT 4/26/11 *Reviewed BY / Date:* Mark Lyon 4/26/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW032

Location Code: **FIELDQC**
Sample Number: **GW8032-TB**
Sample Name: **FIELDQC-BW-GW8032-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-ARP2011-GW**
Collection Date: 4/27/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team:

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip Blank for samples collected on 4/27/11

Sketch Location:

Logged BY / Date: 4/27/11 *Reviewed BY / Date:* 4/27/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW033

Location Code: **FIELDQC**
Sample Number: **GW8033-TB**
Sample Name: **FIELDQC-BW-GW8033-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: dedicated bennette pump

Task: **140705-ARP2011-GW**
Collection Date: 4/28/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: DA, AT

QC Partners:
(TB) _____ (ER) _____ (FB) _____

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank for samples collected 4/28/11

Sketch Location:

Logged BY / Date: [signature] 4/28/11 *Reviewed BY / Date:* [signature] 4/28/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW034

Location Code: **FIELDQC**
Sample Number: **GW8034-TB**
Sample Name: **FIELDQC-BW-GW8034-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-ARP2011-GW**
Collection Date: 4/29/11
Collection Time: 0800
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WQ**
Sample Team: AT, DH

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared Trip Blank associated with samples collected 4/29/11

Sketch Location:

Logged BY / Date: 4/29/11 *Reviewed BY / Date:* 4/29/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW035

Location Code: **FIELDQC**
Sample Number: **GW8035-TB**
Sample Name: **FIELDQC-BW-GW8035-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-ARP2011-GW**
Collection Date: 5/2/11
Collection Time: 0800
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WQ**
Sample Team: AT, DA

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank for samples collected on 5/2/11

Sketch Location:

Logged BY / Date: _____ *Reviewed BY / Date:* 5/2/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW036

Location Code: **FIELDQC**
Sample Number: **GW8036-TB**
Sample Name: **FIELDQC-BW-GW8036-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-ARP2011-GW**
Collection Date: 5/3/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**

QC Partners:
(TB) _____ (ER) _____ (FB) _____

Sample Team: _____

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blanks for samples collected on 5/3/11

Sketch Location:

Logged BY / Date: 5/4/11 *Reviewed BY / Date:* 5/4/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW037

Location Code: **FIELDQC**
Sample Number: **GW8037-TB**
Sample Name: **FIELDQC-BW-GW8037-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-ARP2011-GW**
Collection Date: 5/4/11
Collection Time: 0951
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: AT, DA

QC Partners:
(TB) _____ (ER) _____ (FB) _____

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank for samples collected 5/4/11

Sketch Location:

Logged BY / Date: [signature] 5/4/11 *Reviewed BY / Date:* [signature] 5/5/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW038

Location Code: **FIELDQC**
Sample Number: **GW8038-TB**
Sample Name: **FIELDQC-BW-GW8038-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

QC Partners:
(TB) (ER) (FB)

Task: **140705-ARP2011-GW**
Collection Date: 5/5/11
Collection Time: 0800
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WQ**
Sample Team: AT, DT

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank is unwashed w. the samples collected 5/5/11

Sketch Location:

Logged BY / Date: 5/5/11 *Reviewed BY / Date:* 5/5/11

Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW039

Location Code: **FIELDQC**
Sample Number: **GW8039-TB**
Sample Name: **FIELDQC-BW-GW8039-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-ARP2011-GW**
Collection Date: 5/9/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: AT, DH

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared Trip blank associated with Samples Collected 5/9/11

Sketch Location:

Logged BY / Date: 5/9/11 *Reviewed BY / Date:* 5/9/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705 - GW040

Location Code: **FIELDQC**
Sample Number: **GW8040-TB**
Sample Name: **FIELDQC-BW-GW8040-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-ARP2011-GW**
Collection Date: 0800 5/10/11
Collection Time: 0800
Start Depth: 0 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: AT, DT

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank is associated w/ the samples collected 5/10/11

Sketch Location:

Logged BY / Date: 5/10/11 *Reviewed BY / Date:* 5/10/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW041

Location Code: **FIELDQC**
Sample Number: **GW8041-TB**
Sample Name: **FIELDQC-BW-GW8041-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-ARP2011-GW**
Collection Date: 5/11/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: AT, DA

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated with samples collected 5/11/11

Sketch Location:

Logged BY / Date: 5/11/11 *Reviewed BY / Date:* 5/11/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 104705-GW042

Location Code: **FIELDQC**
Sample Number: **GW8042-TB**
Sample Name: **FIELDQC-BW-GW8042-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-ARP2011-GW**
Collection Date: 5/12/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: DA, AW

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated w/ sample on 5/12/11

Sketch Location:

Logged BY / Date: 5/12/11 *Reviewed BY / Date:* 5/12/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW043

Location Code: **FIELDQC**
Sample Number: **GW8043-TB**
Sample Name: **FIELDQC-BW-GW8043-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: ~~dedicated~~ ~~Bennett~~ NA MEP 5/13/11

Task: **140705-ARP2011-GW**
Collection Date: 5/13/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: AT, DA

QC Partners:
(TB) _____ (ER) _____ (FB) _____

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blanks associated with samples collected 5/13/11

Sketch Location:

Logged BY / Date: [signature] 5/13/11 *Reviewed BY / Date:* [signature] 5/13/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW044

Location Code: **FIELDQC**
Sample Number: **GW8044-TB**
Sample Name: **FIELDQC-BW-GW8044-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-ARP2011-GW**
Collection Date: 5/16/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: DA, AT

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated w/ samples from 5/16/11.

Sketch Location:

Logged BY / Date: [signature] 5/16/11 *Reviewed BY / Date:* [signature] 5/16/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705GW045

Location Code: **FIELDQC**
Sample Number: **GW8045-TB**
Sample Name: **FIELDQC-BW-GW8045-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-ARP2011-GW**
Collection Date: 5/17/11
Collection Time: 1125
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: DA, AW

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank

Sketch Location:

Logged BY / Date: MARKyou 5/17/11 *Reviewed BY / Date:* 5/17/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW046

Location Code: **FIELDQC**
Sample Number: **GW8046-TB**
Sample Name: **FIELDQC-BW-GW8046-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

QC Partners:
(TB) (ER) (FB)

Task: **140705-APR2011-GW**
Collection Date: 5/18/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: DA, AT

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated w/samples for 5/18/11.

Sketch Location:

Logged BY / Date: 5/18/11 *Reviewed BY / Date:* 5/18/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW047

Location Code: **FIELDQC**
Sample Number: **GW8047-TB**
Sample Name: **FIELDQC-BW-GW8047-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-APR2011-GW**
Collection Date: 5/20/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: AT, DA

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank prepared for samples collected 5/20/11

Sketch Location:

Logged BY / Date: [signature] 5/20/11 *Reviewed BY / Date:* [signature]

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW048

Location Code: **FIELDQC**
Sample Number: **GW8048-TB**
Sample Name: **FIELDQC-BW-GW8048-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: _____

Task: **140705-APR2011-GW**
Collection Date: 5/23/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: DA, AT

QC Partners:
(TB) _____ (ER) _____ (FB) _____

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared Trip blank are associated with samples collected 5/23/11

Sketch Location:

Logged BY / Date: DJ Mackey 5/23/11 *Reviewed BY / Date:* [signature] 5/23/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW049

Location Code: **FIELDQC**
Sample Number: **GW8049-TB**
Sample Name: **FIELDQC-BW-GW8049-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-APR2011-GW**
Collection Date: 5/24/11
Collection Time: 1030
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WQ**
Sample Team: DA, AT

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank

Sketch Location:

Logged BY / Date: 5/24/11 *Reviewed BY / Date:* 5/24/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW050

Location Code: **FIELDQC**
Sample Number: **GW8050-TB**
Sample Name: **FIELDQC-BW-GW8050-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: _____

Task: **140705-APR2011-GW**
Collection Date: 5/25/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: DA, AT

QC Partners:
(TB) _____ (ER) _____ (FB) _____

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated w/sampler for 5/25/11

Sketch Location:

Logged BY / Date: [signature] 5/25/11 *Reviewed BY / Date:* [signature]

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW051

Location Code: **FIELDQC**
Sample Number: **GW8051-TB**
Sample Name: **FIELDQC-BW-GW8051-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-APR2011-GW**
Collection Date: 5/26/11
Collection Time: 0700
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WQ**
Sample Team: DA, AT

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated w/sampler for 5/26/11

Sketch Location:

Logged BY / Date: 5/26/11 *Reviewed BY / Date:* 5/26/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 - GW052

Location Code: **FIELDQC**
Sample Number: **GW8052-TB**
Sample Name: **FIELDQC-BW-GW8052-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-APR2011-GW**
Collection Date: 5/31/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: AT, DA

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank is associated with samples collected 5/31/11

Sketch Location:

Logged BY / Date: 5/31/11 *Reviewed BY / Date:* 5/31/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW053

Location Code: **FIELDQC**
Sample Number: **GW8053-TB**
Sample Name: **FIELDQC-BW-GW8053-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

QC Partners:
(TB) (ER) (FB)

Task: **140705-APR2011-GW**
Collection Date: 6/1/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: DA, AT

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated w/samples for 6-1-11.

Sketch Location:

Logged BY / Date: [signature] 6/1/11 *Reviewed BY / Date:* [signature] 6/1/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW054

Location Code: **FIELDQC**
Sample Number: **GW8054-TB**
Sample Name: **FIELDQC-BW-GW8054-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-APR2011-GW**
Collection Date: 6/2/11
Collection Time: 0800
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WQ**
Sample Team: AT, DM

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated with samples collected 6/2/11

Sketch Location:

Logged BY / Date: 6/2/11 *Reviewed BY / Date:* 6-2-11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW055

Location Code: **FIELDQC**
Sample Number: **GW8055-TB**
Sample Name: **FIELDQC-BW-GW8055-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

QC Partners:
(TB) (ER) (FB)

Task: **140705-APR2011-GW**
Collection Date: 6-3-11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: DA, AT

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated w/ samples for 6-3-11.

Sketch Location:

Logged BY / Date: 6-3-11 *Reviewed BY / Date:* 6/3/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW056

Location Code: **FIELDQC**
Sample Number: **GW8056-TB**
Sample Name: **FIELDQC-BW-GW8056-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

QC Partners:
(TB) (ER) (FB)

Task: **140705-APR2011-GW**
Collection Date: 0800
Collection Time: 6/6/11
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WQ**
Sample Team: AT, DA

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated with samples collected 6/6/11

Sketch Location:

Logged BY / Date: 6/6/11 *Reviewed BY / Date:* 6-6-11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

GW

RFA / COC Number: 140705-1057

Location Code: **FIELDQC**
Sample Number: **GW8057-TB**
Sample Name: **FIELDQC-BW-GW8057-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-APR2011-GW**
Collection Date: 6-7-11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: DA, AT

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated w/samples from 6-7-11

Sketch Location:

Logged BY / Date: 6-7-11 *Reviewed BY / Date:* 6/7/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW058

Location Code: **FIELDQC**
Sample Number: **GW8058-TB**
Sample Name: **FIELDQC-BW-GW8058-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-APR2011-GW**
Collection Date: 6/8/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: AT, BM

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated with samples collected 6/8/11

Sketch Location:

Logged BY / Date: 6/8/11 *Reviewed BY / Date:* 6-8-11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW059

Location Code: **FIELDQC**
Sample Number: **GW8059-TB**
Sample Name: **FIELDQC-BW-GW8059-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-APR2011-GW**
Collection Date: 6-9-11
Collection Time: 0800
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WQ**
Sample Team: DA, AT

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated w/ sampler for 6-9-11.

Sketch Location:

Logged BY / Date: 6-9-11 *Reviewed BY / Date:* 6/9/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705

Location Code: **FIELDQC**
Sample Number: **GW8060-TB**
Sample Name: **FIELDQC-BW-GW8060-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: _____

Task: **140705-APR2011-GW**
Collection Date: 6/10/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: MT, DM

QC Partners:
(TB) _____ (ER) _____ (FB) _____

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated with samples collected 6/10/11

Sketch Location:

Logged BY / Date: 6/10/11 *Reviewed BY / Date:* 6/10/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW061

Location Code: **FIELDQC**
Sample Number: **GW8061-TB**
Sample Name: **FIELDQC-BW-GW8061-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

Task: **140705-APR2011-GW**
Collection Date: 6-13-11
Collection Time: 0800
Start Depth: ø
End Depth: ø
Sample Matrix: **WQ**
Sample Team: DA, AT

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepare trip blank associated w/sampler for 6-13-11.

Sketch Location:

Logged BY / Date: [signature] 6-13-11 *Reviewed BY / Date:* [signature] 6/13/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW062

Location Code: **FIELDQC**
Sample Number: **GW8062-TB**
Sample Name: **FIELDQC-BW-GW8062-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

QC Partners:
(TB) (ER) (FB)

Task: **140705-APR2011-GW**
Collection Date: 6/15/11
Collection Time: 0830
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: AJ DM

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: lab prepared Trip blank associated w/ PA samples collected 6/15/11

Sketch Location:

Logged BY / Date: 6/15/11 *Reviewed BY / Date:* 6/15/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW063

Location Code: **FIELDQC**
Sample Number: **GW8063-TB**
Sample Name: **FIELDQC-BW-GW8063-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: _____

Task: **140705-APR2011-GW**
Collection Date: 6-16-11
Collection Time: 0800
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WQ**
Sample Team: DA, AT

QC Partners:
(TB) _____ (ER) _____ (FB) _____

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated w/samples from 6-16-11

Sketch Location:

Logged BY / Date: _____ *Reviewed BY / Date:* 6/16/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 - GW064

Location Code: **FIELDQC**
Sample Number: **GW8064-TB**
Sample Name: **FIELDQC-BW-GW8064-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

QC Partners:
(TB) (ER) (FB)

Task: **140705-APR2011-GW**
Collection Date: 6/17/11
Collection Time: 0800
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: AT, DH

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: trip lab prepared trip blank associated with samples collected 6/17/11

Sketch Location:

Logged BY / Date: 6/17/11 *Reviewed BY / Date:* 6-17-11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW065

Location Code: **FIELDQC**
Sample Number: **GW8065-TB**
Sample Name: **FIELDQC-BW-GW8065-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip:

QC Partners:
(TB) (ER) (FB)

Task: **140705-APR2011-GW**
Collection Date: 6-20-11
Collection Time: 0800
Start Depth: Ø
End Depth: Ø
Sample Matrix: **WQ**
Sample Team: DA, AT

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank associated w/samples for 6-20-11.

Sketch Location:

Logged BY / Date: D Mabrey 6-20-11 *Reviewed BY / Date:* Mackey 6/20/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705 - GW025

Location Code: **FIELDQC**
Sample Number: **GW8011-AB**
Sample Name: **FIELDQC-BW-GW8011-AB-AB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **AB**
Sampling Equip: dedicated Bennett pump

Task: **140705-ARP2011-GW**
Collection Date: 4/7/11
Collection Time: 1150
Start Depth: ~~495~~ Ø
End Depth: ~~506~~ Ø
Sample Matrix: **WQ**
Sample Team:

QC Partners:
(TB) GW8025-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Ambient Blank associated with Sample GW0057 4/7/11 collected at well KAFB-10616 inside BFF

Sketch Location:

Logged BY / Date: 4/7/11 *Reviewed BY / Date:* Mark Lyon 4/7/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW033

Location Code: **FIELDQC**
Sample Number: **GW8012-AB**
Sample Name: **FIELDQC-BW-GW8012-AB-AB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **AB**
Sampling Equip: dedicated bennette pump

Task: **140705-ARP2011-GW**
Collection Date: 4/28/11
Collection Time: ~~0800~~ 1440
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: DA, AT

QC Partners:
(TB) GW8033-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab-prepared Ambient blank associated with ~~GW033~~ GW068 collected 4/28/11

Sketch Location:

Logged BY / Date: [signature] 4/28/11 *Reviewed BY / Date:* [signature] 4/28/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705 - GW050

Location Code: **FIELDQC**
Sample Number: **GW8013-AB**
Sample Name: **FIELDQC-BW-GW8013-AB-AB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **AB**
Sampling Equip:

Task: **140705-ARP2011-GW**
Collection Date: 5/25/11
Collection Time: 1356
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: AT, DH

QC Partners:
(TB) GW8050-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared Ambient blanks associated with samples collected on 5/25/11.

Sketch Location:

Logged BY / Date: 5/25/11 *Reviewed BY / Date:* 5/25/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW054

Location Code: **FIELDQC**
Sample Number: **GW8014-AB**
Sample Name: **FIELDQC-BW-GW8014-AB-AB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **AB**
Sampling Equip:

Task: **140705-ARP2011-GW**
Collection Date: 6/2/11
Collection Time: 0836
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: DA, AT

QC Partners:
(TB) GW-8054-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
~~SW8260B~~	N	A	2	40	mL	VOA VIAL

SW8015B-GRO

ERPIMS Values:
Sacode:
Lot Control#:

Comments:

Sketch Location:

Logged BY / Date: 6-2-11 *Reviewed BY / Date:* 6/2-11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 · Kirtland AFB

Manager:

RFA / COC Number: 140705 - GW036

Location Code: **FIELDQC**
Sample Number: **GW8011-RB**
Sample Name: **FIELDQC-BW-GW8011-RB-ER**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **ER**
Sampling Equip: Portable Bennett pump

Task: **140705-ARP2011-GW**
Collection Date: 5/3/11
Collection Time: 0815
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: AT, DA, ML

QC Partners:
(TB) GW8036-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Collected 1 RB Samples @ KAFB 106101

Sketch Location:

Logged BY / Date: 5/3/11

Reviewed BY / Date: 5/4/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

820017 - Kirtland AFB

Manager:

RFA / COC Number: 140705-GW048

Location Code: **FIELDQC**
Sample Number: **GW8012-RB**
Sample Name: **FIELDQC-BW-GW8012-RB-ER**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **ER**
Sampling Equip: Portable Bennett pump

Task: **140705-ARP2011-GW**
Collection Date: 5/23/11
Collection Time: 0847
Start Depth: 0
End Depth: 0
Sample Matrix: **WQ**
Sample Team: DA, AT

QC Partners:
(TB) GW8048-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Rinse Blank associated with Samples collected 5/23/11 CHAIN-106084 (GW0102)

Sketch Location:

Logged BY / Date: 5/23/11 *Reviewed BY / Date:* 5/23/11