APPENDIX G-2

Groundwater Sample Collection Logs

THIS PAGE INTENTIONALLY LEFT BLANK

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW001

Location Code: **KAFB1061**

Sample Number: **GW0001**

Sample Name: ~~KAFB1061-WG-GW0001-REG~~ - 110125

Sampling Method: **SP**

Sample Type: **WG** *Sample Purpose:* **REG**

Sampling Equip: 1

QC Partners: (TB) ~~TB-110125~~ GW8001-TB (ER) (FB)

Task: **140705-JAN2011-GW**

Collection Date: 01-25-11

Collection Time: 1257

Start Depth: 483

End Depth: 508'

Sample Matrix: **WG**

Sample Team: RB, ML, DR

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	N	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:

Measured Well Depth: 510.93 **Depth To Water:** 488.13

Comments:

Sketch Location:

Logged BY / Date: [signature] 1-25-11 *Reviewed BY / Date:* [signature] 1/26/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW003

Location Code: **KAFB1062**

Sample Number: **GW0002**

Sample Name: ~~KAFB1062-WG-GW0002-REG~~ -110127

Sampling Method: **SP**

Sample Type: **WG** *Sample Purpose:* **REG**

Sampling Equip: Bennett Dedicated

Task: **140705-JAN2011-GW**

Collection Date: 1-27-11

Collection Time: 1445

Start Depth: 481.13

End Depth: 507.13

Sample Matrix: **WG**

Sample Team: RB, ML, DR, GP

QC Partners:

(TB) GW 8003-TB (ER) (FB)

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	N	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:

Measured Well Depth: 507.13 **Depth To Water:** 485.43

Comments:

Sketch Location:

Logged BY / Date: [signature] 1/27/11

Reviewed BY / Date: [signature] 1/27/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW003

Location Code: **KAFB1063**

Task: **140705-JAN2011-GW**

Sample Number: **GW0003**

Collection Date: 1-27-11

Sample Name: ~~KAFB1063-WG-GW0003-REG~~ 1063-110127

Collection Time: 12:56

Sampling Method: **SP**

Start Depth: 478.15

Sample Type: **WG** *Sample Purpose:* **REG**

End Depth: 505.15

Sampling Equip: Bennett Dedicated

Sample Matrix: **WG**

QC Partners:

(TB) GW8003-TB (ER) (FB)

Sample Team: Bailey, Lyon, Rust

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	N	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

ERPIMS Values:

Sacode:

Lot Control#:

Groundwater Information:

Measured Well Depth: 505.15 **Depth To Water:** 482.91

Comments:

Sketch Location:

Logged BY / Date: 1/27/11 *Reviewed BY / Date:* 1/27/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW003

Location Code: **KAFB1064**

Sample Number: **GW0004** 1064-110127

Sample Name: ~~KAFB1064-WG-GW0004-REG~~

Sampling Method: **SP**

Sample Type: **WG** *Sample Purpose:* **REG**

Sampling Equip: Bennett Dedicated

QC Partners:

(TB) GW8003-TB (ER) (FB)

Task: **140705-JAN2011-GW**

Collection Date: 1-27-11

Collection Time: 1010

Start Depth: 486.44

End Depth: 512.44

Sample Matrix: **WG**

Sample Team: Lyon, Bailey, Rust, Peacock

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	N	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:

Measured Well Depth: 512.44 **Depth To Water:** 489.45

Comments:

Sketch Location:

Logged BY / Date: RAB 1/27/11

Reviewed BY / Date: Mark Lyon 1/27/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 - GW018

Location Code: **KAFB1065**
Sample Number: **GW0005**
Sample Name: **KAFB1065-WG-GW0005-REG**
Sampling Method: **SP**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett Pump

QC Partners:
(TB) GW018-TB (ER) (FB)

Task: **140705-JAN2011-GW**
Collection Date: 2/21/11
Collection Time: ~~1230~~ 1614
Start Depth: 479.0
End Depth: 506.0
Sample Matrix: **WG**
Sample Team: AT, RB, ML

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Product @ 489.72

Groundwater Information:
Measured Well Depth: 507.0 **Depth To Water:** 489.89

Comments:

Sketch Location:

Logged BY / Date: AT 2/21/11 *Reviewed BY / Date:* Mark Ryan 2/22/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 - GW018

Location Code: **KAFB1065**
Sample Number: **GW0006**
Sample Name: **KAFB1065-WG-GW0006-FD**
Sampling Method: **SP**
Sample Type: **WG** *Sample Purpose:* **FD**
Sampling Equip: Portable Bennett Pump

Task: **140705-JAN2011-GW**
Collection Date: 2/21/11
Collection Time: ~~1230~~ 1614
Start Depth: 479.0
End Depth: 506.0
Sample Matrix: **WG**
Sample Team: AT, RB, ML

QC Partners:
(TB) (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:
Measured Well Depth: 507.0 **Depth To Water:** 489.89

Comments: Field duplicate of GW0005

Sketch Location:

Logged BY / Date: 2/21/11 *Reviewed BY / Date:* 2/22/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 - GW018

Location Code: **KAFB1066**
Sample Number: **GW0007**
Sample Name: **KAFB1066-WG-GW0007-REG**
Sampling Method: **SP**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett Pump

QC Partners:
(TB) GW018-TB (ER) (FB)

Task: **140705-JAN2011-GW**
Collection Date: 2/21/11
Collection Time: 1036
Start Depth: 483.5
End Depth: 508.5
Sample Matrix: **WG**
Sample Team: AT, KB, DR, MK

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

494.10 - Product

Groundwater Information:
Measured Well Depth: 511.0 **Depth To Water:** 495.13

Comments: pump intake @ 503 ft

Sketch Location:

Logged BY / Date: A Tagle 2/21/11 *Reviewed BY / Date:* Mark Lyon 2/22/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 - GW007

Location Code: **KAFB1067**

Sample Number: **GW0008**

Sample Name: ~~KAFB~~1067-~~WG-GW0008-REG~~ 110203

Sampling Method: **SP**

Sample Type: **WG** *Sample Purpose:* **REG**

Sampling Equip: Bennett Dedicated

QC Partners:

(TB) GW 8007-TB (ER) (FB)

Task: **140705-JAN2011-GW**

Collection Date: 2/3/11

Collection Time: 1242

Start Depth: 489.20

End Depth: 516.20

Sample Matrix: **WG**

Sample Team: RB, ML, AT

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:

Measured Well Depth: 516.20 **Depth To Water:** 492.56

Comments:

Sketch Location:

Logged BY / Date: 2/3/11

Reviewed BY / Date: 2/3/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW017

Location Code: **KAFB1068**
Sample Number: **GW0009**
Sample Name: **KAFB1068-WG-GW0009-REG**
Sampling Method: **SP**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Bennett Portable

Task: **140705-JAN2011-GW**
Collection Date: 2-18-11
Collection Time: 1306
Start Depth: 486
End Depth: 511
Sample Matrix: **WG**
Sample Team: RB, AT, MC, BR

QC Partners:
(TB) GW017TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:
Measured Well Depth: 513.5 **Depth To Water:** 495.83

Comments: Pump intake set at 501

Sketch Location:

Logged BY / Date: 2/18/11 *Reviewed BY / Date:* 2/18/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 / GW016

Location Code: **KAFB1069**
Sample Number: **GW0010**
Sample Name: **KAFB1069-WG-GW0010-REG**
Sampling Method: **SP**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett pump

Task: **140705-JAN2011-GW**
Collection Date: 2/17/11
Collection Time: 1456
Start Depth: 480
End Depth: 505
Sample Matrix: **WG**
Sample Team: AT, RB, MC, DR

QC Partners:
(TB) GW8016-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:
Measured Well Depth: 507.5 **Depth To Water:** 487.73

Comments:

Sketch Location:

Logged BY / Date: 2/17/11 *Reviewed BY / Date:* 2/17/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

mue 2/16/11

RFA / COC Number: 140705-GW~~014~~ 015

Location Code: **KAFB10610**

Sample Number: **GW0011**

Sample Name: ~~KAFB10610-WG-GW0011-REG~~ 10610-110216

Sampling Method: **SP**

Sample Type: **WG** *Sample Purpose:* **REG**

Sampling Equip: Bennett Portable Pump

Task: **140705-JAN2011-GW**

Collection Date: 2-16-11

Collection Time: 1045

Start Depth: 483

End Depth: 508

Sample Matrix: **WG**

Sample Team: RB, AT, ML, DR

QC Partners:
(TB) GW~~014~~ 015 TB ~~(DR) GW0011-MS~~ mue 2/16/11 ~~(TB) GW0011-MSD~~

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:

Measured Well Depth: 510.5 **Depth To Water:** 487.49

Comments:

Sketch Location:

Logged BY / Date: RB 2/16/11 *Reviewed BY / Date:* Mark Lyon 2/16/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW~~014~~ 015 mee 2/16/11

Location Code: KAFB10610
Sample Number: GW0011-MS
Sample Name: KAFB10610-WG-GW0011-MS-MS
Sampling Method: SP
Sample Type: WG *Sample Purpose:* MS
Sampling Equip: Bennett Portable
QC Partners: (TB) GW ~~014~~ 015 RSB TB (~~DR~~) ~~GW0011 MSD~~ mee 2/16/11 (~~YB~~) ~~GW0011~~

Task: 140705-JAN2011-GW
Collection Date: 2-16-11
Collection Time: 1045
Start Depth: 483
End Depth: 508
Sample Matrix: WG
Sample Team: RB, AT, ML, DR

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:
Measured Well Depth: 510.5 Depth To Water: 487.49

Comments:

Sketch Location:

Logged BY / Date: RSB 2/16/11 *Reviewed BY / Date:* Mark Lyon 2/16/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW ~~014~~ 015

Location Code: **KAFB10610**

Sample Number: **GW0011-MSD**

Sample Name: **KAFB10610-WG-GW0011-MSD-MSD**

Sampling Method: **SP**

Sample Type: **WG** *Sample Purpose:* **MSD**

Sampling Equip: Bennett Portable

QC Partners:
(TB) GW ~~014~~ 015 TB (EB) ~~GW0011-MS~~ MLL 2/16/11 (FB) ~~GW0011~~

Task: **140705-JAN2011-GW**

Collection Date: 2-16-11

Collection Time: 1045

Start Depth: 483

End Depth: 508

Sample Matrix: **WG**

Sample Team: RB, AT, ML, DR

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:
Measured Well Depth: 510.5 **Depth To Water:** 487.49

Comments:

Sketch Location:

Logged BY / Date: 2/16/11 *Reviewed BY / Date:* 2/16/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW005

Location Code: **KAFB10611**

Sample Number: **GW0012** - 110131

Sample Name: ~~KAFB10611-WG-GW0012-REG~~

Sampling Method: **SP**

Sample Type: **WG** *Sample Purpose:* **REG**

Sampling Equip: Bennett Dedicated

QC Partners:

(TB) GW8005-TB (ER) (FB)

Task: **140705-JAN2011-GW**

Collection Date: 1-31-11

Collection Time: 1152

Start Depth: 488.99

End Depth: 518.99

Sample Matrix: **WG**

Sample Team: Bailey, Rost

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	N	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:

Measured Well Depth: 518.99 **Depth To Water:** 497.05

Comments:

Sketch Location:

Logged BY / Date: [signature] 1/31/11

Reviewed BY / Date: [signature] 1/31/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW005

Location Code: **KAFB10612**

Sample Number: **GW0013** - 1031

Sample Name: ~~KAFB10612-WG-GW0013-REG~~

Sampling Method: **SP**

Sample Type: **WG** *Sample Purpose:* **REG**

Sampling Equip: Bennett Dedicated Pump

QC Partners:

(TB) GW8005-TB **(ER)** **(FB)**

Task: **140705-JAN2011-GW**

Collection Date: 1-31-11

Collection Time: 1440

Start Depth: 483.57

End Depth: 513.57

Sample Matrix: **WG**

Sample Team: RB - DR

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	N	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:

Measured Well Depth: 513.57 **Depth To Water:** 489.61

Comments:

Sketch Location:

Logged BY / Date: 1/31/11 *Reviewed BY / Date:* 1/31/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW009

Location Code: **KAFB10613**

Sample Number: **GW0014**

Sample Name: ~~KAFB~~10613-~~WG-GW0014-REG~~ 110207

Sampling Method: **SP**

Sample Type: **WG** *Sample Purpose:* **REG**

Sampling Equip: Bennett Portable

QC Partners:

(TB) GW009-TB (ER) (FB)

Task: **140705-JAN2011-GW**

Collection Date: 2-7-11

Collection Time: 11:51

Start Depth: 511.5

End Depth: 486.5

Sample Matrix: **WG**

Sample Team: RB, ML, AT

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:

Measured Well Depth: 516.5 **Depth To Water:**

Comments: 0.0 ppm PID

Sketch Location:

Logged BY / Date: RB 2/7/11 *Reviewed BY / Date:* [illegible] 2/7/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 / GW0015

Location Code: **KAFB10614**

Sample Number: **GW0015**

Sample Name: **KAFB10614-WG-GW0015-REG**

Sampling Method: **SP**

Sample Type: **WG** *Sample Purpose:* **REG**

Sampling Equip: Portable Bennett pump

QC Partners:

(TB) GW0016-TB (ER) (FB)

Task: **140705-JAN2011-GW**

Collection Date: 2/17/11

Collection Time: 1110

Start Depth: 486

End Depth: 516

Sample Matrix: **WG**

Sample Team: AT, RB, MC

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:

Measured Well Depth: 516 **Depth To Water:** 493.55

Comments:

Sketch Location:

Logged BY / Date: [illegible] 2/17/11

Reviewed BY / Date: [illegible] 2/17/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW019

Location Code: **KAFB10615**

Sample Number: **GW0016**

Sample Name: ~~KAFB10615-WG-GW0016-REG~~ ~~140131~~

Sampling Method: **SP**

Sample Type: **WG** *Sample Purpose:* **REG**

Sampling Equip: Dedicated Bennett Pump

QC Partners:

(TB) GW8019-TB (ER) (FB)

Task: **140705-JAN2011-GW**

Collection Date: 3/8/11

Collection Time: 1105

Start Depth: 485

End Depth: 510

Sample Matrix: **WG**

Sample Team: AT RB

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	N	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:

Measured Well Depth: 517.70 **Depth To Water:** ~~489.08~~ at 488.19

Comments:

Sketch Location:

Logged BY / Date: [signature] 3/8/11 *Reviewed BY / Date:* [signature] 3/8/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW002

Location Code: **KAFB10616**

Sample Number: **GW0017** = 110126

Sample Name: ~~KAFB10616-WG-GW0017-REG~~

Sampling Method: **SP**

Sample Type: **WG** *Sample Purpose:* **REG**

Sampling Equip: Dedicated Bennett Pump

Task: **140705-JAN2011-GW**

Collection Date: 1/26/11

Collection Time: 1325

Start Depth: 478.21

End Depth: 503.21

Sample Matrix: **WG**

Sample Team: Lyon, Rust, Bailey

QC Partners:
(TB) GW8002-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	N	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:

Measured Well Depth: 508.21 **Depth To Water:** 485.21

Comments:

Sketch Location:

Logged BY / Date: RAB 1/26/11 *Reviewed BY / Date:* [signature] 1/26/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW0020

Location Code: **KAFB10617**
Sample Number: **GW0018**
Sample Name: **KAFB10617-WG-GW0018-REG**
Sampling Method: **SP**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Bennett Portable

QC Partners:
(TB) GW0020-TB (ER) (FB)

Task: **140705-JAN2011-GW**
Collection Date: 3/9/11
Collection Time: 1100
Start Depth: 482
End Depth: 507
Sample Matrix: **WG**
Sample Team: AT RB

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:
Measured Well Depth: 512 **Depth To Water:** 487.08

Comments:

Sketch Location:

Logged BY / Date: 3/9/11 *Reviewed BY / Date:* 3/9/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW013

Location Code: **KAFB10618**

Sample Number: **GW0019**

Sample Name: ~~KAFB~~10618-~~WG-GW0019~~-REG 110214

Sampling Method: **SP**

Sample Type: **WG** *Sample Purpose:* **REG**

Sampling Equip: Bennett Portable

QC Partners:

(TB) GW013-TB (ER) ~~(FB)~~ FD GW0020FD

Task: **140705-JAN2011-GW**

Collection Date: 2-14-11

Collection Time: 1645

Start Depth: 476

End Depth: 501

Sample Matrix: **WG**

Sample Team: AT, RB, ML

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:

Measured Well Depth: 506 **Depth To Water:** 480.5

Comments: Pump set @ 490'. odorous water

Sketch Location:

Logged BY / Date: [illegible] 2-14-11

Reviewed BY / Date: [illegible] 2/14/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW013

Location Code: **KAFB10618**

Sample Number: **GW0020** -110214-FD

Sample Name: ~~**KAFB10618-WG-GW0020-FD**~~

Sampling Method: **SP**

Sample Type: **WG** *Sample Purpose:* **FD**

Sampling Equip: Beanett Portable

QC Partners:

(TB) GW013-TB (ER) GW-0019 (FB)

Task: **140705-JAN2011-GW**

Collection Date: 2-14-11

Collection Time: 1645

Start Depth: 476

End Depth: 501

Sample Matrix: **WG**

Sample Team: AT, RB, ML

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:

Measured Well Depth: 506 **Depth To Water:** 480.5

Comments: Pump set @ 490'. Odorous water

Sketch Location:

Logged BY / Date: RSB 2-14-11 *Reviewed BY / Date:* [illegible] 2/14/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 - GW013

Location Code: **KAFB10619**
Sample Number: **GW0021**
Sample Name: **KAFB10619-WG-GW0021-REG**
Sampling Method: **SP**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Bennett Portable

Task: **140705-JAN2011-GW**
Collection Date: 2-14-11
Collection Time: 1117
Start Depth: 493
End Depth: 518
Sample Matrix: **WG**
Sample Team: AT, RB, ML

QC Partners:
(TB) GW013 - TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:
Measured Well Depth: 523 **Depth To Water:** 499.23

Comments: ~~WARB~~. Pump set @ 509.23

Sketch Location:

Logged BY / Date: [signature] 2/14/11 *Reviewed BY / Date:* [signature] 2/14/11

VA

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 GW014

Location Code: **KAFB10620**
Sample Number: **GW0022**
Sample Name: **KAFB10620-WG-GW0022-REG**
Sampling Method: **SP**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett pump

Task: **140705-JAN2011-GW**
Collection Date: 2/15/11
Collection Time: 1359
Start Depth: 482
End Depth: 507
Sample Matrix: **WG**

QC Partners:
(TB) GW014-TB (ER) GW8002-RB (FB) GW8002-AB

Sample Team: AT, RB, ML

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 512 **Depth To Water:** 485.5

Comments: Pump set @ 495 ft. Purge interrupted when pump died after 23 gallons. Came out of hole, installed new spare pump and continued purge and sample.

Sketch Location:

Logged BY / Date: 2/15/11 *Reviewed BY / Date:* 2/15/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW012

Location Code: **KAFB10621**
Sample Number: **GW0023**
Sample Name: **KAFB10621-WG-GW0023-REG**
Sampling Method: **SP**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: portable Bennett pump

QC Partners:
(TB) GW012-TB (ER) (FB)

Task: **140705-JAN2011-GW**
Collection Date: 2/10/11
Collection Time: 1448
Start Depth: 458
End Depth: 483
Sample Matrix: **WG**
Sample Team: AT, RB, ML

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:
Measured Well Depth: 487.9 **Depth To Water:** 459.33

Comments: Pump set @ 470.

Sketch Location:

Logged BY / Date: A. Traylor 2/10/11 *Reviewed BY / Date:* Madison 2/10/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW011

Location Code: **KAFB10622**
Sample Number: **GW0024**
Sample Name: **KAFB10622-WG-GW0024-REG**
Sampling Method: **SP**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Bennett Portable

Task: **140705-JAN2011-GW**
Collection Date: 2/9/11
Collection Time: 1148
Start Depth: 462
End Depth: 487
Sample Matrix: **WG**

QC Partners:
(TB) GW011-TB (ER) (FB)

Sample Team: at, RB, ML, DK

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:
Measured Well Depth: 492 **Depth To Water:** 464.16

Comments: Water measurement from January 2011 monthly water level

Sketch Location:

Logged BY / Date: at 2/9/11 *Reviewed BY / Date:* Mark [illegible] 2/11/09

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW0010

Location Code: **KAFB10623**

Task: **140705-JAN2011-GW**

Sample Number: **GW0025** .110208

Collection Date: 2/8/11

Sample Name: ~~**KAFB10623-WG-GW0025-REG**~~

Collection Time: 1204

Sampling Method: **SP**

Start Depth: 473

Sample Type: **WG** *Sample Purpose:* **REG**

End Depth: 498

Sampling Equip: Bennett Portable

Sample Matrix: **WG**

QC Partners:

(TB) GW0010-TB (ER) GW8001-RB (FB) GW8001-AB

Sample Team: RB, AT, DR, ML

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

ERPIMS Values:

Sacode:

Lot Control#:

Groundwater Information:

Measured Well Depth: 503 **Depth To Water:** 473.61

Comments: Pump set @ ~483 ft center of screen
VOC 0.0 ppm

Sketch Location:

Logged BY / Date: 2/8/11 *Reviewed BY / Date:* 2/8/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW012

Location Code: **KAFB10624**
Sample Number: **GW0026**
Sample Name: **KAFB10624-WG-GW0026-REG**
Sampling Method: **SP**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett pump

Task: **140705-JAN2011-GW**
Collection Date: 2/10/11
Collection Time: 1035
Start Depth: 481
End Depth: 506
Sample Matrix: **WG**
Sample Team: AT, ML, RB

QC Partners:
(TB) GW012-TB (ER) ~~GW0026 MS~~ (FB) ~~GW0026 MSD~~ mel 2/10/11

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 511.50 **Depth To Water:** 486.61

Comments: Extra volume collected for MS/MSD
Pump set @ ~497 FT BTOC

Sketch Location:

Logged BY / Date: AT 2/10/11 *Reviewed BY / Date:* [signature] 2/10/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 - GW012

Location Code: **KAFB10624**
Sample Number: **GW0026-MS**
Sample Name: **KAFB10624-WG-GW0026-MS-MS**
Sampling Method: **SP**
Sample Type: **WG** *Sample Purpose:* **MS**
Sampling Equip: Potable Bennett pump

Task: **140705-JAN2011-GW**
Collection Date: 2/10/11
Collection Time: 1055
Start Depth: 481
End Depth: 506
Sample Matrix: **WG**
Sample Team: AT, RB, MC

QC Partners:
(TB) GW012-TB (ER) ~~GW0026-MSD~~ (FB) ~~GW0026~~

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 511.50 **Depth To Water:** 486.61

Comments:

Sketch Location:

Logged BY / Date: 2/10/11

Reviewed BY / Date: 2/10/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 - GW012

Location Code: **KAFB10624**

Sample Number: **GW0026-MSD**

Sample Name: **KAFB10624-WG-GW0026-MSD-MSD**

Sampling Method: **SP**

Sample Type: **WG** *Sample Purpose:* **MSD**

Sampling Equip: Portable Bennett pump

QC Partners:

(TB) GW012-TB (ER) ~~GW0026-MS~~ MS (FB) ~~GW0026~~

Task: **140705-JAN2011-GW**

Collection Date: 2/10/11

Collection Time: 1035

Start Depth: 481

End Depth: 506

Sample Matrix: **WG**

Sample Team: AT, RB, MC

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:

Measured Well Depth: 511.50 **Depth To Water:** 486.61

Comments:

Sketch Location:

Logged BY / Date: 2/10/11 [signature]

Reviewed BY / Date: [signature] 2/10/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW0010

Location Code: **KAFB10625**
Sample Number: **GW0027**
Sample Name: **KAFB10625-WG-GW0027-REG**
Sampling Method: **SP**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Bennett Portable

Task: **140705-JAN2011-GW**
Collection Date: 2/8/11
Collection Time: 1608
Start Depth: 465
End Depth: 490
Sample Matrix: **WG**
Sample Team: AT, RB, DR, ML

QC Partners:
(TB) GW8010-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:
Measured Well Depth: 495 **Depth To Water:** 463.25

Comments:

Sketch Location:

Logged BY / Date: RAB 2/8/11 *Reviewed BY / Date:* [signature] 2/8/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 - GW011

Location Code: **KAFB10627**
Sample Number: **GW0030**
Sample Name: **KAFB10627-WG-GW0030-REG**
Sampling Method: **SP**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Typ Portable Bennett pump

Task: **140705-JAN2011-GW**
Collection Date: 2/9/11
Collection Time: 1452
Start Depth: 481
End Depth: 501
Sample Matrix: **WG**
Sample Team: at, RB, MC, DR

QC Partners:
(TB) GW011-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:
Measured Well Depth: 504 **Depth To Water:** 490.58

Comments: Pump set @ 497

Sketch Location:

Logged BY / Date: at 2/9/11 *Reviewed BY / Date:* [illegible] 2/9/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW009

Location Code: **KAFB10626**
Sample Number: **GW0028**
Sample Name: **KAFB10626-WG-GW0028-REG**
Sampling Method: **SP**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Portable Bennett Pump

Task: **140705-JAN2011-GW**
Collection Date: 2-7-11
Collection Time: ~~466~~ 1516
Start Depth: ~~486~~ 466
End Depth: 486
Sample Matrix: **WG**
Sample Team: RB, AT, ML

QC Partners:
(TB) GW009-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 491 **Depth To Water:** 469.92

Comments: VOC = 0.0, O_2 = 20.3

Sketch Location:

Logged BY / Date: 2/7/11 *Reviewed BY / Date:* 2/7/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW009

Location Code: **KAFB10626**
Sample Number: **GW0029**
Sample Name: **KAFB10626-WG-GW0029-FD**
Sampling Method: **SP**
Sample Type: **WG** *Sample Purpose:* **FD**
Sampling Equip: Portable Bennett Pump

Task: **140705-JAN2011-GW**
Collection Date: 2-7-11
Collection Time: ~~406~~ 1516
Start Depth: ~~486~~ 466
End Depth: 486
Sample Matrix: **WG**
Sample Team: RB, AT, ML

QC Partners:
(TB) GW009-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: 491 **Depth To Water:** 469.92

Comments: VOC = 0.0; O_2 = 20.3 Field Duplicate of GW0028

Sketch Location:

Logged BY / Date: 2/7/11 *Reviewed BY / Date:* 2/7/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW015

Location Code: KAFB10628
Sample Number: GW0031 -110216
Sample Name: ~~KAFB~~10628-~~WG-GW0031-REG~~
Sampling Method: SP
Sample Type: WG *Sample Purpose:* REG
Sampling Equip: Bennet Portable

Task: 140705-JAN2011-GW
Collection Date: 2/16/11
Collection Time: 1505
Start Depth: 491
End Depth: ~~411~~ 511
Sample Matrix: WG mel 2/16/11
Sample Team: RB, AT, DR, ML

QC Partners:
(TB) ~~[illegible]~~ GW015-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:
Measured Well Depth: 516 **Depth To Water:** 492.51

Comments:

Sketch Location:

Logged BY / Date: RSB 2/16/11 *Reviewed BY / Date:* [signature] 2/16/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW002

Location Code: **KAFB3411**

Sample Number: **GW0032**

Sample Name: ~~KAFB3411-WG-GW0032-REG~~ 110126

Sampling Method: **SP**

Sample Type: **WG** *Sample Purpose:* **REG**

Sampling Equip: Pedicated Bennett Pump

Task: **140705-JAN2011-GW**

Collection Date: 1/26/11

Collection Time: 11:29

Start Depth: 484.99

End Depth: 509.99

Sample Matrix: **WG**

Sample Team: RB, ML, DR, GP

QC Partners:

(TB) GW8002-TB (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	N	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

ERPIMS Values:

Sacode:

Lot Control#:

Groundwater Information:

Measured Well Depth: 509.99 **Depth To Water:** 486.89

Comments:

Sketch Location:

Logged BY / Date: 1/26/11

Reviewed BY / Date: 1/26/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW008

Location Code: **KAFB10644**

Sample Number: **GW0033**

Sample Name: ~~KAFB10644-WG-GW0033-REG~~ 110204

Sampling Method: **SP**

Sample Type: **WG** *Sample Purpose:* **REG**

Sampling Equip: Bennett Portable - Low Flow

QC Partners:

(TB) GW8008-TB **(ER)** **(FB)**

Task: **140705-JAN2011-GW**

Collection Date: 2/4/11

Collection Time: 12:55

Start Depth: 504.23 bgs

End Depth: ~~537.20~~ 519.23 bgs

Sample Matrix: **WG** mel 2/4/11

Sample Team: RB, ML, AT

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:

Measured Well Depth: 537' **Depth To Water:** 490.78

Comments:

Sketch Location:

Logged BY / Date: RB 2/4/11 *Reviewed BY / Date:* [illegible] 2/4/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW0004

Location Code: **KAFB10645**

Sample Number: **GW0034**

Sample Name: ~~KAFB10645-WG-GW0034-REG~~ -110128

Sampling Method: **SP**

Sample Type: **WG** *Sample Purpose:* **REG**

Sampling Equip: Bennett Submersible pump Portable

QC Partners:

(TB) GW004-TB **(ER)** **(FB)**

Task: **140705-JAN2011-GW**

Collection Date: 1-28-11

Collection Time: 1425

Start Depth: 531.6

End Depth: 546.6

Sample Matrix: **WG**

Sample Team: RB, DR, ML

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:

Measured Well Depth: 546.6 **Depth To Water:** 490.55

Comments:

Sketch Location:

Logged BY / Date: [signature] 1/28/11 *Reviewed BY / Date:* [signature] 1/28/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705GW006

Location Code: **KAFB0003**

Sample Number: **GW0035** -110202

Sample Name: ~~KAFB0003-WG-GW0035-REG~~

Sampling Method: **SP**

Sample Type: **WG** *Sample Purpose:* **REG**

Sampling Equip: Hose bib - spigot

QC Partners:

(TB) GW8006-TB (ER) (FB)

Task: **140705-JAN2011-GW**

Collection Date: 02/02/11

Collection Time: 0955

Start Depth: n/a

End Depth: n/a

Sample Matrix: **WG**

Sample Team: RB, ML, DR, AT

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:

Measured Well Depth: n/a **Depth To Water:** n/a

Comments: KAFB Production well, pump ran ~10 min prior to sampling sampled from spigot on water line, very cold & windy temp. Alkalinity test was questionable.

Sketch Location:

Logged BY / Date: 2/2/11

Reviewed BY / Date: M. Lyon 2/2/2011

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW016

Location Code: **KAFB0015**
Sample Number: **GW0036**
Sample Name: **KAFB0015-WG-GW0036-REG**
Sampling Method: **SP**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Hose bib

Task: **140705-JAN2011-GW**
Collection Date: 2-17-11
Collection Time: 1018
Start Depth: —
End Depth: —
Sample Matrix: **WG**

QC Partners:
(TB) GW8016-TB (ER) (FB)

Sample Team: MC, OT

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:

Measured Well Depth: UNKN **Depth To Water:** UNKN

Comments: KAFB Production well, well pump ran ~ 15 minutes prior to sampling - sampled from hose bib outside bldg - non potable

Sketch Location:

Logged BY / Date: [signature] 2/17/11 *Reviewed BY / Date:* [signature] 2/17/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW016

Location Code: **KAFB0016**
Sample Number: **GW0037**
Sample Name: **KAFB0016-WG-GW0037-REG**
Sampling Method: **SP**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Hose Bib

Task: **140705-JAN2011-GW**
Collection Date: 2-17-11
Collection Time: 1050
Start Depth: —
End Depth: —
Sample Matrix: **WG**
Sample Team: ML, DR

QC Partners:
(TB) GW8016-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:
Measured Well Depth: UNKN **Depth To Water:** UNKN

Comments: KAFB Production Well, well pump ran approx 30 minutes prior to sampling - sampled from hose bib outside Bldg non-potable water

Sketch Location:

Logged BY / Date: [signature] 2/17/11 *Reviewed BY / Date:* [signature] 2/17/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW016

Location Code: **KAFB0016**

Sample Number: **GW0038**

Sample Name: **KAFB0016-WG-GW0038-FD**

Sampling Method: **SP**

Sample Type: **WG** *Sample Purpose:* **FD**

Sampling Equip: Hose bib

QC Partners:

(TB) GW8016-TB (ER) (FB)

Task: **140705-JAN2011-GW**

Collection Date: 2-17-11

Collection Time: 1050

Start Depth: —

End Depth: —

Sample Matrix: **WG**

Sample Team: mc, DR

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

Groundwater Information:

Measured Well Depth: _____ **Depth To Water:** _____

Comments: Field Duplicate of KAFB-16 sample GW0037

Sketch Location:

Logged BY / Date: Mark Jon 2/17/11 *Reviewed BY / Date:* [illegible] 2/17/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW006

Location Code: **ST106-VA2**

Task: **140705-JAN2011-GW**

Sample Number: **GW0039**

Collection Date: 2-2-11

Sample Name: ~~ST106~~-VA2-~~WG-GW0039-REG~~ -110202

Collection Time: 1205

Sampling Method: **SP**

Start Depth: n/a

Sample Type: **WG** *Sample Purpose:* **REG**

End Depth: n/a

Sampling Equip: Water supply hose bib/spigot

Sample Matrix: **WG**

QC Partners:

(TB) GW006-TB (ER) (FB)

Sample Team: RB, ML, AT

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE

ERPIMS Values:

Sacode:

Lot Control#:

Groundwater Information:

Measured Well Depth: n/a **Depth To Water:** n/a

Comments: Production/supply well at VA Hospital - Sampled from spigot in pump house on pipe run

Sketch Location:

Logged BY / Date: RB 2/2/11 *Reviewed BY / Date:* Mark Ryan 2/2/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW014

Location Code: **ST106-VA2**
Sample Number: **GW0039-R**
Sample Name: **ST106-VA2-WG-GW0039-R-REG**
Sampling Method: **SP**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: Spigot
QC Partners: mll 2/15/11
(TB) ~~GW014-TB~~ **(ER)** **(FB)**

Task: **140705-JAN2011-GW**
Collection Date: 2-15-11
Collection Time: 1030
Start Depth: NA
End Depth: NA
Sample Matrix: **WG**
Sample Team: ML

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8310	N	A	2	1000	mL	A GLASS

ERPIMS Values:
Sacode:
Lot Control#:

Groundwater Information:
Measured Well Depth: — **Depth To Water:** —

Comments: sampled from spigot at VA Hospital Pump house, main pump ran ~5 min @ 770 gpm 1/4" sample line purged of 2 gallons prior to sampling

Sketch Location:

Logged BY / Date: Mark Lyon 2/15/11 *Reviewed BY / Date:* [illegible] 2/15/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW0020

Location Code: **2819-R-CRT**
Sample Number: **2819RC**
Sample Name: **2819-R-CRT-WG-2819RC-REG**
Sampling Method: **SP**
Sample Type: **WG** *Sample Purpose:* **REG**
Sampling Equip: pipe in gravel (east yard)

Task: **140705-JAN2011-GW**
Collection Date: 3/9/11
Collection Time: 1327
Start Depth: n/a
End Depth: n/a
Sample Matrix: **WG**
Sample Team: AT RB

QC Partners:
(TB) GW8020-TB (ER) (FB)

ERPIMS Values:
Sacode:
Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8011	N	B	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	Y	F	1	250	mL	HDPE
EPA300	N	G	1	250	mL	HDPE
SM2320B	N	G	1	250	mL	HDPE
SM4500B_D	N	H	1	250	mL	HDPE
SM4500S-2CF	N	I	1	250	mL	HDPE
SW8270C	N	J	2	1000	mL	A GLASS

Groundwater Information:
Measured Well Depth: n/a **Depth To Water:** n/a

Comments:

Sketch Location:

Logged BY / Date: 3/9/11 *Reviewed BY / Date:* 3/9/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW001

Location Code: **FIELDQC**

Sample Number: **GW8001-TB** TB-110125

Sample Name: ~~FIELDQC-BW-GW8001-TB-TB~~

Sampling Method: **NA**

Sample Type: **BW** *Sample Purpose:* **TB**

Sampling Equip: N/A

QC Partners:

(TB) / (ER) / (FB) /

Task: **140705-JAN2011-GW**

Collection Date: 01-25-2011

Collection Time: 0800

Start Depth: N/A

End Depth: N/A

Sample Matrix: **WQ**

Sample Team: Bailey, Rusty, Lyon

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	~~3~~ 2	40	mL	VOA VIAL

ERPIMS Values:

Sacode:

Lot Control#:

Comments: Lab Prepared Trip Blank for samples 01-25-2011
2 x 40 ml VOA w/ HCL

Sketch Location:

Logged BY / Date: M Lyon 1/25/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW002

Location Code: FIELDQC
Sample Number: GW8002-TB
Sample Name: ~~FIELDQC-BW-GW8002-TB-TB~~
Sampling Method: NA
Sample Type: BW *Sample Purpose:* TB
Sampling Equip: Lab Prepared

Task: 140705-JAN2011-GW
Collection Date: 1/26/2011
Collection Time: 0800
Start Depth: NA
End Depth: NA
Sample Matrix: WQ
Sample Team: Lyon, Bailey, GW1 Rust

QC Partners:
(TB) _____ (ER) _____ (FB) _____

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	~~3~~ 2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab Prepared Trip Blank for 1/26/2011

Sketch Location:

Logged BY / Date: Mark Lyon 1/26/11 *Reviewed BY / Date:* [signature] 1/26/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW003

Location Code: FIELDQC
Sample Number: GW8003-TB
Sample Name: ~~FIELDQC-BW-GW8003-TB-TB~~
Sampling Method: NA
Sample Type: BW *Sample Purpose:* TB
Sampling Equip: NA

Task: 140705-JAN2011-GW
Collection Date: 1-27-11
Collection Time: 0800
Start Depth: NA
End Depth: NA
Sample Matrix: WQ
Sample Team: Lyon, Barky, Rust

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	~~3~~ 2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab Prepared Trip blank for 1-27-11

Sketch Location:

Logged BY / Date: Mark Green 1/27/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW004

Location Code: **FIELDQC**

Sample Number: **GW8004-TB**

Sample Name: ~~FIELDQC-BW-GW8004-TB-TB~~

Sampling Method: **NA**

Sample Type: **BW** *Sample Purpose:* **TB**

Sampling Equip: NA

QC Partners:

(TB) (ER) (FB)

Task: **140705-JAN2011-GW**

Collection Date: 1/28/2011

Collection Time: 0800

Start Depth: NA

End Depth: NA

Sample Matrix: **WQ**

Sample Team: Lyon, Bailey, Rust

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	~~3~~ 2	40	mL	VOA VIAL

ERPIMS Values:

Sacode:

Lot Control#:

Comments: Lab Prepared Trip Blank for 1-28-11

Sketch Location:

Logged BY / Date: [signature] 1/28/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW005

Location Code: **FIELDQC**
Sample Number: **GW8005-TB**
Sample Name: ~~FIELDQC-BW-GW8005-TB-TB~~
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

QC Partners:
(TB) (ER) (FB)

Task: **140705-JAN2011-GW**
Collection Date: 1-31-2011
Collection Time: 0800
Start Depth:
End Depth:
Sample Matrix: **WQ**
Sample Team: Bailey, Rust

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	~~3~~ 2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank for 1-31-2011

Sketch Location:

Logged BY / Date: 1/31/11 *Reviewed BY / Date:* 1/31/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW 006

Location Code: **FIELDQC**

Sample Number: **GW8006-TB**

Sample Name: ~~FIELDQC-BW-GW8006-TB-TB~~

Sampling Method: **NA**

Sample Type: **BW** *Sample Purpose:* **TB**

Sampling Equip: ~~Poured from Tap~~ 2/2/11

QC Partners:

(TB) (ER) (FB)

Task: **140705-JAN2011-GW**

Collection Date: 02/02/2011

Collection Time: 0800

Start Depth: NA

End Depth: NA

Sample Matrix: **WQ**

Sample Team: Bailey, Trujillo, Lyon

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL

ERPIMS Values:

Sacode:

Lot Control#:

Comments: Lab Prepared Trip Blank

/

Sketch Location:

Logged BY / Date: [illegible] 2/2/2011 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW007

Location Code: **FIELDQC**
Sample Number: **GW8007-TB**
Sample Name: ~~FIELDQC-BW-GW8007-TB-TB~~
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

QC Partners:
(TB) (ER) (FB)

Task: **140705-JAN2011-GW**
Collection Date: 2/3/11
Collection Time: 0800
Start Depth: ~~489.20~~ n/a
End Depth: ~~516.40~~ n/a
Sample Matrix: **WQ**
Sample Team: Bailey, Lyon, Trujillo

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: LAB PREPARED TRIP BLANK

Sketch Location:

Logged BY / Date: 2/3/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW008

Location Code: **FIELDQC**

Sample Number: **GW8008-TB**

Sample Name: ~~FIELDQC-BW-GW8008-TB-TB-~~

Sampling Method: **NA**

Sample Type: **BW** *Sample Purpose:* **TB**

Sampling Equip: n/c

QC Partners:

(TB) (ER) (FB)

Task: **140705-JAN2011-GW**

Collection Date: 2/4/11

Collection Time: 0800

Start Depth: n/a

End Depth: n/a

Sample Matrix: **WQ**

Sample Team: Lyon, Bailey, Trujillo

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	~~3~~ 2	40	mL	VOA VIAL

ERPIMS Values:

Sacode:

Lot Control#:

Comments: LAB PREPARED TRIP BLANK

Sketch Location:

Logged BY / Date: Mark Ryan

Reviewed BY / Date:

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW009

Location Code: **FIELDQC**

Sample Number: **GW8009-TB**

Sample Name: ~~FIELDQC-BW-GW8009-TB-TB~~

Sampling Method: **NA**

Sample Type: **BW** *Sample Purpose:* **TB**

Sampling Equip: n/c

QC Partners:

(TB) (ER) (FB)

Task: **140705-JAN2011-GW**

Collection Date: 2/7/11

Collection Time: 0800

Start Depth: n/a

End Depth: n/a

Sample Matrix: **WQ**

Sample Team: RB, AT

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL

ERPIMS Values:

Sacode:

Lot Control#:

Comments:

Sketch Location:

Logged BY / Date: Mark Fra

Reviewed BY / Date: 2/9/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW010

Location Code: **FIELDQC**

Sample Number: **GW8010-TB**

Sample Name: ~~FIELDQC-BW-GW8010-TB-TB~~

Sampling Method: **NA**

Sample Type: **BW** *Sample Purpose:* **TB**

Sampling Equip: NA

QC Partners:

(TB) (ER) (FB)

Task: **140705-JAN2011-GW**

Collection Date: 02/08/2011

Collection Time: 0800

Start Depth: NA

End Depth: NA

Sample Matrix: **WQ**

Sample Team: AT, RB, ML, DR

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL

ERPIMS Values:

Sacode:

Lot Control#:

Comments: Lab prepared Trip Blank

Sketch Location:

Logged BY / Date: Mark Lyon

Reviewed BY / Date: 2/8/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW011

Location Code: **FIELDQC**
Sample Number: **GW8011-TB**
Sample Name: **FIELDQC-BW-GW8011-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

QC Partners:
(TB) (ER) (FB)

Task: **140705-JAN2011-GW**
Collection Date: 2-9-11
Collection Time: 0800
Start Depth: NA
End Depth: NA
Sample Matrix: **WQ**
Sample Team: RB, AT, ML, DR

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: LAB PREPARED TRIP BLANK FOR 2/9/11

Sketch Location:

Logged BY / Date: [signature] 2/9/11 *Reviewed BY / Date:* [signature] 2/9/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW012

Location Code: **FIELDQC**
Sample Number: **GW8012-TB**
Sample Name: **FIELDQC-BW-GW8012-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

QC Partners:
(TB) (ER) (FB)

Task: **140705-JAN2011-GW**
Collection Date: 2-10-11
Collection Time: 0800
Start Depth: NA
End Depth: NA
Sample Matrix: **WQ**
Sample Team: Lyon, Bailey, Trujillo, Rust

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: LAB PREPARED TRIP BLANK FOR 2-10-11

Sketch Location:

Logged BY / Date: [signature] 2/10/11 *Reviewed BY / Date:* [signature] 2/10/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW013

Location Code: **FIELDQC**
Sample Number: **GW8013-TB**
Sample Name: **FIELDQC-BW-GW8013-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-JAN2011-GW**
Collection Date: 2/14/11
Collection Time: 0800
Start Depth: NA
End Depth: NA
Sample Matrix: **WQ**
Sample Team:

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank for 2/14/2011

Sketch Location:

Logged BY / Date: Mark Ryan

Reviewed BY / Date:

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW014

Location Code: **FIELDQC**
Sample Number: **GW8014-TB**
Sample Name: **FIELDQC-BW-GW8014-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-JAN2011-GW**
Collection Date: 2-15-2011
Collection Time: 0800
Start Depth: NA
End Depth: NA
Sample Matrix: **WQ**
Sample Team:

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab Prepared Trip Blank for 2/15/2011

Sketch Location:

Logged BY / Date: Mark Ryan 2/15/11 *Reviewed BY / Date:* [illegible] 2/15/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW015

Location Code: **FIELDQC**
Sample Number: **GW8015-TB**
Sample Name: **FIELDQC-BW-GW8015-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-JAN2011-GW**
Collection Date: 2-16-11
Collection Time: 0800
Start Depth: NA
End Depth: NA
Sample Matrix: **WQ**
Sample Team: Lyon, Bailey, Trujillo

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip Blank for 2-16-2011

Sketch Location:

Logged BY / Date: Mark Lyon 2/16/11 *Reviewed BY / Date:*

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW016

Location Code: **FIELDQC**
Sample Number: **GW8016-TB**
Sample Name: **FIELDQC-BW-GW8016-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-JAN2011-GW**
Collection Date: 2-17-11
Collection Time: 0800
Start Depth: NA
End Depth: NA
Sample Matrix: **WQ**

QC Partners:
(TB) (ER) (FB)

Sample Team:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Lab prepared trip blank for 2-17-11

Sketch Location:

Logged BY / Date: Mark Ryan 2/17/11 *Reviewed BY / Date:* [illegible] 2/17/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705GW017

Location Code: **FIELDQC**
Sample Number: **GW8017-TB**
Sample Name: **FIELDQC-BW-GW8017-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-JAN2011-GW**
Collection Date: 2-18-11
Collection Time: 0800
Start Depth: NA
End Depth: NA
Sample Matrix: **WQ**
Sample Team:

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Laboratory Prepared Trip Blank for 2-18-11

Sketch Location:

Logged BY / Date: Mark Lynn 2/18/11 *Reviewed BY / Date:* [illegible] 2/18/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW018

Location Code: **FIELDQC**
Sample Number: **GW8018-TB**
Sample Name: **FIELDQC-BW-GW8018-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: NA

Task: **140705-JAN2011-GW**
Collection Date: 2/21/11
Collection Time: 0800
Start Depth: NA
End Depth: NA
Sample Matrix: **WQ**
Sample Team:

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: LAB Prepared Trip Blank for 2/21/11

Sketch Location:

Logged BY / Date: Mark Ryan 2/21/11 *Reviewed BY / Date:* [illegible] 2/21/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705

Location Code: **FIELDQC**
Sample Number: **GW8019-TB**
Sample Name: **FIELDQC-BW-GW8019-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: n/a

Task: **140705-JAN2011-GW**
Collection Date: 3-8-11
Collection Time: 0800
Start Depth: n/a
End Depth: n/a
Sample Matrix: **WQ**
Sample Team: AT RB

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments:

Sketch Location:

Logged BY / Date: 3/10/11 *Reviewed BY / Date:* 3/10/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW0020

Location Code: **FIELDQC**
Sample Number: **GW8020-TB**
Sample Name: **FIELDQC-BW-GW8020-TB-TB**
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **TB**
Sampling Equip: Lab prepared

Task: **140705-JAN2011-GW**
Collection Date: 3/9/11
Collection Time: 0800
Start Depth: n/a
End Depth: n/a
Sample Matrix: **WQ**
Sample Team: RB AT

QC Partners:
(TB) (ER) (FB)

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	2	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments:

Sketch Location:

Logged BY / Date: RAB 3/9/11 *Reviewed BY / Date:* [illegible] 3/9/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW010

Location Code: **FIELDQC**
Sample Number: **GW8001-AB**
Sample Name: ~~FIELDQC-BW-GW8001-AB-AB~~
Sampling Method: **NA**
Sample Type: **BW** *Sample Purpose:* **AB**
Sampling Equip: n/a

QC Partners:
(TB) GW8010-TB (ER) (FB)

Task: **140705-JAN2011-GW**
Collection Date: 2-8-2011
Collection Time: 1055
Start Depth: n/a
End Depth: n/a
Sample Matrix: **WQ**
Sample Team: RB, AT, ML, DR

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL

ERPIMS Values:
Sacode:
Lot Control#:

Comments: Ambient Blank Poured at KAFB - 10623

Sketch Location:

Logged BY / Date: 2/8/11 *Reviewed BY / Date:* 2/8/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 GW014

Location Code: **FIELDQC**

Sample Number: **GW8002-AB**

Sample Name: ~~FIELDQC-BW-GW8002-AB-AB~~

Sampling Method: **NA**

Sample Type: **BW** *Sample Purpose:* **AB**

Sampling Equip: n/a

QC Partners:

(TB) GW014-TB ~~(ER)~~ (FB)

Task: **140705-JAN2011-GW**

Collection Date: 2-15-11

Collection Time: 1030

Start Depth: n/a

End Depth: n/a

Sample Matrix: **WQ**

Sample Team: RB, AT, ML

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL

ERPIMS Values:

Sacode:

Lot Control#:

Comments: Collected while purging KAFB 10620

Sketch Location:

Logged BY / Date: 2/15/11

Reviewed BY / Date: 2/15/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705-GW010

Location Code: **FIELDQC**

Sample Number: **GW8001-RB**

Sample Name: ~~**FIELDQC-BW-GW8001-RB-ER**~~

Sampling Method: **NA**

Sample Type: **BW** *Sample Purpose:* **ER**

Sampling Equip: Bennett Pump Portable, Peristaltic bailer Pump

QC Partners:

(TB) GW8010-TB (ER) (FB)

Task: **140705-JAN2011-GW**

Collection Date: 2-8-2011

Collection Time: 0845

Start Depth: NA

End Depth: NA

Sample Matrix: **WQ**

Sample Team: RB, AT, ML, DR

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	N	F	1	250	mL	HDPE

ERPIMS Values:

Sacode:

Lot Control#:

Comments: Rinse blank poured through Portable Bennett Pump 2-8-2011

Sketch Location:

Logged BY / Date: RJB 2/8/11 *Reviewed BY / Date:* [illegible] 2/8/11

Shaw™
Shaw E & I, Inc.

Sample Collection Log

140705 - Kirtland AFB

Manager: Thomas Cooper

RFA / COC Number: 140705 GW014

Location Code: **FIELDQC**

Sample Number: **GW8002-RB**

Sample Name: ~~FIELDQC-BW-GW8002-RB-ER~~

Sampling Method: **NA**

Sample Type: **BW** *Sample Purpose:* **ER**

Sampling Equip: Port. Bennett Pump

QC Partners:

(TB) GW014-TB (ER) ~~GW8002-F~~ (FB) ~~GW8002-AB~~ MEL 2/15/11

Task: **140705-JAN2011-GW**

Collection Date: 2/15/11

Collection Time: 1450

Start Depth: n/a

End Depth: n/a

Sample Matrix: **WQ**

Sample Team: RB, AT, ML

ERPIMS Values:

Sacode:

Lot Control#:

Containers

Analytical Suite	Flt	Frtn	Qty	Size	Units	Type
SW8260B	N	A	3	40	mL	VOA VIAL
SW8015B-GRO	N	C	3	40	mL	VOA VIAL
SW8015B-DRO	N	D	2	1000	mL	A GLASS
SW6010C-Total	N	E	1	250	mL	HDPE
SW6010C-Dis	N	F	1	250	mL	HDPE

Comments: Collected after sampling at KAFB-10620 and decon portable Bennett pump.

Sketch Location:

Logged BY / Date: [signature] 2/15/11

Reviewed BY / Date: [signature] 2/11/15