Total Extractable Petroleum Hydrocarbons (Diesel)

Case Narrative

NMED Hazardous Waste Bureau

KAFB – BFF 1Q12

Work Order Number: 1202005

1. This report consists of 2 water samples. The samples were received cool and intact by ALS on 02/01/2012.

2. The water samples were extracted by adding hexane to the water sample and shaking the resulting two phase solution according to SOP 603 Revision 12, which was developed at ALS. The hydrocarbons partition into the hexane layer, which is then removed for analysis.

3. The extracts were then analyzed using GC with a capillary column and a flame ionization detector (FID) according to SOP 406 Revision 16 generally based on SW-846 Method 8000B and Method 8015B. The procedures are based on this general method because SW-846 does not have a specific method for total extractable petroleum hydrocarbons (TEPH) or diesel range organics. The only true modification from this method is that TEPH is a multicomponent mixture and is quantitated by summing the entire range, rather than individual peaks. All positive results were quantitated using the responses from the initial calibration curve using the external standard technique. Also, a confirmation column is not used, because the analyte is a multicomponent mixture and the specific carbon range of the peaks detected is specified on the individual sample reporting forms.

4. All initial and continuing calibration criteria were met.

5. The method blank associated with this project was below the MDL for diesel range organics.

6. All laboratory control sample and laboratory control sample duplicate recoveries and RPDs were within the acceptance criteria.

7. Sample 1202005-5 was designated as the quality control sample for this analysis.

Similarity of matrix and therefore relevance of the QC results should not be automatically inferred for any sample other than the native sample selected for QC.

All matrix spike and matrix spike duplicate recoveries and RPDs were within the acceptance criteria.

8. All samples were extracted and analyzed within the established holding time.

9. All surrogate recoveries were within the acceptance criteria.

10. Manual integrations are performed when needed to provide consistent and defensible data following the guidelines in SOP 939 Revision 4.

The data contained in the following report have been reviewed and approved by the personnel listed below. In addition, ALS certifies that the analyses reported herein are true, complete and correct within the limits of the methods employed.

Mindy Norton — 2.13.12

Mindy Norton
Organics Primary Data Reviewer

Date

Joe Noce — 2-14-12

Organics Final Data Reviewer

Date

ALS
Data Qualifier Flags
Fuels

G: **This flag indicates that a pattern resembling gasoline was detected in this sample.**

D: **This flag indicates that a pattern resembling diesel was detected in this sample.**

M: **This flag indicates that a pattern resembling motor oil was detected in this sample.**

C: **This flag indicates that a pattern resembling crude oil was detected in this sample.**

4: **This flag indicates that a pattern resembling JP-4 was detected in this sample.**

5: **This flag indicates that a pattern resembling JP-5 was detected in this sample.**

H: **This flag indicates that the fuel pattern was in the heavier end of the retention time window for the analyte of interest.**

L: **This flag indicates that the fuel pattern was in the lighter end of the retention time window for the analyte of interest.**

Z: **This flag indicates that a significant fraction of the reported result did not resemble the patterns of any of the following petroleum hydrocarbon products:**
gasoline
JP-8
diesel
mineral spirits
motor oil
Stoddard solvent
bunker C

Multiple flags may be used to indicate the presence of more than one product or component.

ALS
Data Qualifier Flags
Chromatography and Mass Spectrometry

U or ND:	**This flag indicates that the compound was analyzed for but not detected.**
J:	**This flag indicates an estimated value. This flag is used as follows : (1) when estimating a concentration for tentatively identified compounds (TICs) where a 1:1 response is assumed; (2) when the mass spectral and retention time data indicate the presence of a compound that meets the volatile and semivolatile GC/MS identification criteria, and the result is less than the reporting limit (RL) but greater than the method detection limit (MDL); (3) when the data indicate the presence of a compound that meets the identification criteria, and the result is less than the RL but greater than the MDL; and (4) the reported value is estimated.**
B:	**This flag is used when the analyte is detected in the associated method blank as well as in the sample. It indicates probable blank contamination and warns the data user. This flag shall be used for a tentatively identified compound (TIC) as well as for a positively identified target compound.**
E:	**This flag identifies compounds whose concentration exceeds the upper level of the calibration range.**
A:	**This flag indicates that a tentatively identified compound is a suspected aldol-condensation product.**
X:	**This flag indicates that the analyte was diluted below an accurate quantitation level.**
***:**	**This flag indicates that a spike recovery is outside the control criteria.**
+:	**This flag indicates that the relative percent difference (RPD) exceeds the control criteria.**

ALS Environmental -- FC

Sample Number(s) Cross-Reference Table

OrderNum: 1202005
Client Name: NMED Hazardous Waste Bureau
Client Project Name: KAFB - BFF 1Q12
Client Project Number:
Client PO Number: 20-667-00-16004

Client Sample Number	Lab Sample Number	COC Number	Matrix	Date Collected	Time Collected
106055-A	1202005-1		WATER	31-Jan-12	15:15
106055-B	1202005-2		WATER	31-Jan-12	15:18
106055-C	1202005-3		WATER	31-Jan-12	15:21
106055-D	1202005-4		WATER	31-Jan-12	15:25
106055-E	1202005-5		WATER	31-Jan-12	15:27
106055-F	1202005-6		WATER	31-Jan-12	15:29
106055-G	1202005-7		WATER	31-Jan-12	15:31
106055-H	1202005-8		WATER	31-Jan-12	15:32
106055-I	1202005-9		WATER	31-Jan-12	15:33
106055-J	1202005-10		WATER	31-Jan-12	15:35
106057-A	1202005-11		WATER	31-Jan-12	12:09
106057-B	1202005-12		WATER	31-Jan-12	12:11
106057-C	1202005-13		WATER	31-Jan-12	12:15
106057-D	1202005-14		WATER	31-Jan-12	12:18
106057-E	1202005-15		WATER	31-Jan-12	12:21
106057-F	1202005-16		WATER	31-Jan-12	12:26
106057-G	1202005-17		WATER	31-Jan-12	12:28
106057-H	1202005-18		WATER	31-Jan-12	12:29
106057-I	1202005-19		WATER	31-Jan-12	12:30
106057-J	1202005-20		WATER	31-Jan-12	12:32

ALS Laboratory Group

225 Commerce Drive, Fort Collins, Colorado 80524
TF: (800) 443-1511 PH: (970) 490-1511 FX: (970) 490-1522

Chain-of-Custody

Form 202r8

WORKORDER # 1202005

PAGE 1 of 1

DISPOSAL By Lab or Return to Client

PROJECT NAME	KAFB BFF 1Q/12	SAMPLER	Salem
PROJECT No.		SITE ID	
		EDD FORMAT	
		PURCHASE ORDER	
COMPANY NAME	NMED	BILL TO COMPANY	NMED / HWB
SEND REPORT TO	Brian Salem	INVOICE ATTN TO	Dave Cobrain
ADDRESS	5500 San Antonio NE	ADDRESS	2905 Rodeo Park Dr
CITY / STATE / ZIP	ABQ, NM 87109	CITY / STATE / ZIP	Santa Fe, NM 87505
PHONE	505-222-9576	PHONE	505-476-6055
FAX		FAX	
E-MAIL		E-MAIL	

DATE 1-31-12
TURNAROUND Normal

Lab ID	Field ID	Matrix	Sample Date	Sample Time	# Bottles	Pres.	QC	VOC 8260	EDB 8011	GRO 8015	PAH 8270	DRO 8015	Anion, Alk 310.1	NH3 350.3, 353.3	Sulfide 376.1	Tot. Met 6010 TAL	Diss Met 6010, Fe, Mn only
1	106055-A	W	1/31/12	15:15		3	HCl	X									
2	106055-B			15:18		3	HCl		X								
3	106055-C			15:21		3	HCl			X							
4	106055-D			15:25		1	—				X						
5	106055-E			15:27		1	H_2SO_4					X					
6	106055-F			15:29		1	—						X				
7	106055-G			15:31		1	H_2SO_4							X			
8	106055-H			15:32		1	Zn/NaOH								X		
9	106055-I			15:33		1	HNO_3									X	
10	106055-J			15:35		1	HNO_3										X

*Time Zone (Circle): EST CST (MST) PST Matrix: O = oil S = soil NS = non-soil solid W = water L = liquid E = extract F = filter

For metals or anions, please detail analytes below.

Comments:

QC PACKAGE (check below)	
	LEVEL II (Standard QC)
	LEVEL III (Std QC + forms)
	LEVEL IV (Std QC + forms + raw data)

Preservative Key: 1-HCl 2-HNO3 3-H2SO4 4-NaOH 5-NaHSO4 7-Other 8-4 degrees C 9-5035

	SIGNATURE	PRINTED NAME	DATE	TIME
RELINQUISHED BY	Brian Salem	Brian Salem	1-31-12	15:55
RECEIVED BY	Lauren Schmitz	Lauren Schmitz	2/1/12	1015
RELINQUISHED BY				
RECEIVED BY				
RELINQUISHED BY				
RECEIVED BY				

ALS Laboratory Group

225 Commerce Drive, Fort Collins, Colorado 80524
TF: (800) 443-1511 PH: (970) 490-1511 FX: (970) 490-1522

Chain-of-Custody

Form 202r8

WORKORDER #	1202005				
PAGE	1 of 1				
DISPOSAL	By Lab or Return to Client				

PROJECT NAME	KAFB DFF Q1/12	SAMPLER	Salem	DATE	1/31/12
PROJECT No.		SITE ID	106057	TURNAROUND	Normal
		EDD FORMAT			
		PURCHASE ORDER			
COMPANY NAME	NMED	BILL TO COMPANY	NMED / HWB		
SEND REPORT TO	Brian Salem	INVOICE ATTN TO	Dave Cobrain		
ADDRESS	5500 San Antonio NE	ADDRESS	2905 Rodeo Park Dr.		
CITY / STATE / ZIP	Santa Fe, NM 87109	CITY / STATE / ZIP	Santa Fe, NM 87505		
PHONE	505-222-9576	PHONE	505-476-6055		
FAX		FAX			
E-MAIL		E-MAIL			

Lab ID	Field ID	Matrix	Sample Date	Sample Time	# Bottles	Pres.	QC	8260 VOC	8011 EDB	8015 GRO	8270 PAH	8015 DRO	310.1 Alkalinity	353.3 Nitrate	376.1 Sulfide	6010 TAL Tot met	6010 Fe+Mn only Diss. Met
11	106057-A	W	1/31/12	12:09	3	HCl		X									
12	106057-B			12:11	3	HCl			X								
13	106057-C			12:15	3	HCl				X							
14	106057-D			12:18	1	—					X						
15	106057-E			12:21	1	H_2SO_4						X					
16	106057-F			12:26	1	—							X				
17	106057-G			12:28	1	H_2SO_4								X			
18	106057-H			12:29	1	Zn/NaOH									X		
19	106057-I			12:30	1	HNO_3										X	
20	106057-J			12:32	1	HNO_3											X

*Time Zone (Circle): EST CST MST PST Matrix: O = oil S = soil NS = non-soil solid W = water L = liquid E = extract F = filter

For metals or anions, please detail analytes below.

Comments:

QC PACKAGE (check below)	
	LEVEL II (Standard QC)
	LEVEL III (Std QC + forms)
	LEVEL IV (Std QC + forms + raw data)

	SIGNATURE	PRINTED NAME	DATE	TIME
RELINQUISHED BY	Brian Salem	Brian Salem	1/31/12	1445
RECEIVED BY	Lauren Schmitz	Lauren Schmitz	2/1/12	1015
RELINQUISHED BY				
RECEIVED BY				
RELINQUISHED BY				
RECEIVED BY				

Preservative Key: 1-HCl 2-HNO3 3-H2SO4 4-NaOH 5-NaHSO4 7-Other 8-4 degrees C 9-5035

CONDITION OF SAMPLE UPON RECEIPT FORM

Client: NMED Workorder No: 1202005

Project Manager: LRS Initials: LAS Date: 2/1/12

1.	Does this project require any **special handling** in addition to standard Paragon procedures?		YES	NO
2.	Are custody **seals** on **shipping containers** intact?	NONE	YES	NO
3.	Are Custody seals on **sample containers** intact?	NONE	YES	NO
4.	Is there a **COC (Chain-of-Custody) present** or other representative documents?		YES	NO
5.	Are the **COC and bottle labels complete and legible**?		YES	NO
6.	Is the **COC in agreement** with samples received? (IDs, dates, times, no. of samples, no. of containers, matrix, requested analyses, etc.)		YES	NO
7.	Were **airbills / shipping documents** present and/or removable?	DROP OFF	YES	NO
8.	Are all **aqueous samples requiring preservation preserved correctly? (excluding volatiles)**	N/A	YES	NO
9.	Are all aqueous **non-preserved samples pH 4-9**?	N/A	YES	NO
10.	Is there **sufficient sample** for the requested analyses?		YES	NO
11.	Were all samples placed in the **proper containers** for the requested analyses?		YES	NO
12.	Are all samples within **holding times** for the requested analyses?		YES	NO
13.	Were all sample containers received **intact**? (not broken or leaking, etc.)		YES	NO
14.	Are all samples requiring **no** headspace (**VOC, GRO, RSK/MEE, Rx CN/S, radon**) headspace free? **Size of bubble**: ____ < green pea ____ > green pea	N/A	YES	NO
15.	Do perchlorate LCMS-MS samples **have** headspace? (at least 1/3 of container required)	N/A	YES	NO
16.	Were samples checked for and free from the presence of **residual chlorine?** (Applicable when PM has indicated samples are from a chlorinated water source; note if field preservation with sodium thiosulfate was not observed.)	N/A	YES	NO
17.	Were the samples **shipped on ice**?		YES	NO
18.	Were cooler temperatures measured at 0.1-6.0°C? **IR gun used*:** #2 #4	RAD ONLY	YES	NO

Cooler #:	1	2						
Temperature (°C):	1.8	2.0						
No. of custody seals on cooler:	2	2						
DOT Survey/ Acceptance Information — External µR/hr reading:	14	13						
Background µR/hr reading:	13							

Were external µR/hr readings ≤ two times background and within DOT acceptance criteria? **YES / NO / NA** (If no, see Form 008.)

Additional Information: PROVIDE DETAILS BELOW FOR A NO RESPONSE TO ANY QUESTION ABOVE, EXCEPT #1 AND #16.

If applicable, was the client contacted? **YES / NO / NA** Contact: _____ Date/Time: _____

Project Manager Signature / Date: _____

*IR Gun #2: Oakton, SN 29922500201-0066 *IR Gun #4: Oakton, SN 2372220101-0002

Form 201r22.xls (6/1/09)

00 14 14 31.20 A9.55

1202005

FedEx Express **NEW Package US Airbill**

FedEx Tracking Number 8768 4049 9112

0200 Form ID No.

FedEx Retrieval Copy

1 From

Date 1/31/12 Sender's FedEx Account Number

Sender's Name Brian Salem Phone 505 222-9576

Company NMED / HWB

Address 5500 San Antonio NE Dept./Floor/Suite/Room

City Albuquerque State NM ZIP 87109

2 Your Internal Billing Reference

3 To

Recipient's Name Lance Steere - Phone 970 490-1511

Company ALS Labs

Address 225 Commerce Dr. Dept./Floor/Suite/Room

We cannot deliver to P.O. boxes or P.O. ZIP codes.

Address

Use this line for the HOLD location address or for continuation of your shipping address.

City Ft. Collins State CO ZIP 80524-2762

01 ☐ HOLD Weekday FedEx location address REQUIRED. NOT available for FedEx First Overnight.

31 ☐ HOLD Saturday FedEx location address REQUIRED. Available ONLY for FedEx Priority Overnight and FedEx 2Day to select locations.

L

8768 4049 9112

4 Express Package Service * To most locations.

NOTE: Service order has changed. Please select carefully.

Packages up to 150 lbs. For packages over 150 lbs., use the new FedEx Express Freight US Airbill.

Next Business Day

06 ☐ FedEx First Overnight Earliest next business morning delivery to select locations. Friday shipments will be delivered on Monday unless SATURDAY Delivery is selected.

01 ☒ FedEx Priority Overnight Next business morning.* Friday shipments will be delivered on Monday unless SATURDAY Delivery is selected.

05 ☐ FedEx Standard Overnight Next business afternoon.* Saturday Delivery NOT available.

2 or 3 Business Days

49 ☐ NEW FedEx 2Day A.M. Second business morning.* Saturday Delivery NOT available.

03 ☐ FedEx 2Day Second business afternoon.* Thursday shipments will be delivered on Monday unless SATURDAY Delivery is selected.

20 ☐ FedEx Express Saver Third business day.* Saturday Delivery NOT available.

5 Packaging * Declared value limit $500.

06 ☐ FedEx Envelope* 02 ☐ FedEx Pak 03 ☐ FedEx Box 04 ☐ FedEx Tube 01 ☒ Other

6 Special Handling and Delivery Signature Options

03 ☐ **SATURDAY DELIVERY**

☐ No Signature Required Package may be left without obtaining a signature for delivery.

10 ☐ Direct Signature Someone at recipient's address may sign for delivery. Fee applies.

34 ☐ Indirect Signature If no one is available at recipient's address, someone at a neighboring address may sign for delivery. For residential deliveries only. Fee applies.

Does this shipment contain dangerous goods?

One box must be checked.

☒ No 04 ☐ Yes As per attached Shipper's Declaration. ☐ Yes Shipper's Declaration not required. 06 ☐ Dry Ice Dry ice, 9, UN 1845 ____ x ____ kg

Dangerous goods (including dry ice) cannot be shipped in FedEx packaging or placed in a FedEx Express Drop Box.

☐ Cargo Aircraft Only

7 Payment *Bill to:*

Enter FedEx Acct. No. or Credit Card No. below. Obtain recip. Acct. No. ☐

1 ☐ Sender Acct. No. in Section 1 will be billed. 2 ☒ Recipient 3 ☐ Third Party 4 ☐ Credit Card 5 ☐ Cash/Check

[redacted]

Total Packages 2 Total Weight 45lb lbs. Credit Card Auth.

†Our liability is limited to $100 unless you declare a higher value. See the current FedEx Service Guide for details.

612

Rev. Date 11/10 • Part #163136 • ©1994–2010 FedEx • PRINTED IN U.S.A. SRY

105 14 2 18

fedex.com 1.800.GoFedEx 1.800.463.3339

fedex.com 1.800.GoFedEx 1.800.463.3339

1202005

ORIGIN ID: ONMA

SHIP DATE: 31JAN12
ACTWGT: 51.2 LB
CAD: /POS1242
DIMS: 25x14x14 IN

BILL RECIPIENT

UNITED STATES US

TO LANCE STEERE
ALS LABS
225 COMMERCE DR

FT. COLLINS CO 80524
(970) 490-1511 REF:
INV:
PO: DEPT:

13

2

FedEx Express

E

2 of 2

MPS# 0681 7955 4315 3930

Mstr# 8768 4049 9112 0200

WED - 01 FEB A2
PRIORITY OVERNIGHT

XH FTCA

80524
CO-US DEN

Part # 156297-435 RIT 11/11

0.2

Diesel Range Organics

Method SW8015MB
Method Blank

Lab Name: **ALS Environmental -- FC**
Work Order Number: 1202005
Client Name: NMED Hazardous Waste Bureau
ClientProject ID: KAFB - BFF 1Q12

Lab ID: EX120202-11MB

Sample Matrix: WATER
% Moisture: N/A
Date Collected: N/A
Date Extracted: 02-Feb-12
Date Analyzed: 02-Feb-12

Prep Batch: EX120202-11
QCBatchID: EX120202-11-1
Run ID: HCD120202-3A
Cleanup: NONE
Basis: N/A
File Name: F3F41893

Sample Aliquot: 160 ml
Final Volume: 4 ml
Result Units: MG/L
Clean DF: 1

CASNO	Target Analyte	DF	Result	Reporting Limit	MDL	Result Qualifier	EPA Qualifier
68334-30-5	Diesel Range Organics	1	0.5	0.5	0.15	U	

Surrogate Recovery

CASNO	Surrogate Analyte	Result	Flag	Spike Amount	Percent Recovery	Control Limits
84-15-1	O-TERPHENYL	1.01		1.25	81	57 - 132

Data Package ID: *HCD1202005-1*

Diesel Range Organics

Method SW8015MB

Sample Results

Lab Name: **ALS Environmental -- FC**
Work Order Number: 1202005
Client Name: NMED Hazardous Waste Bureau
ClientProject ID: KAFB - BFF 1Q12

Field ID: 106055-E
Lab ID: 1202005-5

Analysis ReqCode: **163**

Sample Matrix: WATER
% Moisture: N/A
Date Collected: 31-Jan-12
Date Extracted: 02-Feb-12
Date Analyzed: 02-Feb-12
Prep Method: METHOD

Prep Batch: EX120202-11
QCBatchID: EX120202-11-1
Run ID: HCD120202-3A
Cleanup: NONE
Basis: As Received
File Name: F3F41896

Sample Aliquot: 160 ml
Final Volume: 4 ml
Result Units: MG/L
Clean DF: 1

CASNO	Target Analyte	Dilution Factor	Result	Reporting Limit	MDL	Result Qualifier	EPA Qualifier
68334-30-5	Diesel Range Organics	1	0.5	0.5	0.15	U	

Surrogate Recovery

CASNO	Surrogate Analyte	Result	Flag	Spike Amount	Percent Recovery	Control Limits
84-15-1	O-TERPHENYL	1.01		1.25	80	57 - 132

Data Package ID: *HCD1202005-1*

Diesel Range Organics

Method SW8015MB

Sample Results

Lab Name: **ALS Environmental -- FC**
Work Order Number: 1202005
Client Name: NMED Hazardous Waste Bureau
ClientProject ID: KAFB - BFF 1Q12

Field ID: 106057-E
Lab ID: 1202005-15

Analysis ReqCode: **163**

Sample Matrix: WATER
% Moisture: N/A
Date Collected: 31-Jan-12
Date Extracted: 02-Feb-12
Date Analyzed: 03-Feb-12
Prep Method: METHOD

Prep Batch: EX120202-11
QCBatchID: EX120202-11-1
Run ID: HCD120202-3A
Cleanup: NONE
Basis: As Received
File Name: F3F41899

Sample Aliquot: 160 ml
Final Volume: 4 ml
Result Units: MG/L
Clean DF: 1

CASNO	Target Analyte	Dilution Factor	Result	Reporting Limit	MDL	Result Qualifier	EPA Qualifier
68334-30-5	Diesel Range Organics	1	0.5	0.5	0.15	U	

Surrogate Recovery

CASNO	Surrogate Analyte	Result	Flag	Spike Amount	Percent Recovery	Control Limits
84-15-1	O-TERPHENYL	0.915		1.25	73	57 - 132

Data Package ID: *HCD1202005-1*

Diesel Range Organics

Method SW8015MB

Laboratory Control Sample and Laboratory Control Sample Duplicate

Lab Name: ALS Environmental -- FC
Work Order Number: 1202005
Client Name: NMED Hazardous Waste Bureau
ClientProject ID: KAFB - BFF 1Q12

Lab ID: EX120202-11LCS

Sample Matrix: WATER
% Moisture: N/A
Date Collected: N/A
Date Extracted: 02/02/2012
Date Analyzed: 02/02/2012
Prep Method: METHOD

Prep Batch: EX120202-11
QCBatchID: EX120202-11-1
Run ID: HCD120202-3A
Cleanup: NONE
Basis: N/A
File Name: F3F41894

Sample Aliquot: 160 ml
Final Volume: 4 ml
Result Units: MG/L
Clean DF: 1

CASNO	Target Analyte	Spike Added	LCS Result	Reporting Limit	Result Qualifier	LCS % Rec.	Control Limits
68334-30-5	Diesel Range Organics	5	4.26	0.5		85	36 - 150%

Lab ID: EX120202-11LCSD

Sample Matrix: WATER
% Moisture: N/A
Date Collected: N/A
Date Extracted: 02/02/2012
Date Analyzed: 02/02/2012
Prep Method: METHOD

Prep Batch: EX120202-11
QCBatchID: EX120202-11-1
Run ID: HCD120202-3A
Cleanup: NONE
Basis: N/A
File Name: F3F41895

Sample Aliquot: 160 ml
Final Volume: 4 ml
Result Units: MG/L
Clean DF: 1

CASNO	Target Analyte	Spike Added	LCSD Result	Reporting Limit	Result Qualifier	LCSD % Rec.	RPD Limit	RPD
68334-30-5	Diesel Range Organics	5	4.09	0.5		82	20	4

Surrogate Recovery LCS/LCSD

CASNO	Target Analyte	Spike Added	LCS % Rec.	LCS Flag	LCSD % Rec.	LCSD Flag	Control Limits
84-15-1	O-TERPHENYL	1.25	88		81		57 - 132

Data Package ID: *HCD1202005-1*

Diesel Range Organics

Method SW8015MB

Matrix Spike And Matrix Spike Duplicate

Lab Name: ALS Environmental -- FC
Work Order Number: 1202005
Client Name: NMED Hazardous Waste Bureau
ClientProject ID: KAFB - BFF 1Q12

Field ID: 106055-E
LabID: 1202005-5MS

Sample Matrix: WATER
% Moisture: N/A
Date Collected: 31-Jan-12
Date Extracted: 02-Feb-12
Date Analyzed: 03-Feb-12
Prep Method: METHOD

Prep Batch: EX120202-11
QCBatchID: EX120202-11-1
Run ID: HCD120202-3A
Cleanup: NONE
Basis: As Received

Sample Aliquot: 160 ml
Final Volume: 4 ml
Result Units: MG/L
File Name: F3F41897

CASNO	Target Analyte	Sample Result	Samp Qual	MS Result	MS Qual	Reporting Limit	Spike Added	MS % Rec.	Control Limits
68334-30-5	Diesel Range Organics	0.5	U	4.34		0.5	5	87	36 - 150%

Field ID: 106055-E
LabID: 1202005-5MSD

Sample Matrix: WATER
% Moisture: N/A
Date Collected: 31-Jan-12
Date Extracted: 02-Feb-12
Date Analyzed: 03-Feb-12
Prep Method: METHOD

Prep Batch: EX120202-11
QCBatchID: EX120202-11-1
Run ID: HCD120202-3A
Cleanup: NONE
Basis: As Received

Sample Aliquot: 160 ml
Final Volume: 4 ml
Result Units: MG/L
File Name: F3F41898

CASNO	Target Analyte	MSD Result	MSD Qual	Spike Added	MSD % Rec.	Reporting Limit	RPD Limit	RPD
68334-30-5	Diesel Range Organics	4.39		5	88	0.5	20	1

Surrogate Recovery MS/MSD

CASNO	Target Analyte	Spike Added	MS % Rec.	MS Flag	MSD % Rec.	MSD Flag	Control Limits
84-15-1	O-TERPHENYL	1.25	88		88		57 - 132

Data Package ID: *HCD1202005-1*